1800 S. Ocean DR.

TRG - Hallandale Beach Limited
1830 S. Ocean Drive
Hallandale Beach, Florida
(954) 455-5750

The Beach Club - Phase II
1830 South Ocean Drive
Hallandale Beach, FL

The Beach Club
Phase II
City of Hallandale Beach, Florida

AS-BUILT - December 14, 2006

DEVELOPER	TRG -Hallandale Beach Limited 1820 South Ocean Drive Hallandale Beach, FL 954.455.0505
ARCHITECTS	The Sieger Suarez Architectural Partnership 5996 S.W. 70th Street Miami, Florida 33143 305-274-2702 ssdarch@sieger-architects.com
STRUCTURAL ENGINEERS	CHM 9200 Padelford Blvd. Suite 409 Miami, FL 33156 305-667-1621 mark@chm.co
MECHANICAL ENGINEERS	Steven Feller P.E., Inc. 500 NE Third Avenue Fort Lauderdale, Florida 33301 954.467.1402 fellerpe@fellerpe.com
LANDSCAPE ARCHITECT	EGS2 Corp. 5996 S.W. 70th Street Miami, Florida 33143 305-274-2702 land@EGS2-Corp-Landscape.com
CIVIL	EDC 2455 SW 27th Avenue Miami, Florida 33145 305-858-6100 mail@edccorp.net

JMA - 2397
DEC 27 2006

BUILDING PERMIT 06.15.2004

A0216a

The Sieger Suarez Architectural Partnership
5996 Southwest 70th Street, South Miami, Florida. 33143 305/274-2702.

TRG - Hallandale Beach Limited
1630 S. Ocean Drive
Hallandale Beach, Florida
(954) 455-5758

The Beach Club
1830 South Ocean Drive
Hallandale Beach, FL.

The Beach Club Index

ARCHITECTURAL

A0.01 Index
A1.00 Project Data
A1.01 Site Plan 1" = 30.0'
A1.02 Service Level Garage Floor Plan 3/16"=1'-0"
A1.04 Lobby Level Garage Floor Plan 3/16"=1'-0"
A1.04 Mezzanine Level Garage Floor Plan 3/16"=1'-0"
A1.06 Level 04 Floor Plan 1/16"=1'-0"
A1.06 Level 05 Floor Plan 1/16"=1'-0"
A1.07 Level 06 Floor Plan 1/16"=1'-0"
A1.08 Level 07 Floor Plan 1/16"=1'-0"
A2.01 Service Level Floor Plan 1/8"=1'-0"
A2.02 Lobby Level Floor Plan 1/8"=1'-0"
A2.05 Mezzanine Level Floor Plan 1/8"=1'-0"
A2.04 Level 04 Floor Plan 1/8"=1'-0"
A2.04 Level 05 Floor Plan 1/8"=1'-0"
A2.06 Level 06 Floor Plan 1/8"=1'-0"
A2.07 Level 07 Floor Plan 1/8"=1'-0"
A2.08 Level 08 Floor Plan 1/8"=1'-0"
A2.08 Levels 9 Floor Plan 1/8"=1'-0"
A2.10 Level 10 Floor Plan 1/8"=1'-0"
A2.10A Level 11 Floor Plan 1/8"=1'-0"
A2.11 Level 12 Floor Plan 1/8"=1'-0"
A2.12 Level 13 Floor Plan 1/8"=1'-0"
A2.13 Levels 14-48 Typical Floor Plan 1/8"=1'-0"
A2.14 Level 50 Floor Plan 1/8"=1'-0"
A2.15 Level 51 - Main Roof Deck Floor Plan (Mechanical) 1/8"=1'-0"
A2.16 Level 52 Floor Plan (Machine Room) 1/8"=1'-0"
A2.17 Upper Roof Plan 1/8"=1'-0"
A2.01 Service Level Storage and Trash Room Floor Plan 1/4"=1'-0"
A3.02 Level 02 Lobby Floor Plan 1/4"=1'-0"
A3.03 Not Used 1/4"=1'-0"
A3.04 Not Used 1/4"=1'-0"
A3.05 Not Used 1/4"=1'-0"
A3.06 Not Used 1/4"=1'-0"
A3.07 Garage Level 02 Mezzanine Floor Plan 1/4"=1'-0"
A3.08 Level 02 - Cabanas 1/4"=1'-0"
A3.09 Level 02 - Cabanas 1/4"=1'-0"
A3.10 Level 03 - Mezzanine level Mechanical Loft Spaces 1/4"=1'-0"
A3.11 Level 03 - Mezzanine level Mechanical Rooms 1/4"=1'-0"
A3.11A Level 03 - Mezzanine level Mechanical Rooms 1/4"=1'-0"
A3.12 Level 04 - Mechanical Room 1/4"=1'-0"
A3.13 Level 04 - Spa (Partial Floor Plan) 1/4"=1'-0"
A3.14 Level 04 - Spa (Partial Floor Plan) 1/4"=1'-0"
A3.15 Level 04 - Spa (Partial Floor Plan) 1/4"=1'-0"
A3.16 Not Used
A3.17 Level 06 Common Area 1/4"=1'-0"
A3.18 Level 04 -Grab Bar Floor Plan 1/4"=1'-0"
A3.19 Level 08 - Mechanical Room 1/4"=1'-0"
A3.20 Unit 'A' Floor Plan 1/4"=1'-0"
A3.21 Unit 'B-mod' Floor Plan 1/4"=1'-0"
A3.22 Unit 'B-mod' Floor Plan 1/4"=1'-0"
A3.23 Unit 'B-reverse' Floor Plan 1/4"=1'-0"
A3.24 Unit 'C' Floor Plan 1/4"=1'-0"
A3.25 Unit 'D' Floor Plan 1/4"=1'-0"
A3.26 Unit 'E' Floor Plan 1/4"=1'-0"
A3.27 Unit 'Erev' Floor Plan 1/4"=1'-0"
A3.28 Unit 'F' Floor Plan 1/4"=1'-0"
A3.29 Unit 'G' Floor Plan 1/4"=1'-0"
A3.30 Unit 'G-mod' Floor Plan 1/4"=1'-0"
A3.31 Unit 'G-reverse' Floor Plan 1/4"=1'-0"
A3.32 Unit 'H' Floor Plan 1/4"=1'-0"
A3.33 Unit 'J' Floor Plan 1/4"=1'-0"
A3.34 Unit 'PH-1B' lower Floor Plan 1/4"=1'-0"
A3.35 Unit 'PH-1B' upper Floor Plan 1/4"=1'-0"
A3.36 Unit 'PH-B-mod' lower Floor Plan 1/4"=1'-0"
A3.37 Unit 'PH-B-mod' upper Floor Plan 1/4"=1'-0"
A3.38 Unit 'PH-1C' lower Floor Plan 1/4"=1'-0"
A3.39 Unit 'PH-1C' upper Floor Plan 1/4"=1'-0"
A3.40 Unit 'PH-1C' mod' lower Floor Plan 1/4"=1'-0"
A3.41 Unit 'PH-1C' mod' upper Floor Plan 1/4"=1'-0"
A3.42 Unit 'PH-2' lower Floor Plan 1/4"=1'-0"
A3.43 Unit 'PH-2' upper Floor Plan 1/4"=1'-0"
A3.44 Unit 'PH-2 mod' lower Floor Plan 1/4"=1'-0"
A3.45 Unit 'PH-2-mod' upper Floor Plan 1/4"=1'-0"
A4.01 North Elevation 1/32"=1'-0"
A4.02 South Elevation 1/32"=1'-0"
A4.03 East Elevation 1/32"=1'-0"
A4.04 West Elevation 1/32"=1'-0"
A4.05 North & East Garage Elevations 1/16"=1'-0"
A4.06 West Garage Elevation 1/16"=1'-0"
A5.01 Reference Cross Section 1/32"=1'-0"
A5.02 Partial Building Sections 3/32"=1'-0"
A5.03 Partial Building Sections 1/32"=1'-0"
A5.03 Partial Building Sections 1/8"=1'-0"
A5.04 Partial Building Sections 1/8"=1'-0"
A5.05 Partial Building Sections 1/8"=1'-0"
A5.06 Partial Building Sections 1/32"=1'-0"
A5.06 Partial Building Sections 3/16"=1'-0"

ARCHITECTURAL, CONTINUED

A5.21 Stair 2 Floor Plans 1/4"=1'-0"
A5.19 Stair 2 Floor Plans 1/4"=1'-0"
A5.20 Stair 2 Floor Plans 1/4"=1'-0"
A5.04 Stair 2 Section 1/4"=1'-0"
A5.05 Stair 1 Floor Plans 1/4"=1'-0"
A5.26 Stair 1 Floor Plans 1/4"=1'-0"
A5.07 Stair 1 Section & Elevator 1/2 Section 1/4"=1'-0"
A5.08 Elevator Core Floor Plans 1/4"=1'-0"
A5.09 Elevator Core Floor Plans 1/4"=1'-0"
A5.10 Elevator Core Floor Plans 1/4"=1'-0"
A5.11 Elevator Core Floor Plans 1/4"=1'-0"
A5.12 Stair 3 Floor Plans & Section 1/4"=1'-0"
A5.13 Stair 4 Floor Plans & Section 1/4"=1'-0"
A5.14 Stairs 5A, 5B, 6 & 7 Floor Plans & Section 1/4"=1'-0"
A7.01 Section Details Various
A7.02 Section Details Various
A7.03 Plan & Section Details Various
A7.04 Section Details Various
A7.05 NOT USED Various
A7.06 Section Details Various
A7.07 Section & Plan Details Various
A7.08 Plan & Section Details Various
A7.09 Section Details - Parking Various
A8.01 Wall Type Details Various
A8.02 Wall Type Details Various
A8.03 Door Details Various
A8.04 Door Types & Details Various
A8.05 Handicapped Notes and Mounting Details Various
A8.06 Handicapped Notes and Mounting Details Various
A8.07 Glazed Notes & Door Schedule Notes
A8.08 Door Schedule
A8.09 Finish Schedule
A8.10 Window Elevations Various
A9.01 Fire Rating Details Various
A9.02 Fire Rating Details Various
A9.03 Fire Rating Details Various
A10.01 Life Safety Plan - Service Level 1/16"=1'-0"
A10.02 Life Safety Plan - Lobby Level 1/16"=1'-0"
A10.03 Life Safety Plan - Mezzanine Level 1/16"=1'-0"
A10.04 Life Safety Plan - Level 04 1/16"=1'-0"
A10.05 Life Safety Plan - Level 05 1/16"=1'-0"
A10.06 Life Safety Plan - Level 06 1/16"=1'-0"
A10.07 Life Safety Plan - Level 07 1/16"=1'-0"
A10.08 Life Safety Plan - Level 08 1/8"=1'-0"
A10.09 Life Safety Plan - Level 09 1/8"=1'-0"
A10.10 Life Safety Plan - Levels 10 & 11 1/8"=1'-0"
A10.11 Life Safety Plan - Level 12 1/8"=1'-0"
A10.12 Life Safety Plan - Level 13 1/16"=1'-0"
A10.13 Life Safety Plan - Levels 14-48 1/8"=1'-0"
A10.14 Life Safety Plan - Level 50 1/8"=1'-0"
A10.15 Life Safety Plan - Level 51 (Mechanical) 1/8"=1'-0"
A10.16 Life Safety Plan - Level 52 (Machine Room) 1/4"=1'-0"

LANDSCAPE

L1.01 Landscaping Reference Plan 1/16"
L2.01 Ground Level Layout Plan 1/16"
L3.02 Ground Level Grading Plan 1/16"
L3.03 Cabana / Lobby Layout Plan 1/16"
L2.04 Cabana / Lobby Grading Plan 1/8"
L2.05 Lobby Level Layout Plan 1/4"
L2.06 Lobby level Grading Plan 1/4"
L3.07 Pool Deck Layout Plan 1/8"
L3.08 Pool Deck Grading Plan 1/8"
L4.01 Entry Drive Paving Plan 1/16"
L4.02 Partial Site Paving Plan 1/16"
L4.03 Partial Site Planting Plan 1/16"
L4.04 Plant List, Specifications and Details 1/8"
L5.01 Ground Level Lighting Plan 1/16"
L5.02 Partial Site Lighting Plan 1/16"
L5.03 Pool Deck Lighting Plan 1/16"
L5.04 Pool Deck Lighting Plan 1/16"

STRUCTURAL

S-0 Opening Notes & Index
S-1 Standard Details
S-1A Standard Details
S-2 Standard Details
S-2A Standard Details
S-2B Standard Details
S-3 Partial Parking Foundation Framing & Hammerhead Plan
S-3T Partial Tower Foundation Framing & Reinforcing Plan
S-4PF Partial Parking Lobby Framing Plan
S-4PR Partial Parking Lobby Reinforcing Plan
S-4TF Partial Tower Lobby Framing Plan
S-4TR Partial Tower Lobby Reinforcing Plan
S-5PF Partial Parking Mezzanine Framing Plan
S-5PR Partial Parking Mezzanine Reinforcing Plan
S-5TF Partial Tower Mezzanine Framing Plan
S-5TR Partial Tower Mezzanine Reinforcing Plan
S-6PF Partial Parking Level 4 Framing Plan
S-6PR Partial Parking Level 4 Reinforcing Plan
S-6TF Partial Tower Level 4 Framing Plan
S-6TR Partial Tower Level 4 Reinforcing Plan
S-7PF Partial Parking Level 5 Framing Plan
S-7PR Partial Parking Level 5 Reinforcing Plan
S-7TF Partial Tower Level 5 Framing Plan
S-7TR Partial Tower Level 5 Reinforcing Plan
S-8PF Partial Parking Level 6 Framing Plan
S-8PR Partial Parking Level 6 Reinforcing Plan
S-8TF Partial Tower Level 6 Framing Plan
S-8TR Partial Tower Level 6 Reinforcing Plan
S-9PF Partial Parking Level 7 Framing Plan
S-9PR Partial Parking Level 7 Reinforcing Plan
S-9TF Partial Tower Level 7 Framing Plan
S-9TR Partial Tower Level 7 Reinforcing Plan
S-10TF Partial Tower Level 8 Framing Plan
S-10TR Partial Tower Level 8 Reinforcing Plan
S-11TF Partial Tower Level 9 Framing Plan
S-11TR Partial Tower Level 9 Reinforcing Plan
S-12TF Partial Tower Levels 10 to 11 Framing Plan
S-12TR Partial Tower Levels 10 to 11 Reinforcing Plan
S-13TF Partial Tower Level 12 Framing Plan
S-13TR Partial Tower Level 12 Reinforcing Plan
S-14TF Partial Tower Level 13 Framing Plan
S-14TR Partial Tower Level 13 Reinforcing Plan
S-15TF Partial Tower Levels14 to 48 Framing Plan
S-15TR Partial Tower Levels 14 to 48 Reinforcing Plan
S-16TF Partial Tower Level 50 Framing Plan
S-16TR Partial Tower Level 50 Reinforcing Plan
S-17TF Partial Tower Level 51 Framing Plan
S-17TR Partial Tower Level 51 Reinforcing Plan
S-18TF Partial Tower Level 52 Framing & Reinforcing Plan
S-19TF Partial Tower Level Mechanical Roof Framing Plan
S-19TR Partial Tower Level 51 Mechanical Roof Reinforcing Plan
S-20 Tower Column Schedule
S-21 Garage Column Schedule
S-22 Tower Beam & Wall Schedule
S-23 Garage Beam & Wall Schedule
S-24 Shear Wall Details
S-25 Shear Wall Details
S-26 Shear Wall Details
S-27 Not Used
S-28 Not Used
S-29 Pile Standard
S-30 Pile Cap Details
S-31 Pile Cap Details
S-32 Stairs
S-33 Stairs
S-34 Section
S-35 Section
S-36 Section
S-37 Section
S-38 Section

ELECTRICAL

E 3.001 Electrical Drawing Index
E-E_100 Service Level - Overall Electrical
E-S.101 Service Level - Electrical Plan
E-S.102 Lobby Level Electrical Plan
E-S.102A Lobby Level Phase I Electrical Plan
E-S.103 Mezzanine Level Electrical Plan
E-S.103A Mezzanine Phase I Level Electrical Plan
E-S.104 Level 4 - Electrical Plan
E-S.105 Level 5 - Electrical Plan
E-S.106 Level 6 - Electrical Plan
E-S.107 Level 7 - Electrical Plan
E-S.201 Service Level - Electrical Plan
E-S.202A Lobby Level Power Plan
E-S.202G Lobby Level Lighting Plan
E-S.203 Mezzanine Level Electrical Plan
E-S.204 Level 4 - Electrical Plan
E-S.204A Level 4 - Lighting Plan
E-S.204E Level 4 - Partial Lighting Plan
E-S.205 Level 5 - Electrical Plan
E-S.206 Level 6 - Electrical Plan
E-S.206A Level 6 - Lighting Plan
E-S.206E Level 6 - Partial Lighting Plan
E-S.207 Level 7 - Electrical Plan
E-S.207A Level 7 - Lighting Plan
E-S.208 Level 8 - Electrical Plan
E-S.209 Levels 10-11 - Electrical Plan
E-S.211 Level 12 - Electrical Plan
E-S.212 Levels 14-48 - Electrical Plan
E-S.214 Level 50 - Electrical Plan
E-S.215 Level 51 Mechanical Level- Electrical Plan
E-S.216 Level 52 Machine Room - Electrical Plan
E-S.217 Level 53 Roof- Electrical Plan
E-E.301 Typical Units - Electrical Plan
E-E.302 Typical Units - Electrical Plan
E-E.303 Typical Units - Electrical Plan
E-E.304 Typical Units - Electrical Plan
E-E.305 Typical Units - Electrical Plan
E-E.306 Typical Units - Electrical Plan
E-E.307 Typical Units - Electrical Plan
E-E.308 Typical Units - Electrical Plan
E-E.309 Typical Units - Electrical Plan
E-E.310 Typical Units - Electrical Plan
E-E.311 Typical Units - Electrical Plan
E-E.312 Typical Units - Electrical Plan
E-E.313 Typical Units - Electrical Plan
E-E.401 Enlarged Electrical Rooms Plan
E-E.402 Enlarged Electrical Rooms Plan
E-E.403 Enlarged Electrical Rooms Plan
E-E.404 Enlarged Electrical Rooms Plan
E-E.501 Electrical Riser Diagram
E-E.502 Electrical Riser Diagram
E-E.503 Telephone Riser Diagram
E-E.504 Telephone Riser Diagram
E-E.505 T.V. Riser Diagram
E-E.506 T.V. Riser Diagram
E-E.601 Electrical Panel Schedules
E-E.602 Electrical Panel Schedules
E-E.603 Electrical Panel Schedules
E-E.604 Electrical Panel Schedules - Emergency
E-E.605 Electrical Panel Schedules - Emergency
E-E.606 Electrical Panel Schedules - Emergency
E-E.607 Electrical Panel Schedules - Apercreme
E-E.701 Electrical Details
E-E.702 Electrical Details
E-E.801 Electrical Notes
E-E.802 Symbol Legends & Light Fixture Schedules
E-S.211 Restaurant / kitchen equipment electrical plan
E-S.216 Bar equipment electrical plan
FA-S.101 Service Level - Fire Alarm
FA-S.102 Lobby Level - Fire Alarm
FA-S.103 Mezzanine Level - Fire Alarm
FA-S.103A Mezzanine Level (Phase I) - Fire Alarm
FA-S.104 Level 4 - Fire Alarm
FA-S.105 Level 5 - Fire Alarm
FA-S.106 Level 6 - Fire Alarm
FA-S.107 Level 7 - Fire Alarm
FA-S.208 Level 8 - Fire Alarm
FA-S.209 Level 9 - Fire Alarm
FA-S.210 Levels 10-11 - Fire Alarm
FA-S.211 Level 12 - Fire Alarm
FA-S.212 Level 13 - Fire Alarm
FA-S.213 Levels 14-48 - Fire Alarm
FA-S.214 Level 51 Mechanical Level - Fire Alarm
FA-S.215 Level 52 Machine Room - Fire Alarm
FA-S.216 Level 53 Roof - Fire Alarm
FA-S.217 Fire Alarm Riser Diagram
FA-S.218 Fire Alarm Riser Diagram
PH-1 Service Level - Photometric Plan
PH-2 Service Level - Photometric Plan
PH-3 Lobby Level - Photometric Plan
PH-4 Mezzanine Level - Photometric Plan
PH-5 Levels 4-6 - Photometric Plan

PLUMBING

P0.000 Plumbing Drawing Index
P2.101 Plumbing Plan - 1st. Level - Service Level
P2.102 Plumbing Plan - 2nd. Level - Lobby Level
P2.103 Plumbing Plan - 3rd. Level - Mezzanine Level
P2.104 Plumbing Plan - 4th Level - Parking
P2.105 Plumbing Plan - 5th Level - Parking
P2.106 Plumbing Plan - 6th Level - Parking
P2.107 Plumbing Plan - 7th Level - Pool Deck
P2.201 Plumbing Plan - 1st. Level - Service Level
P2.202 Plumbing Plan - 2nd. Level - Lobby Level
P2.203 Plumbing Plan - 3rd. Level - Mezzanine Level
P2.204 Plumbing Plan - 4th Level - Tower
P2.205 Plumbing Plan - 5th Level - Tower
P2.206 Plumbing Plan - 6th Level - Tower
P2.207 Plumbing Plan - 7th Level - Tower
P2.208 Plumbing Plan - 8th Level - Tower
P2.209 Plumbing Plan - 9th Level - Tower
P2.210 Plumbing Plan - 10th Level - Tower
P2.211 Plumbing Plan - 11th Level - Tower
P2.212 Plumbing Plan - 12th Level - Tower
P2.213 Plumbing Plan - 13th Level - Tower
P2.214 Plumbing Plan - 14th-31st Levels - Tower
P2.215 Plumbing Plan - 32nd Level - Tower
P2.216 Plumbing Plan - 33rd-48th Levels - Tower
P2.217 Plumbing Plan - 49th Level - Tower
P2.218 Plumbing Plan - 50th Level - Roof
P2.219 Plumbing Plan - 50th Level - Roof
P2.220 Plumbing Plan - 51st Level - Roof
P2.221 Plumbing Plan - 52nd Level - Roof
P2.222 Plumbing Plan - 53rd Level - Roof
P2.301 Enlarged Cabana Plumbing Floor Plan
P2.401 Sanitary Collection Isometric
P2.402 Sanitary Risers
P2.403 Sanitary Risers
P2.404 Sanitary Risers
P2.405 Sanitary Risers
P2.406 Partial Water Distribution Isometric
P2.407 Partial Water Distribution Isometric
P2.408 Water Risers
P2.409 Water Risers
P2.410 Not Used
P2.411 Unit Water Risers
P2.412 Partial Storm/drainage Collection Isometric
P2.413 Partial Storm/drainage Collection Isometric
P2.414 Partial Storm/drainage Collection Isometric
P2.419 Cooling Tower Water Make-up Distribution Isometric
P2.416 Gas Distribution Isometric
P2.417 Condensate Collection Isometric
P2.501 Plumbing Schedules
P2.502 Plumbing Schedules
P2.503 Plumbing Schedules

FIRE PROTECTION

FP0.000 Fire Protection Drawing Index
FP2.100 Fire Protection Plan - Service Level
FP2.101 Fire Protection Plan - 1st. Level - Service Level
FP2.102 Fire Protection Plan - 2nd. Level - Lobby Level
FP2.103 Fire Protection Plan - 3rd. Level - Mezzanine Level
FP2.104 Fire Protection Plan - 4th Level - Parking
FP2.105 Fire Protection Plan - 5th Level - Parking
FP2.106 Fire Protection Plan - 6th Level - Parking
FP2.107 Fire Protection Plan - 7th Level - Pool Deck
FP2.202 Fire Protection Plan - 2nd. Level - Lobby Level
FP2.203 Fire Protection Plan - 3rd. Level - Mezzanine Level
FP2.204 Fire Protection Plan - 4th Level - Tower
FP2.205 Fire Protection Plan - 5th Level - Tower
FP2.206 Fire Protection Plan - 6th Level - Tower
FP2.207 Fire Protection Plan - 7th Level - Tower
FP2.208 Fire Protection Plan - 8th Level - Tower
FP2.209 Fire Protection Plan - 9th Level - Tower
FP2.210 Fire Protection Plan - 10th Level - Tower
FP2.210A Fire Protection Plan - 11th Level - Tower
FP2.211 Fire Protection Plan - 12th Level - Tower
FP2.212 Fire Protection Plan - 13th Level - Tower
FP2.213 Fire Protection Plan - 14th-48th Levels - Tower
FP2.214 Fire Protection Plan - 50th Level - Roof
FP2.215 Fire Protection Plan - 51st Level - Roof
FP2.216 Fire Protection Plan - 52nd Level - Roof
FP2.301 Fire Protection Plan - Typical Units - "B" and "B-rev"
FP2.302 Fire Protection Plan - Typical Units - "B-mod" and "B-mod-rev"
FP2.303 Fire Protection Plan - Typical Units - "C" and "D"
FP2.304 Fire Protection Plan - Typical Units - "E" and "E-rev"
FP2.305 Fire Protection Plan - Typical Units - "F" and "G"
FP2.306 Fire Protection Plan - Typical Units - "G-mod" and "G-mod-rev"
FP2.307 Fire Protection Plan - Typical Units - "H" and "J"
FP2.308 Fire Protection Plan - Typical Units - "PH1B"
FP2.309 Fire Protection Plan - Typical Units - "PH1B-mod"
FP2.310 Fire Protection Plan - Typical Units - "PH1C"
FP2.311 Fire Protection Plan - Typical Units - "PH1C-mod"
FP2.312 Fire Protection Plan - Typical Units - "PH2"
FP2.313 Fire Protection Plan - Typical Units - "PH2-mod"
FP2.401 Fire Protection Notes and Details
FP2.501 Fire Protection Riser Diagram
FP2.502 Fire Protection Riser Diagram

MECHANICAL

M0.000 Mechanical Drawing Index
M0.001 Mechanical Notes
M0.002 Mechanical Legend
M2.101 Mechanical Plan - 1st. Level - Service Level
M2.102 Mechanical Plan - 2nd. Level - Lobby Level
M2.103 Mechanical Plan - 3rd. Level - Mezzanine Level
M2.104 Mechanical Plan - 4th Level - Parking
M2.105 Mechanical Plan - 5th Level - Parking
M2.106 Mechanical Plan - 6th Level - Parking
M2.107 Mechanical Plan - 7th Level - Pool Deck
M2.201 Mechanical Plan - 1st. Level - Service Level
M2.202 Mechanical Plan - 2nd. Level - Lobby Level
M2.203 Mechanical Plan - 3rd. Level - Mezzanine Level
M2.204 Mechanical Plan - 4th Level - Tower
M2.205 Mechanical Plan - 5th Level - Tower
M2.206 Mechanical Plan - 6th Level - Tower
M2.207 Mechanical Plan - 7th Level - Tower
M2.208 Mechanical Plan - 8th Level - Tower
M2.209 Mechanical Plan - 9th Level - Tower
M2.210 Mechanical Plan - 10th & 11th Levels - Tower
M2.211 Mechanical Plan - 12th Level - Tower
M2.212 Mechanical Plan - 13th Level - Tower
M2.213 Mechanical Plan - 14th-49th Levels - Tower
M2.214 Mechanical Plan - 50th Level - Roof
M2.215 Mechanical Plan - 51st Level - Roof
M2.216 Mechanical Plan - 52nd Level - Roof
M2.217 Mechanical Plan - 53rd Level - Roof
M2.301 Mechanical Plan - Typical Units - "B" and "B-rev"
M2.302 Mechanical Plan - Typical Units - "B-mod" and "B-mod-rev"
M2.303 Mechanical Plan - Typical Units - "C" and "D"
M2.304 Mechanical Plan - Typical Units - "E" and "E-rev"
M2.305 Mechanical Plan - Typical Units - "F" and "G"
M2.306 Mechanical Plan - Typical Units - "G-mod" and "G-mod-rev"
M2.307 Mechanical Plan - Typical Units - "H" and "J"
M2.308 Mechanical Plan - Typical Units - "PH1B"
M2.309 Mechanical Plan - Typical Units - "PH1B-mod"
M2.310 Mechanical Plan - Typical Units - "PH1C"
M2.311 Mechanical Plan - Typical Units - "PH1C-mod"
M2.312 Mechanical Plan - Typical Units - "PH2"
M2.313 Mechanical Plan - Typical Units - "PH2-mod"
M2.401 Mechanical - Condenser Water Riser Diagram
M2.402 Mechanical - Condenser Water Riser
M2.403 Mechanical - Condenser Water Riser
M2.404 Mechanical - Elevator Lobby Smoke Exhaust Riser
M2.405 Mechanical - Stair Pressurization Riser
M2.406 Mechanical - Corridor Pressurization Riser
M2.501 Mechanical Schedules
M2.502 Mechanical Schedules
M2.503 Mechanical Schedules
M2.601 Mechanical Details
M2.602 Mechanical Details
M2.603 Mechanical Details
M2.604 Mechanical Details
M2.605 Mechanical Details
M2.606 Mechanical Details
M2.607 Mechanical Details
M2.701 Mechanical Controls
M2.702 Mechanical Controls
M2.703 Mechanical Smoke Control Notes
M2.704 Fire Main Oversize Piping
M2.706 Smoke Zone Map

AS-BUILT - December 14, 2006

JMA - 23377
Revised Per
Final Record As Builts
DEC 07 2006

BUILDING PERMIT 06.15.2004
A02156

The Sieger Suarez Architectural Partnership
5996 Southwest 70th Street, South Miami, Florida. 33143. 305/274-2702
Charles M. Sieger, F.A.I.A.
Lic. # AR1165
Jose A. Suarez, A.I.A.
Lic. # AR1166

A0.01

TRG - Hallandale Beach Limited
1830 S. Ocean Drive
Hallandale Beach, Florida
(954) 455-5759

The Beach Club - Phase II
1830 South Ocean Drive
Hallandale Beach, FL



1/16"

AS-BUILT - December 14, 2006

life safety plan - level 6th

JAN - 2007
Final Record As Built
DEC 21 2006

BUILDING PERMIT 06.15.200

A0216a

life safety plan - level 6th

1/16"

The Sieger Suarez Architectural Partnership
5996 Southwest 70th Street, South Miami, Florida, 33143, 305/274-2702.

A10.0

TRG - Hallandale Beach Limited
1830 S. Ocean Drive
Hallandale Beach, Florida
(954) 455-5758

The Beach Club - Phase II
1830 South Ocean Drive
Hallandale Beach, FL.





life safety plan - level 5th

1/16"

AS-BUILT - December 14, 2006

life safety plan - level 5th

1/16"

JMA - 3302
Approved As Final Record As Built
DEC 27 2006

BUILDING PERMIT 06.15.2004
Job Number
A02166
Sheet number
A10.0

The Sieger Suarez Architectural Partnership
5985 Southwest 70th Street, South Miami, Florida 33143 305/274-2702
Charles H. Sieger, F.A.I.A.
Lic. # AR5782
Juan J. Suarez, A.I.A.
Lic. # AR11005

TRG - Hallandale Beach Limited
1830 S. Ocean Drive
Hallandale Beach, Florida
(954) 455-5759

The Beach Club - Phase II
1830 South Ocean Drive
Hallandale Beach, FL



AS-BUILT - December 14, 2006

1/16"

life safety plan - level 4th

life safety plan - level 4th

1/16"

BUILDING PERMIT 06.15.2004

A0218a

The Sieger Suarez Architectural Partnership
5996 Southwest 70th Street South Miami, Florida 33143, 305/374-2702.

A10.04

TRG - Hallandale Beach Limited
1830 S. Ocean Drive
Hallandale Beach, Florida
(954) 455-5752

The Beach Club - Phase II
1830 South Ocean Drive
Hallandale Beach, FL.



ONE HOUR RATED ASSEMBLY @ J-BOX
SECTION "A"

1 SECTION - J-BOX 1 HR RATED
scale = 1 1/2" = 1"



ONE HOUR RATED ASSEMBLY @ ELECTRICAL PANEL
SECTION "B"

2 SECTION - ELEC. PANEL 1 HR RATED
scale = 1 1/2" = 1"



3 SECTION - DETAIL AT FIRE RATED CEILING
scale = 3" = 1'-0"



2 HR. HORIZONTAL DUCT PROTECTION
WHI 694-0300.1

4 DUCT / EQUIP. ENCLOSURE
2 HR RATED, USG WHI 694-0300.1
scale = 1 1/2" = 1"



2 HR HORIZONTAL DUCT PROTECTION
WHI 694-0300.1

5 DUCT / EQUIP. ENCLOSURE
2 HR RATED USG - WHI 694-0300.1
scale = 1 1/2" = 1"



1 HR RATED ASSEMBLY @ J-BOX: ELEVATION

6 ELEVATION - J-BOX 1 HR RATED
scale = 1 1/2" = 1"



1 HR RATED ASSEMBLY @ ELECTRICAL PANEL . ELEVATION

7 ELEVATION - ELEC. PANEL 1 HR RATED
scale = 1 1/2" = 1"

AS-BUILT - December 14, 2006

JMA - 2307
Final Review As Built
DEC 27 2006
APPROVED

BUILDING PERMIT 06.15.2004
A0216a

The Sieger Suarez Architectural Partnership
5996 Southwest 70th Street, South Miami, Florida 33143 305/274-2702
Charles M. Sieger, F.A.I.A. Lic. # AR0012
Jose J. Suarez, A.I.A. Lic. # AR1765

A9.03

TRG - Hallandale Beach Limited
1800 S. Ocean Drive
Hallandale Beach, Florida
(954) 455-5758

The Beach Club - Phase II
1830 South Ocean Drive
Hallandale Beach, FL

AS-BUILT - December 14, 2006

1 or 2 Hour Fire Rated Through Penetration Firestop for Multiple Cables through Gypsum Walls using TREMstop 1A.
WL 3131
F-Rating = 1 & 2 Hr.
T-Rating = 1/4 & 1/2 Hr.
Drawing not to scale

15 PENETRATION DETAIL
WL 3131 N.T.S.

2 Hour Fire Rated Through Penetration Firestop for Multiple Cables through Concrete Floors or Walls using TREMstop 1A.
CAJ 3141
F-Rating = 2 Hr.
T-Rating = 0, 1/2 & 1 Hr.
Drawing not to scale

16 PENETRATION DETAIL
CAJ 3141

2 Hour Fire Rated Through Penetration Firestop for Multiple Cables through Concrete Floors or Walls using TREMstop 1A.
CAJ 3144
F-Rating = 2 Hr.
T-Rating = 1/2 Hr.
Drawing not to scale

17 PENETRATION DETAIL
CAJ 3144

2 Hour Fire Rated Through Penetration Firestop for Multiple Cables through Concrete Floors or Walls using FYRE-SIL.
CAJ3036
(331)
F-rating = 2 Hr.
T-rating = ½ Hr.
Drawing not to scale

18 PENETRATION DETAIL
CAJ 3036

2 or 3 Hour Fire Rated Through Penetration Firestop for Blank Openings through Concrete floors or walls using FYRE-SHIELD
CAJ0026
(307)
F-rating = 2 and 3 Hr.
T-rating = 1 ½ Hr.
Drawing not to scale

19 PENETRATION DETAIL
CAJ 3026

2 Hour Fire Rated Through Penetration Firestop for Blank Openings through Concrete floors or walls using FYRE-SIL or FYRE-SIL S/L
CAJ0011
(327)
F-rating = 2 Hr.
T-rating = 1½ and 2 Hr.
Drawing not to scale

20 PENETRATION DETAIL
CAJ 3011

3 Hour Fire Rated Through Penetration Firestop for Cables in a Cable Tray through Concrete walls or floors using TREMstop M or TREMstop FP
CAJ4018
F-rating = 3 Hr.
T-rating = 0 and 1/2 Hr.
Drawing not to scale

21 PENETRATION DETAIL
CAJ 4018

2 Hour Fire Rated Through Penetration Firestop for Multiple Cables through Gypsum Walls using TREMstop PS
WLJ043
F-rating = 2 Hr.
T-rating = 1 and 2 Hr.
Drawing not to scale

22 PENETRATION DETAIL
WL 3043

2 Hour Fire Rated Through Penetration Firestop for Cables in a Cable Tray through Concrete floors or walls using FYRE-SHIELD
CAJ4007
(209)
F-rating = 2 Hr.
T-rating = 0 Hr.
Drawing not to scale

23 PENETRATION DETAIL
CAJ 4007

JMA - 7297
Dept. Issued As Built
DEC 27 2006

BUILDING PERMIT 08.15.2004

The Sieger Suarez Architectural Partnership
5996 Southwest 70th Street South Miami, Florida 33143 305/774-7102

A9.02

TRG - Hallandale Beach Limited
1830 S. Ocean Drive
Hallandale Beach, Florida
(954) 455-5759

The Beach Club - Phase II
1830 South Ocean Drive
Hallandale Beach, FL.

AS-BUILT - December 14, 2006



1 PENETRATION DETAIL



2 PENETRATION DETAIL



3 PENETRATION DETAIL



4 PENETRATION DETAIL



5 PENETRATION DETAIL



6 PENETRATION DETAIL



7 PENETRATION DETAIL



8 PENETRATION DETAIL



9 PENETRATION DETAIL



10 PENETRATION DETAIL



11 PENETRATION DETAIL



12 PENETRATION DETAIL



13 PENETRATION DETAIL



14 PENETRATION DETAIL

BAA - 2567
DRAWINGS ARE NOT TO BE USED FOR CONSTRUCTION UNLESS SIGNED AND SEALED
DEC 27 2006
STATE OF FLORIDA

BUILDING PERMIT 06.15.2004
Job Number
A02168
Sheet number
A9.01

The Sieger Suarez Architectural Partnership
5996 Southwest 70th Street, South Miami, Florida. 33143. 305/274-7702.
Charles M. Sieger, F.A.I.A.
Lic. # AR5970
Jose I. Suarez, A.I.A.
Lic. # AR10101

TRG - Hallandale Beach Limited
1830 S. Ocean Drive
Hallandale Beach, Florida
(954) 455-5769

The Beach Club - Phase II
1830 South Ocean Drive
Hallandale Beach, FL.



NOTE: ALL WINDOWS HAVE FIXED TEMPERED GLAZING

ALL DIMENSIONS TO BE VERIFIED ON SITE PRIOR TO MANUFACTURING WINDOWS.





AS-BUILT - December 14, 2006

JMA - 8807
Final Record As-Built
DEC 29 2006
Reviewed

BUILDING PERMIT 08.15.2004
SSR NUMBER
A02168

The Sieger Suarez Architectural Partnership
5996 Southwest 70th Street South Miami, Florida 33143. 305/274-2702.

A8.10

TRG - Hallandale Beach Limited
1830 S. Ocean Drive
Hallandale Beach, Florida
(954) 455-5759

The Beach Club - Phase II
1830 South Ocean Drive
Hallandale Beach, FL.

COMMON FINISH SCHEDULE

ROOM NO.	ROOM NAME	FLOOR	BASE	WALLS FINISH 1	2	3	4	CEILING FINISH	CEILING HEIGHT	REMARKS
SERVICE LEVEL										
S102	TRASH ROOM	CONC.	---	LB TO	LB TO	LB TO	LB TO	CONC.	8'-8"	
LOBBY LEVEL										
L101	VAULT	CONC.	---	LB	LB	LB	LB	CONC.	11'-2"	SEE INTERIOR DESIGN DRAWINGS FOR FINISHES THIS LEVEL
MEZZANINE - LEVEL 03										SEE INTERIOR DESIGN DRAWINGS FOR FINISHES THIS LEVEL
LEVEL 04 & 05										SEE INTERIOR DESIGN DRAWINGS FOR FINISHES THIS LEVEL
LEVEL 06										SEE INTERIOR DESIGN DRAWINGS FOR FINISHES THIS LEVEL

COMMON FINISH SCHEDULE

ROOM NO.	ROOM NAME	FLOOR	BASE	WALLS FINISH 1	2	3	4	CEILING FINISH	CEILING HEIGHT	REMARKS
LEVEL 06										SEE INTERIOR DESIGN DRAWINGS FOR FINISHES THIS LEVEL
LEVEL 07										SEE INTERIOR DESIGN DRAWINGS FOR FINISHES THIS LEVEL
LEVEL 08-42										SEE INTERIOR DESIGN DRAWINGS FOR FINISHES THIS LEVEL
LEVEL 43										SEE INTERIOR DESIGN DRAWINGS FOR FINISHES THIS LEVEL
LEVEL 44										SEE INTERIOR DESIGN DRAWINGS FOR FINISHES THIS LEVEL
LEVEL 45										SEE INTERIOR DESIGN DRAWINGS FOR FINISHES THIS LEVEL
ELEVATOR LOBBY										SEE INTERIOR DESIGN DRAWINGS FOR FINISHES

FINISH SCHEDULE GENERAL NOTES

1. CONCRETE CEILINGS TO RECEIVE BONDING AGENT & WON COAT, SMOOTH FINISH, (WCSF). REFER TO FINISH SCHEDULE FOR LOCATION.
2. ALL DROP CEILINGS TO BE SMOOTH DRYWALL FINISH (REFER TO FINISH SCHEDULE & 1/4" FLOOR PLANS FOR LOCATION).
3. ALL CEILINGS TO RECEIVE ONE COAT PAINT PRIMER.
4. ALL EXPOSED MASONRY TOOL JOINT FINISH TO BE OF SUFFICIENT QUALITY TO RECEIVE ANY FINISH OR REMAIN EXPOSED
5. CONCRETE BLOCK MANUFACTURER TO SUBMIT CERTIFIED DOCUMENT SHOWING THAT BLOCK HAS TWO HOUR FIRE RATING AT ELEVATOR SHAFTS, STAIRS, A/C PRIMARY AIR CHASE, ETC. REFER TO FLOOR PLANS FOR LOCATION
6. ELECTRICAL TRANSFORMER VAULTS PERIMETER MASONRY WALL TO BE CONCRETE BLOCK W/ CONCRETE FILLED CELLS TO ACHIEVE A 4 HR RATING.
7. ALL INTERIOR FINISH MATERIALS TO HAVE A CLASS "C" FLAME SPREAD AND ALL INTERIOR FINISHES IN MEANS OF EGRESS TO HAVE A CLASS "B" FLAME SPREAD.
8. PROVIDE DENSHIELD TILE HEIGHT AT PERIMETER OF ALL TUBS AND SHOWER ENCLOSURES
9. ALL 4" SOLID CONCRETE BLOCK WHICH OCCUR AT TWO HOUR FIRE RATINGS TO RECEIVE 5/8" PARGE COARING, UNLESS BLOCK HAS 2HR. FIRE RATING WITHOUT PARGE COATING
10. ALL SOFFITS AND DROPPED CEILINGS BOTH THE VERTICAL AND HORIZONTAL PLANES TO BE SMOOTH DRYWALL FINISH.
11. PERIMETER WALLS AND FLOORS OF SHOWERS TO RECEIVE MARBLE, EXCEPT FOR HOUSEKEEPING SHOWERS TO RECEIVE CERAMIC TILE. TUBS W/ SHOWER HEADS TO RECEIVE MARBLE FULL HEIGHT.
13. ALL EXTERIOR CORNER BEADS TO BE PLASTIC.
14. PENETRATIONS THROUGH FIRE RATED WALLS AND FLOORS SHALL BE SEALED W/ A MATERIAL CAPABLE OF PREVENTING THE PASSAGE OF FLAMES AND HOT GASES WHEN SUBJECTED TO THE REQUIREMENTS OF THE TEST STANDARDS SPECIFIC FOR FIRE STOPS (ASTM AND UNDERWRITERS LABORATORY).
15. PROVIDE OCCUPANT LOAD SIGNS AT ALL ASSEMBLY ROOMS.
16. ALL PUBLIC TOILET FACILITY WALLS TO RECEIVE AN IMPERVIOUS (NON- ABSORBENT) FINISH MATERIAL ON FLOORS AND WALLS 5'-0" A.F.F. ALL SHOWERS IN THESE FACILITIES TO RECEIVE SAME MATERIAL ON FLOORS, CEILINGS AND FULL HT ON WALLS (REFER TO INTERIOR DESIGNERS CONSTRUCTION DOCUMENTS FOR FINISH MATERIALS)
17. FOR FINISHES (MARBLE, PAINT COLOR, WALLPAPER, ETC.) IN ALL PUBLIC AND COMMON AREAS REFER TO INTERIOR DESIGNERS CONSTRUCTION DOCUMENTS.
18. ALL DRYWALL IN FINISHED AREA TO RECEIVE ONE ONE COAT PAINT PRIMER.
20. FINISH FLOOR MATERIALS IN COMMON AND PUBLIC AREAS OF BUILDING ART BY INTERIOR DESIGNER. WHERE DIFFERENT FLOORING MATERIALS MEET A MAXIMUM OF 1/2" MAX. DIFFERENCE IN HEIGHT IS ACCEPTABLE AT DOORWAYS AND THRESHOLDS ONLY. ALL OTHER LOCATIONS MUST BE FLUSH.
21. ALL DROPPED DRYWALL CEILING SOFFITS WHICH OCCURS ABOVE BATHROOM CABINET TO BE KEPT AT A MAXIMUM OF 22 INCHES FROM FINISHED WALL.
22. ALL INTERIOR PUBLIC OR COMMON AREA CEILINGS TO BE FINISHED AS PER INTERIOR DESIGNER.
23. ALL FLOOR TILES IN WET AREAS TO BE NON-SKID TYPE.

AS-BUILT - December 14, 2006

JMA - 2397
PERMISSION BY
DEC 27 2006

BUILDING PERMIT 06.15.2004
Job Number A0216a
Sheet number A8.09

The Sieger Suarez Architectural Partnership
5996 South-west 70th Street South Miami, Florida 33143 305/274-2702.
Charles M. Sieger, F.A.I.A. Lic. # AR0767
Ann A. Sawicki, A.I.A. Lic. # AR14008

TRG - Hallandale Beach Limited
1830 S. Ocean Drive
Hallandale Beach, Florida
(954) 458-6769

The Beach Club - Phase II
1830 South Ocean Drive
Hallandale Beach, FL.

COMMON DOOR SCHEDULE

	DOOR NO.	TYPE	ROOM NAME	HC	SC	DOOR MTL.	WIDTH	HEIGHT	THICK.	FRAME DETAIL	FRAME MTL.	LABEL	THRESH	REMARKS
SERVICE LEVEL 1	1-01	K	ELEV. LOBBY			METAL	3'-0"	7'-0"	1 3/4"	F1	METAL			SC, CA
	1-02	K	ELEV. LOBBY			METAL	2'-7"	7'-0"	1 3/4"	F1	METAL			SC, CA
	1-03	K	STORAGE RM.			METAL	3'-0"	7'-0"	1 3/4"	F1	METAL			SC, FB, W/A
	1-04	K	TRASH RM.			METAL	3'-0"	7'-0"	1 3/4"	F1	METAL			SC, FB, W/A
	1-05	K	STORAGE			METAL	3'-0"	7'-0"	1 3/4"	F1	METAL			SC, FB, W/A
	1-06	J	STAIR #3			METAL	3'-0"	7'-0"	1 3/4"	F1	METAL			SC, 450
	1-07	J	STORAGE			METAL	3'-0"	7'-0"	1 3/4"	F1	METAL			SC, 450
	1-08	J	STAIR #3			METAL	3'-0"	7'-0"	1 3/4"	F1	METAL			SC, 450
	1-09	J	STAIR #3			METAL	3'-0"	7'-0"	1 3/4"	F1	METAL			SC, 450
	1-10	K	GARAGE EGRESS			METAL	2'-7"	7'-0"	1 3/4"	F1	METAL		ALUMINUM	SC, WS, PB, DCPA
	1-11	J	STAIR #3A			METAL	3'-0"	7'-0"	1 3/4"	F1	METAL			SC, 450
	1-12	K	STORAGE			METAL	3'-0"	7'-0"	1 3/4"	F1	METAL			SC, FB, DB, W/A
LOBBY LEVEL 2	1-01	K	CONDO LOBBY			ALUM./GL.	3'-0"+2"	8'-0"	-	-	ALUM.		ALUMINUM	SC, WS, SCPA, MS
	1-02	M	FIRE CONTROL RM.			ALUM./GL.	3'-0"	8'-0"	-	-	ALUM.		ALUMINUM	SC, SCPA, WS
	1-03	J	STAIR 1 EGRESS			METAL	3'-0"	8'-0"	1 3/4"	A	METAL		ALUMINUM	SC, PDR, SCPA, WS
	1-04	M	E.L.E.V.S.			ALUM./GL.	3'-0"	8'-0"	-	-	ALUM.		ALUMINUM	SC, SCPA, WS, PM
	1-05	M	VALET			ALUM./GL.	3'-0"	8'-0"	-	-	ALUM.		ALUMINUM	SC, SCPA, WS
	1-06	A	FIRE CONTROL RM.			WOOD	3'-0"	8'-0"	1 3/4"	H	WOOD		-	SCH, CL
	1-07	A	MENS			WOOD	3'-0"	8'-0"	1 3/4"	H	WOOD		WIRE	SCH
	1-08	A	STORAGE			WOOD	3'-0"	8'-0"	1 3/4"	H	WOOD		-	SCH
	1-09	A	STORAGE			WOOD	3'-0"	8'-0"	1 3/4"	H	WOOD		-	SCH
	1-10	A	CONCIERGE			WOOD	3'-0"	8'-0"	1 3/4"	H	WOOD		-	SCH, CL
	1-11	A	MEN			WOOD	3'-0"	8'-0"	1 3/4"	H	WOOD		-	SCH, DB
	1-12	J	ELECT. RM.			METAL	3'-0"	8'-0"	1 3/4"	F1	METAL			SC
	1-13	A	JANITOR			WOOD	3'-0"	8'-0"	1 3/4"	H	WOOD		WIRE	SCH
	1-14	A	WOMENS			WOOD	3'-0"	8'-0"	1 3/4"	H	WOOD		WIRE	SCH
	1-15	M	CORRIDOR			ALUM./GL.	3'-0"	8'-0"	-	-	ALUM.		ALUMINUM	SC, SCPA, WS
	1-16	M	CORRIDOR			ALUM./GL.	3'-0"	8'-0"	-	-	ALUM.		ALUMINUM	SC, SCPA, WS
	1-17	M	ELEV. LOBBY			ALUM./GL.	3'-0"	8'-0"	-	-	ALUM.		ALUMINUM	SC, SCPA, WS
	1-18	J	PHASE I ACCESS			METAL	3'-0"	8'-0"	1 3/4"	F1	METAL		ALUMINUM	SC, FD, WS, SCPA
	1-19	M	VALET			ALUM./GL.	3'-0"	8'-0"	-	-	ALUM.		ALUMINUM	SC, SCPA, WS
	1-20	J	TEL. RM.			METAL	3'-0"	8'-0"	1 3/4"	F1	METAL			SC
	1-21	M	CONDO AREA ENTRANCE			ALUM./GL.	3'-0"+2"	8'-0"	-	-	ALUM.		ALUMINUM	SC, SCPA, WS
	1-22	B	ELECT. CLOSET			WOOD	2'-2"	8'-0"	1 3/8"	H	WOOD			VEN., SCPA, FD
	1-23	J	STORAGE			WOOD	3'-0"	8'-0"	1 3/8"	H	WOOD			SCH
	1-24	J	STORAGE			METAL	3'-0"	7'-0"	1 3/4"	H	METAL		ALUMINUM	SC
	1-25	K	COMMON AREA ENTRANCE			ALUM./GL.	3'-0"+2"	8'-0"	-	-	ALUM.		ALUMINUM	SC, SCPA, WS
	1-26	J	GARAGE ACCESS			METAL	3'-0"	8'-0"	1 3/4"	F1	METAL			SC, FD, WS, SCPA
	1-27	K	COMMON AREA			METAL	2'-7"	8'-0"	1 3/4"	F1	METAL			SC, FB, DP, W/A
	1-28	J	COMMON AREA			METAL	3'-0"	8'-0"	1 3/4"	F1	METAL			SC, CL
	1-29	K	COMMON AREA			WOOD	3'-0"	8'-0"	1 3/4"	H	WOOD		-	SCH, PUSH & KICK PLATE
	1-30	K	COMMON AREA			WOOD	3'-0"	8'-0"	1 3/4"	H	WOOD		-	SCH, PUSH & KICK PLATE
	1-31	K	TERRACE ACCESS			ALUM./GL.	3'-0"+2"	8'-0"	-	-	ALUM.		ALUMINUM	SC, SCPA, WS
	1-32	K	MENS			WOOD	3'-0"	8'-0"	1 3/4"	H	WOOD		WIRE	SCH
	1-33	K	WOMENS			WOOD	3'-0"	8'-0"	1 3/4"	H	WOOD		WIRE	SCH
	1-34	K	JANITOR			WOOD	3'-0"	8'-0"	1 3/4"	H	WOOD		-	SCH, PUSH & KICK PLATE
	1-35	K	STORAGE			WOOD	3'-0"	8'-0"	1 3/4"	H	WOOD		-	SCH, PUSH & KICK PLATE
	1-36	K	JANITOR			WOOD	3'-0"	8'-0"	1 3/4"	H	WOOD		WIRE	SCH
	1-37	K	TERRACE ACCESS			ALUM./GL.	3'-0"+2"	8'-0"	-	-	ALUM.		ALUMINUM	SC, SCPA, WS
	1-38	K	TERRACE ACCESS			ALUM./GL.	3'-0"+2"	8'-0"	-	-	ALUM.		ALUMINUM	SC, SCPA, WS
	1-39	K	TERRACE ACCESS			ALUM./GL.	3'-0"+2"	8'-0"	-	-	ALUM.		ALUMINUM	SC, SCPA, WS
MEZZANINE LEVEL 3	1-40	J	STAIR #2			METAL	3'-0"	7'-0"	1 3/4"	F1	METAL			SC, PDR, 450, WS, SCPA
	1-41	J	STAIR #3			METAL	3'-0"	7'-0"	1 3/4"	F1	METAL			SC, PDR, 450, WS, SCPA
	1-42	J	STAIR #3			METAL	3'-0"	7'-0"	1 3/4"	F1	METAL			SC, PDR, 450, WS, SCPA
	1-43	J	ELEV. LOBBY			METAL	3'-0"	7'-0"	1 3/4"	F1	METAL			SC, CA
	1-44	J	BEACH ACCESS			METAL	3'-0"	7'-0"	1 3/4"	A	METAL			SC, PDR, WS, SCPA
	1-45	J	ELECT. RM.			METAL	3'-0"	7'-0"	1 3/4"	A	METAL		ALUMINUM	SC
	1-46	J	ELEV. MACH. RM.			METAL	3'-0"	7'-0"	1 3/4"	H	METAL		ALUMINUM	WS
	1-47	K	DOMESTIC PUMP			METAL	3'-3"+2"	7'-0"	1 3/4"	A	METAL		ALUMINUM	SC, SP, W/A
	1-48	J	BEACH ACCESS			METAL	3'-0"	7'-0"	1 3/4"	A	METAL			SC, PDR, WS, SCPA
	1-49	J	STAIR #4			METAL	3'-0"	8'-0"	1 3/4"	F1	METAL			SC, PDR, 450, WS, SCPA
	1-50	G	FIRE PUMP			METAL	2'-5"+2"	8'-0"	1 3/4"	A	METAL		ALUMINUM	SC, SCPA, WS, W/A
	1-51	K	EMERGENCY GENERATOR			METAL	3'-3"+2"	8'-0"	1 3/4"	A	METAL		ALUMINUM	SC
	1-52	K	DELIVERY			METAL	3'-3"+2"	8'-0"	1 3/4"	A	METAL		ALUMINUM	SC, WS, W/A, SCPA
	1-53	J	STAIR #3W			METAL	3'-0"	8'-0"	1 3/4"	F1	METAL			SC, PDR, 450, WS, SCPA
	1-54	J	STAIR #3A			METAL	3'-0"	8'-0"	1 3/4"	F1	METAL			SC, PDR, 450, WS, SCPA
	2-01	J	STAIR #1			METAL	3'-0"	7'-0"	1 3/4"	F1	METAL			SC, 450
	2-02	J	ELECT. RM.			METAL	3'-0"	7'-0"	1 3/4"	F1	METAL			SC
	2-03	J	ELECT. RM.			METAL	3'-0"	7'-0"	1 3/4"	F1	METAL			SC, W/A, DB
	2-04	J	MECH. RM.			METAL	3'-0"	7'-0"	1 3/4"	F1	METAL			SC, W/A, DB
	2-05	J	MECH. RM.			METAL	3'-0"	7'-0"	1 3/4"	F1	METAL			SC, W/A, DB
	2-06	J	STAIR #2			METAL	3'-0"	7'-0"	1 3/4"	F1	METAL			SC, 450
	2-07	J	ELEV. LOBBY			METAL	3'-0"	7'-0"	1 3/4"	F1	METAL			SC, CA
	2-08	J	STAIR #4			METAL	3'-0"	7'-0"	1 3/4"	F1	METAL			SC, 450
	2-09	J	MECH. RM.			METAL	3'-0"	7'-0"	1 3/4"	F1	METAL			SC, W/A, DB
	2-10	J	STAIR #5A			METAL	3'-0"	7'-0"	1 3/4"	F1	METAL			SC, 450
	2-11	J	ELECT. RM.			METAL	2'-5"	7'-0"	1 3/4"	F1	METAL			SC
SPA LEVEL 4	4-01	J	STAIR #1			METAL	3'-0"	7'-0"	1 3/4"	F1	METAL			SC, 450
	4-02	J	MECH. RM.			METAL	3'-0"	7'-0"	1 3/4"	F1	METAL			SC
	4-03	J	ELECT. RM.			METAL	3'-0"	7'-0"	1 3/4"	F1	METAL			SC
	4-04	B	ELEV. LOBBY			WOOD	3'-0"+2"	7'-0"	1 3/4"	F	WOOD			WAL, COORDINATOR, W, SP
	4-05	A	ELEV. LOBBY			WOOD	3'-0"+2"	7'-0"	1 3/4"	F	METAL			WAL, COORDINATOR, W, SP
	4-06	M	BRIDGE ACCESS			ALUM./GL.	3'-0"	8'-0"	-	-	ALUM.		ALUMINUM	SC, SCPA, WS
	4-07	M	BRIDGE ACCESS			ALUM./GL.	3'-0"	8'-0"	-	-	ALUM.		ALUMINUM	SC, SCPA, WS
	4-08	J	COMMON AREA			METAL	3'-0"	7'-0"	1 3/4"	H	METAL		ALUMINUM	SC, SCPA, WS
	4-09	J	COMMON AREA			METAL	3'-0"	7'-0"	1 3/4"	H	METAL		ALUMINUM	SC, SCPA, WS
	4-10	J	STAIR #2			METAL	3'-0"	7'-0"	1 3/4"	F1	METAL			SC, 450
	4-11	K	COMMON AREA			WOOD	3'-0"	8'-0"	1 3/4"	C	METAL			SC, CL
	4-12	K	ELEV. LOBBY			WOOD	3'-0"+2"	7'-0"	1 3/4"	H	WOOD			SC
	4-13	J	STAIR #3			METAL	3'-0"	7'-0"	1 3/4"	F1	METAL			SC, 450
	4-14	J	ELEV. LOBBY			METAL	3'-0"	7'-0"	1 3/4"	F1	METAL			SC, CA
	4-15	J	STAIR #4			METAL	3'-0"	7'-0"	1 3/4"	F1	METAL			SC, 450
	4-16	J	STAIR #3W			METAL	3'-0"	7'-0"	1 3/4"	F1	METAL			SC, 450
	4-17	J	STAIR #3A			METAL	3'-0"	7'-0"	1 3/4"	F1	METAL			SC, 450
MECH. ROOM LEVEL 5	5-01	J	STORAGE RM.			METAL	3'-0"	7'-0"	1 3/4"	F1	METAL			SC
	5-02	J	STAIR #4			METAL	3'-0"	7'-0"	1 3/4"	F1	METAL			SC, 450
	5-03	J	STAIR #3W			METAL	3'-0"	7'-0"	1 3/4"	F1	METAL			SC, 450

COMMON DOOR SCHEDULE

	DOOR NO.	TYPE	ROOM NAME	HC	SC	DOOR MTL.	WIDTH	HEIGHT	THICK.	FRAME DETAIL	FRAME MTL.	LABEL	THRESH	REMARKS	THRESH DETAIL
MECH. ROOM LEVEL 5	5-04	J	STEAM GENERATOR ROOM			METAL	3'-0"	7'-0"	1 3/4"	F1	METAL			SC, 450	
	5-07	J	STEAM GENERATOR ROOM			METAL	3'-0"	7'-0"	1 3/4"	F1	METAL			SC, 450	
	5-08	J	ACCESS TO PARKING, PHASE I			METAL	3'-0"	7'-0"	1 3/4"	F1	METAL			SC, 450	
	5-09	J	ACCESS TO PARKING, PHASE I			METAL	3'-0"	7'-0"	1 3/4"	F1	METAL			SC, 450	
SPA LOFT LEVEL 6	6-01	J	STAIR #1			METAL	3'-0"	7'-0"	1 3/4"	F1	METAL			SC, 450	
	6-02	J	ELECT. RM.			METAL	3'-0"	7'-0"	1 3/4"	F1	METAL			SC	
	6-03	A	MENS			WOOD	3'-0"	8'-0"	1 3/4"	H	WOOD		WIRE	SCH	
	6-04	A	WOMENS			WOOD	3'-0"	8'-0"	1 3/4"	H	WOOD		WIRE	SCH	
	6-05	M	BALCONY ACCESS			ALUM./GL.	3'-0"	8'-0"	-	-	ALUM.		ALUMINUM	SC, SCPA, WS	
	6-06	M	BALCONY ACCESS			ALUM./GL.	3'-0"	8'-0"	-	-	ALUM.		ALUMINUM	SC, SCPA, WS	
	6-07	M	BRIDGE ACCESS			ALUM./GL.	3'-0"	8'-0"	-	-	ALUM.		ALUMINUM	SC, SCPA, WS	
	6-08	M	BRIDGE ACCESS			ALUM./GL.	3'-0"	8'-0"	-	-	ALUM.		ALUMINUM	SC, SCPA, WS	
	6-09	M	BRIDGE ACCESS			ALUM./GL.	3'-0"	8'-0"	-	-	ALUM.		ALUMINUM	SC, SCPA, WS	
	6-10	M	BRIDGE ACCESS			ALUM./GL.	3'-0"	8'-0"	-	-	ALUM.		ALUMINUM	SC, SCPA, WS	
	6-11	J	STAIR #1			METAL	3'-0"	7'-0"	1 3/4"	F1	METAL			SC, 450	
	6-12	B	ELEV. LOBBY			WOOD	3'-0"+2"	7'-0"	1 3/4"	F	METAL			WAL, COORDINATOR, W, PS	
	6-13	J	STAIR #2			METAL	3'-0"	7'-0"	1 3/4"	F1	METAL			SC, 450	
	6-14	J	ELEV. LOBBY			METAL	3'-0"	7'-0"	1 3/4"	F1	METAL			SC, CA	
	6-15	J	STAIR #3			METAL	3'-0"	7'-0"	1 3/4"	F1	METAL			SC, 450	
	6-16	B	ELEV. LOBBY			WOOD	3'-0"+2"	7'-0"	1 3/4"	F	METAL			WAL, COORDINATOR, W, PS	
	6-17	B	ELEV. LOBBY			WOOD	3'-0"+2"	7'-0"	1 3/4"	F	METAL			WAL, COORDINATOR, W, PS	
	6-18	J	STAIR #3W			METAL	3'-0"	7'-0"	1 3/4"	F1	METAL			SC, 450	
	6-19	A	BRIDGE			WOOD	3'-0"	7'-0"	1 3/4"	I	METAL			SC, VISION PANEL	
	6-20	A	BRIDGE			WOOD	3'-0"	7'-0"	1 3/4"	I	METAL			SC, VISION PANEL	
	6-21	M	BALCONY ACCESS			ALUM./GL.	3'-0"	8'-0"	-	-	ALUM.		ALUMINUM	SC, SCPA, WS	
	6-22	A	MENS			WOOD	3'-0"	8'-0"	1 3/4"	H	WOOD		WIRE	SCH	
	6-23	A	WOMENS			WOOD	3'-0"	8'-0"	1 3/4"	H	WOOD		WIRE	SCH	
	6-24	A	JANITOR			WOOD	3'-0"	8'-0"	1 3/4"	H	WOOD		WIRE	SCH	
POOL DECK LEVEL 7	7-01	J	STAIR #1			METAL	3'-0"	7'-0"	1 3/4"	F1	METAL			SC, 450	
	7-02	A	STORAGE			WOOD	3'-0"	8'-8"	1 3/4"	H	WOOD				
	7-03	J	ELECT. RM.			METAL	3'-0"	7'-0"	1 3/4"	F1	METAL			SC	
	7-04	J	TRASH RM.			METAL	3'-0"	7'-0"	1 3/4"	F1	METAL			SC	
	7-05	M	CONDO SIDING			METAL	3'-0"	8'-0"	-	-	ALUM.		ALUMINUM	SC, SCPA, WS	
	7-06	M	OTHERS SIDING			METAL	3'-0"+2"	8'-0"	-	-	ALUM.		ALUMINUM	SC, SCPA, WS	
	7-07	M	BRIDGE ACCESS			ALUM./GL.	3'-0"	8'-0"	-	-	ALUM.		ALUMINUM	SC, SCPA, WS	
	7-08	M	BRIDGE ACCESS			ALUM./GL.	3'-0"	8'-0"	-	-	ALUM.		ALUMINUM	SC, SCPA, WS	
	7-09	B	ELEV. LOBBY			WOOD	3'-0"+2"	7'-0"	1 3/4"	F	METAL			WAL, COORDINATOR, W, SP	
	7-10	B	ELEV. LOBBY			METAL	3'-0"+2"	7'-0"	1 3/4"	F	METAL			WAL, COORDINATOR, W, SP	
	7-11	J	STAIR #2			METAL	3'-0"	7'-0"	1 3/4"	F1	METAL			SC, 450	
	7-12	K	POOL DECK ACCESS			ALUM./GL.	3'-0"+2"	8'-0"	-	-	ALUM.		ALUMINUM	SC, SCPA, WS	
	7-13	K	ELEV. LOBBY			METAL	3'-0"+2"	7'-0"	1 3/4"	F1	METAL		ALUMINUM	SC, SCPA, WS	
	7-14	J	MENS			METAL	3'-0"	8'-0"	1 3/4"	B	METAL		WIRE	SCH	
	7-15	J	WOMENS			METAL	3'-0"	8'-0"	1 3/4"	B	METAL		WIRE	SCH	
	7-16	J	STAIR #3			METAL	3'-0"	7'-0"	1 3/4"	F1	METAL			SC, 450,	
	7-17	J	ELEV. LOBBY			METAL	3'-0"	7'-0"	1 3/4"	F1	METAL			SC, CA, DCPA	
	7-18	K	STORAGE			METAL	3'-0"	7'-0"	1 3/4"	I	METAL			SC	
	7-19	J	POOL DECK ACCESS			ALUM./GL.	3'-0"	8'-0"	-	-	ALUM.		ALUMINUM	SC, SCPA, WS	
	7-20	K	STORAGE			WOOD	3'-0"	8'-0"	1 3/4"	H	WOOD				
	7-21	K	STORAGE			WOOD	3'-0"	8'-0"	1 3/4"	H	WOOD				
	7-22	J	STORAGE			METAL	3'-0"	8'-0"	1 3/4"	F1	METAL				
	7-23	J	STAIR #1			METAL	3'-0"	7'-0"	1 3/4"	F1	METAL			SC, 450, WS	
MECH PNL LEVEL 8	8-01	J	STAIR #1			METAL	3'-0"	7'-0"	1 3/4"	F1	METAL			SC, 450	
	8-02	J	ELECT. RM.			METAL	3'-0"	7'-0"	1 3/4"	F1	METAL			SC, DB	
	8-03	J	STAIR #1			METAL	3'-0"	7'-0"	1 3/4"	F1	METAL			SC, 450	
	8-04	A	BRIDGE			WOOD	3'-0"	7'-0"	1 3/4"	I	METAL			SC, VISION PANEL	
	8-05	A	BRIDGE			WOOD	3'-0"	7'-0"	1 3/4"	I	METAL			SC, VISION PANEL	
TYPICAL LEVELS 9-58	-01	J	STAIR #1			METAL	3'-0"	7'-0"	1 3/4"	F1	METAL			SC, 450	
	-02	J	ELECT. RM.			METAL	3'-0"	7'-0"	1 3/4"	F1	METAL			SC, DB (1 LABEL) 1 HR @ FP, VAULTED	
	-03	J	TRASH			METAL	3'-0"	7'-0"	1 3/4"	F1	METAL			SC, DB	
	-04	B	ELEV. LOBBY			WOOD	3'-0"+2"	7'-0"	1 3/4"	F	METAL			WAL, COORDINATOR, W, PS	
	-05	B	ELEV. LOBBY			WOOD	3'-0"+2"	7'-0"	1 3/4"	F	METAL			WAL, COORDINATOR, W, PS	
	-06	J	STAIR #2			METAL	3'-0"	7'-0"	1 3/4"	F1	METAL			SC, 450	
	9-07	J	ELEV. MACH. RM.			METAL	3'-0"	7'-0"	1 3/4"	F1	METAL			SC, DB (SEE FL ONLY)	
	9-08	J	A/C CLOSET			METAL	3'-0"	7'-0"	1 3/4"	F1	METAL			SC, DB (SEE FL ONLY)	
	-09	A	BRIDGE			WOOD	3'-0"	7'-0"	1 3/4"	I	METAL			SC, VISION PANEL, (FLOORS 9,10,11)	
	-10	A	BRIDGE			WOOD	3'-0"	7'-0"	1 3/4"	I	METAL			SC, VISION PANEL, (FLOORS 9,10,11)	
ROOF / COOLING TOWERS LEVEL 61	8-01	J	STAIR #1			METAL	3'-0"	7'-0"	1 3/4"	F1	METAL			SC, 450	
	8-02	J	ELECT. RM.			METAL	4'-0"	7'-0"	1 3/4"	F1	METAL			SC, DB (1 LABEL) 1 HR @ FP, VAULTED	
	8-03	J	ROOF RM.			METAL	3'-0"	7'-0"	1 3/4"	F1	METAL			SC	
	8-04	B	MECH. RM.			METAL	3'-3"+2"	7'-0"	1 3/4"	F1	METAL			SC	
	8-05	J	STORAGE			METAL	3'-0"	7'-0"	1 3/4"	F1	METAL			SC	
	8-06	J	STORAGE			METAL	3'-0"	7'-0"	1 3/4"	F1	METAL			SC	
	8-07	J	STORAGE			METAL	3'-0"	7'-0"	1 3/4"	F1	METAL			SC	
	8-08	J	STAIR #2			METAL	3'-0"	7'-0"	1 3/4"	F1	METAL			SC, 450	
	8-09	J	ROOF ACCESS			METAL	3'-0"	8'-0"	1 3/4"	A	METAL			SC, WS, SCPA, 14° CURB	
	8-10	J	ROOF ACCESS			METAL	3'-0"	8'-0"	1 3/4"	A	METAL			SC, WS, SCPA, 14° CURB	
	8-11	J	ROOF ACCESS			METAL	3'-0"	8'-0"	1 3/4"	A	METAL			SC, WS, SCPA, 14° CURB	
	8-12	J	ROOF ACCESS			METAL	3'-0"	8'-0"	1 3/4"	A	METAL			SC, WS, SCPA, 14° CURB	
	8-13	B	MECH. RM.			METAL	3'-3"+2"	7'-0"	1 3/4"	F1	METAL			SC	
ELEV. MACH. PNL LEVEL 62	9-01	J	STAIR #1			METAL	3'-0"	7'-0"	1 3/4"	F1	METAL			SC, 450	
	9-02	J	ROOF ACCESS			METAL	3'-0"	8'-8"	1 3/4"	A	METAL			SC, WS, SCPA, 14° CURB	
	9-03	J	MTR			METAL	3'-0"	7'-0"	1 3/4"	F1	METAL			SC	
	9-04	A	ELEV. MACH. RM.			METAL	3'-3"+2"	7'-0"	1 3/4"	F1	METAL			SC	
	9-05	A	ELEV. MACH. RM.			METAL	3'-3"+2"	7'-0"	1 3/4"	F1	METAL			SC	
	9-06	J	ROOF ACCESS			METAL	3'-0"	8'-0"	1 3/4"	A	METAL			SC, WS, SCPA, 14° CURB	
	9-07	J	A/C CLOSET			METAL	3'-0"	8'-0"	1 3/4"	A	METAL			SC, WS, SCPA, 14° CURB	
	9-08	A	A/C CLOSET			METAL	3'-0"	8'-0"	1 3/4"	A	METAL			SC, WS, SCPA, 14° CURB	

LEGEND

LEGEND - DOOR SCHEDULE NOTES
180 - 180 DEGREE HINGES
2PH - 2 PANEL PIANO HINGED DOOR, 180 DEGREE HINGE
AOC - AUTOMATIC DOOR OPENER AND CLOSER
B - BREAK-AWAY SWING HINGE FOR EMERGENCY EGRESS
BS - BY SALINA MANUFACTURER
CA - CONTROLLED ACCESS
DAH - DOUBLE ACTING HINGE
DB - DEAD BOLT LOCK
ELS - ELECTRIFIED LATCH SET
FPL - W/ KEYED LOCK APPROVED BY FPL
KCA - KEY CARD ACCESS LATCH
LL - LOCKABLE LATCHSET
LOL - LOCK OUT LATCH SET
NL - NO LOCK
PA - POWER ASSISTED DOOR CLOSER
PD - PANIC DEVICE
PDX - PANIC DEVICE AT EXIT LEVEL
PM - KEYED WITH LOCK AS REQUIRED BY POSTMASTER
SC - SELF CLOSURE
SCH - SELF CLOSING HINGES
SP - SEALED AT PERIMETER
W/A - W/ ASTRAGAL
WS - WEATHER-STRIPPING
DCPA - DADE COUNTY PRODUCT APPROVAL

AS-BUILT - December 14, 2006
door schedules and general notes
common door and slider schedules

JMA - 2397
Approved as Built
Final Record As Built
DEC 27 2006

BUILDING PERMIT 06.15.2004
Job Number A02168
Sheet Number A8.08

The Sieger Suarez Architectural Partnership
5998 Southwest 70th Street, South Miami, Florida. 33143 305/274-2702.

Door Schedule Notes:

1. All door hardware hinges and closers to comply with The Americans With Disabilities Act, State Of Florida Accessibility Code for Building Construction, and all local codes and ordinances.

2. Provide fire exit hardware at all Lobby Level exits and all Lobby Level stair exits and Garage stair exits.

3. Provide armed door closers on all common area doors (U.O.N.) and as follows:
   A. All "C" Labeled doors
   B. All "B" Labeled doors

4. Apartment entry doors, doors to apartment A/C closets and Laundry Rooms which occur at 1 hour fire rated walls shall be "C" Labeled.

5. A/C which open out into elevator foyers and lobbies and common areas to have keyed labeled mortise latchset with no outside trim.

6. Apartment interior doors to be undercut where required to allow for floor finish materials.

7. All exterior wall doors to have weatherproofing including all interior and exterior stair egress doors.

8. Mailroom and Transformer Vault Room doors to have special locks and keys to be held by the U.S. Postal Service and F.P.L. Respectively.

9. All doors which lead into and out of stairs to have 180-degree hinges.

10. All "B" Label stair egress doors to be tested for a 450 degree F raise in temperature.

11. All doors, astring of frames and door height are based on the concrete slabs as the finished floor. The addition of finish floor materials as per Interior Designer and/or Unit Owner may require field adjustments and/or undercutting of doors, this is to be accomplished after field verification.

12. All interior apartment doors and trim to be prime painted (U.O.N.).

13. All hollow metal doors and frames shall be prime and finish painted except those which may occur at apartments which are to be prime painted.

14. All common area and dwelling unit doors leading to outside common areas shall be equipped with level type hardware. (See Note #1 above).

15. All doors at stair egress which separate units from stairs to receive electronic hardware circuited to fire alarm panel. Hardware to allow for re-entry in case of fire only Hardware to be provided with emergency power in case of power failure. Door must remain latched at all times.

16. All doors shall comply with NFPA 101 Section 5-2.1.5 Locks, Latches, & Alarm Devices.

17. Doors to have Non-locking or Non-latching hardware only.

18. Unit doors that exit into egress areas shall have single action mortise locks.

19. Interior face of all doors and frames at A/C closets shall be non-combustible materials. Where wood doors and frames are used contractor shall provide intumescent coating on interior face.

General Notes:

1. References to standards, codes, specifications, recommendations and regulations in these drawings shall mean the editions being enforced by the various agencies and governing bodies at the time of submission. Editions specifically called out in the documents, if not in conflict with the above, shall apply. If neither of the above conditions apply, the edition shall be latest one published prior to the date on the Permit issue.

2. In cases of conflicts between the drawings and standards listed, or conflicts between standards, the more stringent requirements shall govern.

3. In case of discrepancies, large scale drawings shall take precedent over small scale drawings and dimensions shall take precedence over any scale drawings.

4. Any noted discrepancies between the drawings shall be promptly called to the attention of the Architect and no work so affected shall be undertaken in advance of the Architect's decision except at the Contractor's own risk.

5. Where a material is indicated, it is intended that such material be used throughout entire length and height of walls, partitions, panels, windows, lights, areas, etc., or in detail in which it occurs for other similar locations throughout building, unless another material is indicated.

6. Wherever any item, device or part of equipment is referred to in the Drawings in singular number, as many items, devices, parts as are required for complete installation shall be installed.

7. Where typical or representative detail is shown on plans, this detail shall constitute the standard in workmanship and materials throughout corresponding parts of building and site, and where necessary, Contractors shall be required to adapt such detail for use in said corresponding parts of building or site; said adaption, however, shall be subject to Architect's approval.

8. All indications or notations which apply to one or a number of similar situations, materials or processes shall be deemed to apply to all such situations, materials or processes wherever they appear in the Work, unless otherwise indicated in the drawings.

9. All manufactured articles, materials and equipment shall be applied, installed, connected, erected, used, cleaned, and conditioned in accordance with the manufacturer's written or printed directions and instructions unless otherwise indicated in the drawings.

10. No responsibility, either direct, or implied, is assumed by Architect or Owner for omissions or duplications by Contractor or Subcontractors, due to real or alleged error in arrangement of matter in the Drawings.

11. The Contractor shall carefully study and compare the Drawings with each other and with information furnished by the Owner and shall at once report to the Architect, errors, inconsistencies or omissions discovered.

12. The Contractor shall take field measurements and verify field conditions and shall carefully compare such field measurements and conditions and other information known to the Contractor with the Drawings before commencing activities. Errors, inconsistencies or omissions discovered shall be reported to the Architect at once.

13. The Contractor shall be responsible for verifying that all caulking compounds and releasing agents used are compatible.

14. The Contractor shall be responsible to the Owner for acts and omissions of the Contractor's employees, Subcontractors and their agents and employees, and other persons performing portions of the Work under a contract with the Contractor.

15. The Contractor shall be responsible for inspection of portions of Work already performed under this Contract to determine that such portions are in proper condition to receive subsequent Work.

16. The Contractor shall coordinate the work of all Subcontractors, material suppliers and manufactur6s, and shall be responsible for the proper fitting of all Work. He shall do and be responsible for the correct laying out of the Work as per Drawings and written instruction of the Architect, including all necessary leveling and checking. He shall establish grades and bench marks, and shall lay out all partition lines and other significant reference lines or points which will enable all trades to accurately place their boxes, openings, sleeves, conduits, hangers, inserts and other devices.

17. The General contractor shall have the final responsibility to Architect and Owner for coordination and complete execution of the Work according to Contract Documents. Subcontractors who start and continue their work are accepting the preparatory work others and cannot later claim that such work was unsatisfactory as a base or preparation. No work to be started until all necessary corrections are completed.

18. After the Contract has been executed, the Owner and the Architect will consider a formal request for the substitution of products in place of those specified only under the conditions set forth below:
   a) The Contractor shall personally investigate the proposed substitute product and determined that it is equal or superior in all respects to that specified;
   b) The Contractor will provide the same warranty for the substitution that the Contractor would for that specified;
   c) The Contractor shall certify the cost data presented is complete and includes all related costs under this Contract including the Architect's redesign costs, and waives all claims for additional costs related to the substitution which subsequently become apparent.
   d) The Contractor will coordinate the installation of the accepted substitute, making such changes as may be required for the be complete in all respects.

AS-BUILT - December 14, 2006

JMA - 2397

DEC 27 2006

BUILDING PERMIT 06.15.2004

A0216a

TRG - Hallandale Beach Limited
1930 S. Ocean Drive
Hallandale Beach, Florida
(954) 455-5759

The Beach Club - Phase II
1830 South Ocean Drive
Hallandale Beach, FL.



1 SECTION DETAIL
HC GRAB BAR AT BATHROOM WALL scale = 3" = 1'-0"



2 SECTION DETAIL
HC GRAB BAR AT MASONRY WALL scale = 3" = 1'-0"



3 SECTION DETAIL
HC GRAB BAR AT STUD WALL scale = 3" = 1'-0"

HANDICAP COMPLIANCE NOTES

Vestibules, if applicable	Minimum 52" x 72" one door opening into restroom
Toilet Stall	66" x 83" minimum clear with lavatory and water closet inside stall.
* Water closet seat	17" to 19" to the top of toilet seat.
* Urinal	17" A.F.F. w/ elongated rim. PL valve 44" A.F.F. Maximum
* Lavatory	Minimum to bottom 29", Maximum to top surface 34" Control valve - lever operated, push type
Showers & Tubs	To comply w/ FL Acc. Code Sect 4.20 & 4.21
Floor Drain	In remote area
Mirror	Maximum 40" A.F.F. to bottom
Grab Bar	36" A.F.F. maximum, 1 1/2" diameter
* Sinks	Maximum 34" A.F.F. to rim
* Drinking Fountains	36" to top of spout (to meet FL Acc. Code - Sect 4.15)
Shelf	Maximum 40" A.F.F.
Door to Stall	32" wide swinging out self closing type

* clear floor space applies to all elements

NOTE: All Handicap stalls to comply with the Chapter 11 of the Florida Building Code.

All hot water and drain pipes under lavatories shall be insulated or otherwise configured to protect against contact.

NOTE: A 40" CLEARANCE IS TO BE MAINTAINED BETWEEN FRONT FACE OF REFRIGERATORS AND COUNTERS / RANGES OR COOKTOPS. TYPICAL AT ALL KITCHENS IN ALL UNITS.

AS-BUILT - December 14, 2006

JMA - 2397
approved by
Emil Zeccol PA P.E.#
DEC. 27 2006

3/8'

BUILDING PERMIT 06.15.2004
Job Number
A0216a
Sheet number
A8.06

The Sieger Suarez Architectural Partnership
5996 Southwest 70th Street. South Miami, Florida. 33143 305/274-2782.

TRG - Hallandale Beach Limited
1830 S. Ocean Drive
Hallandale Beach, Florida
(954) 455-5799

The Beach Club - Phase II
1830 South Ocean Drive
Hallandale Beach, FL.



typical restroom accessories clearances 3/8"



blocking dimensions inside wall for grab bar attachment 3/8'



handicapped toilet fixtures & accessories clearances 3/8'



clear floor area 3/8'

NOTE: ALL UNITS TO BE PROVIDED WITH ONE "B" BATHROOM AS PER FHA CFR 24

AS-BUILT - December 14, 2006

JMA - 23977
Final Record As Built
DEC 27 2006

BUILDING PERMIT 06.15.2004
A02188

The Sieger Suarez Architectural Partnership
5996 Southwest 70th Street, South Miami, Florida, 33143, 305/274-2702.

A8.05



P SECTION DETAIL AT DOOR JAMB scale = 3" = 1'-0"

Q PLAN DETAIL AT DOOR JAMB scale = 3" = 1'-0"

R PLAN DETAIL AT DOOR JAMB scale = 3" = 1'-0"

S SECTION DETAIL AT DOOR HEADER scale = 3" = 1'-0"



TYPICAL BUILDING DOOR TYPES

N.T.S.

SECURITY AND FORCED ENTRY PREVENTION

ALL EXTERIOR DOORS AND WINDOWS, INCLUDING SWINGING GARAGE DOORS AND DOOR CONNECTING GARAGE WITH BUILDING, SHALL COMPLY WITH THE FLORIDA BUILDING CODE LATEST EDITION AND AMENDMENTS.

STANDARDS

1. BURGLAR-RESISTANT GLASS SHALL COMPLY WITH ASTM C 1036 FOR POLISHED PLATE GLASS.
2. TESTS OF BURGLAR RESISTANT GLAZING MATERIALS SHALL COMPLY WITH THE LABORATORIES LABRATORIES STANDARD FOR SAFETY OF BURGLAR-RESISTANT GLAZING MATERIAL, UL 72
3. GLASS AND GLASS-LIKE MATERIALS SHALL COMPLY WITH THE AMERICAN NATIONAL STANDARDS INSTITUTE (ANSI) STANDARD FOR TRANSPARENT SAFETY GLAZING MATERIAL USED IN BUILDINGS, Z97.1
4. ALUMINUM WINDOWS SHALL COMPLY WITH THE ARCHITECTURAL ALUMINUM MANUFACTURER'S ASSOCIATION (AAMA) STANDARD FOR FORCED-ENTRY RESISTANT HORIZONTAL SLIDING WINDOWS, AAMA 1203.9, AND ANSI/AAMA 101.
5. SLIDING GLASS DOORS SHALL COMPLY WITH THE ARCHITECTURAL ALUMINUM MANUFACTURER'S ASSOCIATION (AAMA) STANDARD FOR FORCED-ENTRY RESISTANT ALUMINUM SLIDING GLASS DOORS, AAMA 1303.5, AND ANSI/AAMA 101

DOORS AND DOOR LOCKS.

1. LOCKS ON APARTMENT AND EXTERIOR DOORS SHALL BE A MINIMUM OF 4-000 POSSIBLE KEY CHANGES OR LOCKING COMBINATIONS.
2. EXTERIOR DOORS SERVING AS PRIMARY MEANS OF EGRESS SHALL BE EQUIPPED WITH A COMBINATION DEAD LATCH AND DEAD BOLT DEVICE WHICH SHALL COMPLY WITH 310.3.2 (1) AND 310.3.1 OF THE S.F.B.C.
3. DEAD BOLTS SHALL BE HARDENED OR CONTAIN INSERTS.
4. LOCKS ON DOORS, WHERE SUCH LOCKS ARE REQUIRED TO BE INTRUSION AND BURGLAR-RESISTANT, SHALL BE CAPABLE OF RESISTING A FORCE OF 200 POUNDS APPLIED IN ANY MUNABLE DIRECTION.
5. DEAD BOLTS SHALL HAVE BEVELLED, HARDENED CYLINDER GUARD ON THE EXTERIOR SIDE OF DOOR.
6. CONNECTING SCREW HEADS OF DEAD BOLTS SHALL NOT BE EXPOSED ON THE EXTERIOR SIDE OF DOOR, OR SHOULD BE OF TAMPER-RESISTANT DESIGN.

APPLICATION OF LOCKS TO OTHER DOORS SHALL BE AS FOLLOWS

7. THE ACTIVE LEAF OF PAIRS OF SWINGING DOORS TO THE EXTERIOR SHALL HAVE LOCKS AS REQUIRED FOR SINGLE SWINGING DOORS OR BE PROVIDED WITH MULTIPLE-POINT LOCKS WHICH CONTAIN INSERTS, EACH WITH 5/8 INCH THROW BOLTS AND CYLINDER LOCK.
8. THE ASSIVE SIDE OF THE INACTIVE LEAF OF PAIRS OF SWINGING DOORS TO THE EXTERIOR SHALL BE PROVIDED WITH MULTIPLE-POINT LOCKS OR FLUSH OR SURFACE BOLTS TOP AND BOTTOM, EACH WITH A MINIMUM 5/8 INCH THROW AND 1/2 INCH MINIMUM ENGAGEMENT
10. SUCH DOORS SHALL BE REINFORCED IN THE STRIKE LOCK AREA TO MAINTAIN BOLT STRENGTH EFFECTIVENESS WHERE NECESSARY TO MEET THE REQUIREMENTS SET FORTH.
11. SUCH DOORS SHALL HAVE NO SCREWS REMOVABLE FROM THE OUTSIDE WHICH, IF REMOVED, WOULD FACILITATE READY ENTRY. NOR SHALL ANY DOOR LEAF WHEN CLOSED AND LOCKED BE OPERABLE FROM THE OUTSIDE.

EXTERIOR WINDOWS.

1. EXTERIOR WINDOWS SHALL BE LOCKED WITH A DEVICE ON THE INSIDE CAPABLE OF WITHSTANDING A FORCE OF 150 POUNDS APPLIED IN AN OPERABLE DIRECTION UNLESS THE WINDOW OPENING IS PROTECTED BY OTHER INTRUSION SECURITY DEVICES AS SET FORTH HEREIN, OR AN APPROVED EQUIVALENT.
2. WOOD JAMBS SHALL BE SECURED AT MINIMUM OF 6 POINTS OF ANCHORING PER VERTICAL SIDE.
3. SUB-SILLS SHALL BE OF PRESSURE-MATERIAL, AT LEAST 2 INCHES NOMINAL THICKNESS, AND SECURED IN AT LEAST 3 POINTS OF EACH LEG WITH 3 INCH OR EQUIVALENT FASTENERS.
4. JAMBS SHALL BE PROVIDED WITH APPROVED REINFORCING STRIKES INSTALLED WITH SCREWS AT LEAST 3 INCHES IN LENGTH, SCREWS SHALL PENETRATE SUB-FRAMES TO A DEPTH OF AT LEAST 1 INCH.
5. GLAZING OTHER THAN IN DOORS AND WITHIN 40 INCHES OF THE INSIDE LOCKING DEVICE OF DOORS TO THE EXTERIOR SHALL COMPLY WITH STANDARDS SET FORTH IN THE FLORIDA BUILDING CODE OR BE PROTECTED AS PROVIDED IN THE FLORIDA BUILDING CODE
6. SLIDING GLASS DOORS SHALL AND HORIZONTALLY SLIDING WINDOWS SHALL BE CONSTRUCTED AND INSTALLED SO THAT NO PANEL CAN BE LIFTED FROM THE TRACKS WHEN IN A LOCKED POSITION AND PROVIDED WITH LOCKS AS SET FORTH IN THE FLORIDA BUILDING CODE.
7. SUCH DOORS AND WINDOWS SHALL ALSO COMPLY WITH THE RESISTANCE STANDARDS SET FORTH IN THE FLORIDA BUILDING CODE

GENERAL NOTES

1. THE CONTRACTOR SHALL PROVIDE PRODUCT CONTROL APPROVED HURRICANE SHUTTERS FOR ALL WINDOWS, SLIDING GLASS DOORS AND STOREFRONTS 30 FEET OR LESS ABOVE FINISH GRADE EXCEPT WHERE STOREFRONTS ARE ENGINEERED AND INSTALLED TO MEET OR EXCEED FLORIDA BUILDING CODE IMPACT REQUIREMENTS.

AS-BUILT - December 14, 2006

DEC 14 2006

JMA - 2397
BUILDING PERMIT
DEC. 27 2006

BUILDING PERMIT 08.15.2004
A0216a

TRG - Hallandale Beach Limited
1830 S. Ocean Drive
Hallandale Beach, Florida
(954) 455-5758

The Beach Club - Phase II
1830 South Ocean Drive
Hallandale Beach, FL.



A JAMB -HEAD (SIM)
scale = 3" = 1'-0"



B JAMB -HEAD (SIM)
scale = 3" = 1'-0"



C JAMB -HEAD (SIM)
scale = 3" = 1'-0"



D JAMB -HEAD (SIM)
scale = 3" = 1'-0"



E JAMB -HEAD (SIM)
scale = 3" = 1'-0"



F1 JAMB AT 2 HR FIRE RATED WALL
JAMB WIDTH TO BE 7 1/8" scale = 3" = 1'-0"

F JAMB -HEAD (SIM) AT 1 HR FIRE RATED WALL
scale = 3" = 1'-0"



G1 JAMB 2 HR FIRE RATED WALL-HEAD (SIM)
scale = 3" = 1'-0"

G JAMB 1 HR FIRE RATED WALL-HEAD (SIM)
scale = 3" = 1'-0"



H JAMB -HEAD (SIM)
scale = 3" = 1'-0"

I NOT USED
scale = 3" = 1'-0"



J TYP HEAD DTL- EXTERIOR DOOR
scale = 3" = 1'-0"



K JAB-HEAD (BI-FOLD DOOR)
scale = 3" = 1'-0"



L JAB-HEAD (BI-PASS DOOR)
scale = 3" = 1'-0"

N NOT USED
scale = N.T.S.

O NOT USED
scale = N.T.S.

P NOT USED
scale = N.T.S.

AS-BUILT - December 14, 2006

BUILDING PERMIT 06.15.2004

A8.03

The Sieger Suarez Architectural Partnership
5996 Southwest 70th Street South Miami, Florida 33143 305/274-9702

TRG - Hallandale Beach Limited
1830 S. Ocean Drive
Hallandale Beach, Florida
(954) 458-5758

The Beach Club - Phase II
1830 South Ocean Drive
Hallandale Beach, FL.

AS-BUILT - December 14, 2006

wall assemblies
wall finishes A-E & wall assemblies 1-13



8 2 HR PARTITION WP1522
scale = 3" = 1'-0"



9 NON FIRE RATED
scale = 3" = 1'-0"



10 1 HR PARTITION
SCALE=3"=1'0"



11 2 HR SHAFT WALL WP 1850
scale = 3" = 1'-0"



12 EXTERIOR METAL STUD PARTITION
scale = 3" = 1'-0"

13 NOT USED
scale = 3" = 1'-0"

NOTES

1. ALL 4" SOLID C.M.U. TO RECEIVE 3/8" PARGE COATING WHERE 2 HOUR FIRE RATING IS REQUIRED, UNLESS A TESTED 2 HR FIRE RATED 4" SOLID C.M.U. IS USED.
2. ELECTRICAL RECEPTACLES WHICH OCCUR AT MASONRY PARTY WALL, MASONRY NOT TO BE BROKEN.
3. ALL FIRE RATING SHOWN FOR PARTITIONS REFER TO TO FIRE RESISTANCE RATING PER UNDERWRITERS LABORATORIES, OR GYPSUM ASSOC. FIRE RESISTANCE MANUAL (LATEST EDITION).
4. INSTALLATIONS OF FIRE RATED PARTITIONS TO BE AS PER UNDERWRITERS LABORATORIES, OR GYPSUM ASSOC. FIRE RESISTANCE MANUAL (LATEST EDITION).
5. CONCRETE BLOCK MANUFACTURER TO SUBMIT CERTIFIED DOCUMENT SHOWING THAT BLOCK HAS TWO HOUR FIRE RATED FOR REQUIRED ENCLOSURES.
6. FIRE RATED MATERIALS CONSTRUCTION TO CONFORM W/CHAPTER 37 OF FLORIDA BUILDING CODE.
7. ALL INTERIOR MATERIALS TO BE CLASS "C" FLAME SPREAD MIN. AND ALL INT. FINISH IN MEANS OF EGRESS TO HAVE A CLASS "B" FLAME SPREAD
8. ALL METAL STUD PARTITIONS SHALL EXTEND FULL HEIGHT, FLOOR TO SLAB ABOVE.
9. PROVIDE CEMENTITIOUS BACKER BOARD (C.B.) AT DECKOF TUBS ONLY, & DENSHIELD ON PERIMETER WALLS FULL HEIGHTS AT ALL SHOWERS AND TUBS WITH SHOWERS.
10. ALL VERTICAL PENETRATIONS THRU SLABS TO BE FIRE STOPPED USING 3M FIRE BARRIERS & 3M TYPE C.P. CAULKING OR EQUAL. INSTALL AS PER MANUFACTURER SPEC'S & UNDERWRITERS LAB TEST SPECS.
11. ALL FIRE RATED WALLS TO BE CONTINUOUS WITHOUT BEING INTERRUPTED BY OTHER PARTITIONS (TYP.)
13. EXTERIOR FINISH TO BE STUCCO ON SCRATCH COAT. THICKNESS TO BE AS PER MANUFACTURERS SPECIFICATIONS.
14. PENETRATIONS THROUGH FIRE RATED WALLS AND FLOOR SHALL BE SEALED WITH A MATERIAL CAPABLE OF PREVENTING THE PASSAGE OF FLAMES AND HOT GASES WHEN SUBJECTED TO THE REQUIREMENTS OF THE TEST STANDARD SPECIFIC FOR FIRE STOPS ASTM E-814/UL1479 (SEE SHEET A — FOR QUICK REFERENCE GUIDE.)
15. ALL METAL STUDS AT PERIMETER OF ALL SHOWERS AND TUBS TO BE STRUCT. STUDS CAPABLE OF WITHSTANDING THE LOADS FOR HANDICAP GRAB BARS.
16. ALL ELECTRICAL RECEPTACLES AT STUD PARTY WALLS TO BE STAGGERED A MIN. OF 1'-0" APART (NO BACK TO BACK OUTLETS) PERIMETER OF OUTLET BOXES TO BE SEALED W/ ACCOUSTICAL CAULKING.
17. ALL ROUND COLS. IN LOBBY LEVEL AND MEZZANINE LEVEL TO RECEIVE ONE COAT SMOOTH FINISH.
18. ALL METAL STUDS, TRACKS, BRACING ETC. AS SHOWN IN DETAILS ABOVE SHALL BE GALVANIZED.

JMA - 2302
Final Board Review
DEC. 27 2006

BUILDING PERMIT 06.15.2004
Job Number
A02168
Sheet number
A8.02

The Sieger Suarez Architectural Partnership
5996 Southwest 70th Street, South Miami, Florida. 33143. 305/274-2702.

TRG - Hallandale Beach Limited
1630 S. Ocean Drive
Hallandale Beach, Florida
(954) 455-5769

The Beach Club - Phase II
1830 South Ocean Drive
Hallandale Beach, FL.

wall assemblies
wall finishes A-E & wall assemblies 1-13

AS-BUILT - December 14, 2006



A INTERIOR FINISH @ MASONRY WALL
STANDARD
scale = 3" = 1'-0"



B INTERIOR FINISH @ MASONRY WALL
WITH ELECTRICAL OUTLETS & SWITCHES
scale = 3" = 1'-0"



C INTERIOR FINISH @ MASONRY WALL
CHASE CONDITIONS
SCALE = 3" = 1'-0"



D INTERIOR FINISH @ MASONRY WALL
CHASE CONDITIONS - SOUND INSULATION
scale = 3" = 1'-0"



E STUCCO FINISH @ MASONRY WALL
scale = 3" = 1'-0"



1 MASONRY OR CONC.
scale = 3" = 1'-0"



2 EXTERIOR MASONRY OR CONCRETE
scale = 3" = 1'-0"



3 2 HR MASONRY WALL UL# U905
scale = 3" = 1'-0"



4 4 HR MASONRY WALL UL# U901
scale = 3" = 1'-0"



5 2 HR MASONRY (4" block)
scale = 3" = 1'-0"



6 NON FIRE RATED PARTITION
scale = 3" = 1'-0"



7 1 HR PARTITION WP1200
scale = 3" = 1'-0"

FOR INTERIOR FINISHES ON MASONRY WALL ASSEMBLIES 1 THROUGH 5 REFER TO DETAILS A THROUGH E ABOVE

BUILDING PERMIT 08.15.2004
SSE Number
A02168
Sheet number

The Sieger Suarez Architectural Partnership
5996 Southwest 70th Street, South Miami, Florida 33143 305/274-2702.

A8.01

TRG - Hallandale Beach Limited
1600 S. Ocean Drive
Hallandale Beach, Florida
(954) 455-5759

TYPICAL DETAIL
HANDICAP PARKING SPACES
NOT TO SCALE



SIGNS USED AS PER FLORIDA STATUTES
FTP. 25, FTP. 26 PER F.S. 316.1955, F.S. 316.1956

NOTES:

1. TOP PORTION OF FTP. 25 & 26 SHALL HAVE A REFLECTIVE BLUE BACKGROUND WITH WHITE REFLECTIVE SYMBOL AND BORDER.
2. BOTTOM PORTION SHALL HAVE A REFLECTIVE WHITE BACKGROUND WITH BLACK OPAQUE LEGEND AND BORDER.
3. FTP. 25 & 26 MAY BE FABRICATED ON ONE PANEL OR TWO
4. FTP. 25 MAY BE SUBSTITUTED FOR THE FTP. 26 IN AREAS WHERE SPACE IS LIMITED.
5. SIGNS ARE TO BE MOUNTED AT A STANDARD HEIGHT. (7' FORM PAVEMENT TO BOTTOM OF SIGN).



62 HANDICAPPED PARKING
SCALE: NTS

NOT TO SCALE

EXTERIOR SPACES ONLY
LANDSCAPED AREA



GARAGE PARKING STALL



PARALLEL PARKING STALL



61 PARKING
SCALE: NTS

TYPICAL PRECAST
CONCRETE WHEELSTOP



63 WHEEL STOP
@PARKING GARAGE
SCALE: NTS



64 CORNER GUARD
@PARKING GARAGE
SCALE: 1-1/2" = 1'-0"

65 NOT USED

AS-BUILT - December 14, 2006

JMA - 2307
APPROVED AS NOTED
DEC 27 2006
BUILDING PERMIT 06.15.2004
Job Number
A07106
Sheet Number

The Sieger Suarez Architectural Partnership
5996 Southwest 76th Street South Miami, Florida 33143 305/274-2702.

A7.09



55 SECTION DETAIL
SCUPPER
SCALE = 1 1/2" = 1'-0"



56 SECTION DETAIL
AT ROOF DECK
SCALE = 1 1/2" = 1'-0"

57 NOT USED

58 NOT USED

59 NOT USED



60 SECTION DETAIL
AT SLAB EDGE
SCALE = 1" = 1'-0"

61 NOT USED

AS-BUILT - December 14, 2006

JMA - 2397
DEC 27 2006

BUILDING PERMIT 06.15.2004
Job Number A0216a
Sheet number A7.08

TRG - Hallandale Beach Limited
1930 S. Ocean Drive
Hallandale Beach, Florida
(954) 455-5758

The Beach Club - Phase II
1930 South Ocean Drive
Hallandale Beach, FL.



48 PLAN DETAIL
@VERTICAL 2HR. RINERATED EXP. JT. SCALE:3" = 1'-0"



49 SECTION DETAIL
EXP. JOINT @ PARAPET SCALE:3" = 1'-0"

50 NOT USED

51 NOT USED

52 NOT USED

53 NOT USED

54 NOT USED

AS-BUILT - December 14, 2006

BUILDING PERMIT 08.15.2004

A02168

The Sieger Suarez Architectural Partnership
5995 Southwest 70th Street, South Miami, Florida. 33143 305/274-2702.

A7.07

TRG - Hallandale Beach Limited
1830 S. Ocean Drive
Hallandale Beach, Florida
(954) 455-5759

The Beach Club - Phase II
1830 South Ocean Drive
Hallandale Beach, FL



40 SECTION DETAIL
TYPICAL CURTAIN POCKET
scale = 1 1/2" = 1'-0"

41 NOT USED

42 NOT USED



43 TYP. M. BATH SHOWER ELEV.
ALL UNITS (SIMILAR)
scale = 3/4" = 1'-0"



44 SECTION DETAIL
AT DROPED CEILING
scale = 3" = 1'-0"



45 SECTION DETAIL
AT BALCONY PARTITION
scale = 1" = 1'-0"

AS-BUILT - December 14, 2006

JMA 2302
Original Record As Built
DEC 27 2006

BUILDING PERMIT 05.15.2004
A0215a

TRG - Hallandale Beach Limited
1800 S. Ocean Drive
Hallandale Beach, Florida
(954) 455-8759

The Beach Club - Phase II
1830 South Ocean Drive
Hallandale Beach, FL.



25 SECTION DETAIL
AT HAND RAIL 3" = 1'-0"



26 SECTION DETAIL
AT HAND RAIL scale = 3" = 1'-0"



27 A/C/CLOSET AT UNITS, TYP.
scale = 3/4" = 1'-0"



28 A/C CLOSET AT CABANAS, TYP.
scale = n.t.s.



2 HR. HORIZONTAL DUCT PROTECTION
WHI 694-0300.I

29 DUCT / EQUIP. ENCLOSURE
2 HR RATED U.S.G. - WHI 694-0300.1



30 SECTION DETAIL
AT STAIRS scale = 1/2" = 1'-0"



31 SECTION DETAIL
AT CONC. STAIRS scale = 3" = 1'-0"



32 SECT. DTL OF THE SUPPLY & RELIEF A/C DUCT.
@ROOF LEVEL CORE-1 AND 2 ROOF TERRACE scale = 3/4" = 1'-0"

AS-BUILT - December 14, 2006

DEC 27 2006

BUILDING PERMIT 06.15.2004
JOB NUMBER A02108
SHEET NUMBER A7.04

The Sieger Suarez Architectural Partnership
5966 Southwest 70th Street, South Miami, Florida 33143 305/274-2702

TRG - Hallandale Beach Limited
1830 S. Ocean Drive
Hallandale Beach, Florida
(954) 455 5759

The Beach Club - Phase II
1830 South Ocean Drive
Hallandale Beach, FL



17 PLAN DETAIL
AT DOOR JAMB



18 SECTION DETAIL
AT DOOR JAMB



19 PLAN DETAIL
FOR SHOWER ENCLOSURE JAMB AT STUD PARTITION (MASONRY WALL LOCATION SIM.)



20 PLAN DETAIL



21 PLAN DETAIL
AT DOOR JAMB

22 NOT USED



23 PLAN DETAIL
AT DOOR JAMB



24 PLAN DETAIL
AT ACCESS LADDER

AS-BUILT - Dated December 14, 2006

JMA : 2307

Revised Record As Built
DEC 27 2006

BUILDING PERMIT 06.15.2004
Job Number
A02168
Sheet number
A7.03

The Sieger Suarez Architectural Partnership
5996 Southwest 70th Street South Miami, Florida 33143 305/274-7707

TRG - Hallandale Beach Limited
1630 S. Ocean Drive
Hallandale Beach, Florida
(954) 458-5758

The Beach Club - Phase II
1630 South Ocean Drive
Hallandale Beach, FL



9 SECTION DETAIL - TYPICAL
AT ROOF DECK



10 SECTION DETAIL - TYPICAL
AT ROOF DECK

11 NOT USED



12 SECTION DETAIL OF PARAPET AT ROOF LEVEL
@ROOF LEVEL



13 SECTION DETAIL - TYPICAL
AT ROOF DECK

14 NOT USED

15 NOT USED

16 NOT USED

AS-BUILT - December 14, 2006

JMA 2397
DEC 27 2006

BUILDING PERMIT 05.15.2004
A0218a

The Sieger Suarez Architectural Partnership
5996 Southwest 70th Street South Miami, Florida, 33143, 305/274-2702.

A7.02

TRG - Hallandale Beach Limited
1630 S. Ocean Drive
Hallandale Beach, Florida
(954) 455-5758

The Beach Club - Phase II
1830 South Ocean Drive
Hallandale Beach, FL.



1 SECTION DETAIL OF HORIZ. STRUCT. MULLION
AT MAIN LOBBY STOREFRONT scale = 3" = 1'-0"



2 SECTION DETAIL - TYPICAL
TYPICAL AT BALCONY scale = 1 1/2" = 1'-0"



3 SECTION DETAIL - TYPICAL
POOL DECK RAILING scale = 1 1/2" = 1'-0"



4 SECTION DETAIL - TYPICAL
AT TYPICAL WINDOW scale = 3" = 1'-0"



5 SECTION
AT POOL scale = 1 1/2" = 1'-0"



6 SECTION DETAIL
MAIL BOXES scale = 3/4" = 1'-0"



7 SECTION DETAIL
MONITOR / FIRE EQUIP. scale = 3/4" = 1'-0"



NOTE: 1. SEE MECHANICAL DWGS. FOR LOCATION OF SPRINKLERS.
2. SEE FIRESAFING DETAILS ON DWGS. A-902 AND A-903 FOR CONDITIONS WHERE PENETRATIONS OCCUR AT FIRERATED WALLS AND PARTITIONS.

8 SPRINKLER PENETRATION
SCALE: NTS

AS-BUILT - December 14, 2006

BUILDING PERMIT 06.15.2004
A0216a

The Sieger Suarez Architectural Partnership
5996 South-west 70th Street, South Miami, Florida, 33143, 305/274-7702

A7.01

TRG - Hallandale Beach Limited
1830 S. Ocean Drive
Hallandale Beach, Florida
(954) 455-5755

The Beach Club - Phase II
1830 South Ocean Drive
Hallandale Beach, FL.



elevator shafts and lobby section

3/32"



AS-BUILT - December 14, 2006

elevator shafts and lobby section

3/32"

BUILDING PERMIT 06.15.2004

The Sieger Suarez Architectural Partnership
5996 Southwest 70th Street South Miami, Florida 33143, 305/274-2702

A6.17

TRG - Hallandale Beach Limited
1830 S. Ocean Drive
Hallandale Beach, Florida
(954) 455-5758

The Beach Club - Phase II
1830 South Ocean Drive
Hallandale Beach, FL.

elevator shafts and lobby section

1/8"

AS-BUILT - December 14, 2006
elevator shafts and lobby section
1/8"

DEC 11 2006

JAN - 2007
Final Inspection As-Built
DEC 12 2006

BUILDING PERMIT 06.15.2004
A02166

The Sieger Suarez Architectural Partnership
5996 Southwest 70th Street, South Miami, Florida, 33143, 305/274-2702.

A6.16

TRG - Hallandale Beach Limited
1830 S. Ocean Drive
Hallandale Beach, Florida
(954) 455-5758

The Beach Club - Phase II
1830 South Ocean Drive
Hallandale Beach, FL.



Lobby level 02 - Ramp floor plan



Lobby level 02 - Ramp section



level 02 - Ramp floor plan



level 02 - Ramp floor plan



level 02 - Ramp section



level 02 - Ramp section

AS-BUILT - December 14, 2006

stair no. 5A & 5B floor plans & section

1/4"

DEC. 14 2006

JMA - 2302

DEC. 27 2006

BUILDING PERMIT 06.15.200

A6.

The Sieger Suarez Architectural Partnership
5996 Southwest 70th Street, South Miami, Florida, 33143 305/274-2702

TRG - Hallandale Beach Limited
1830 S. Ocean Drive
Hallandale Beach, Florida
(954) 455-5759

The Beach Club - Phase II
1630 South Ocean Drive
Hallandale Beach, FL.

EGRESS STAIR NOTES

1. ALL EGRESS STAIR PERIMETER WALLS TO BE CONCRETE BLOCK OR REINFORCED CONCRETE WITH 2 HOUR FINISHING MATERIAL, ANY PENETRATIONS THROUGH BLOCK TO BE SEPARATED FROM STAIRWELL BY 2 HOUR FIRE RATED PARTITION.

2. ALL EGRESS STAIRS TO CONFORM TO FLORIDA BUILDING CODE, FLORIDA FIRE PREVENTION CODE AND FLORIDA STATUTE CHAPTER 553 PART V (LATEST EDITION). STAIRS LEADING TO MECHANICAL LEVELS SHALL CONFORM TO FLORIDA FIRE PREVENTION CODE.

3. RAILING MANUFACTURER TO SUBMIT SHOP DRAWINGS FOR ARCHITECT'S APPROVAL.

4. PROVIDE SIGN AT ALL FLOOR LEVELS AT INTERIOR OF EGRESS STAIRWAYS TO IDENTIFY FLOOR LEVEL (EXAMPLE: "LOBBY", "FLOOR 2", "ROOF", ETC.) AND DIRECTION OF EGRESS AS PER NFPA 101 SECTION 5-10.8.6. SEE DIAGRAM 1 THIS PAGE.

5. PROVIDE "ROOF ACCESS" SIGN AT LOBBY LEVEL STAIR ENTRANCE WHICH ACCESS ROOF.

6. ALL EGRESS STAIRS TO DISCHARGE TO PAVED PUBLIC AREA EITHER OR AND CLEAR OF BUILDING (SEE 3/32" SCALE DRAWING FOR LOBBY AND MEZZANINE LEVELS AND 1/16" DRAWING FOR GARAGE, BASEMENT LEVELS).

7. RECEIVE OF ADJACENT EGRESS STAIRS SHALL BE POSSIBLE AT ALL FLOOR LEVELS PRIOR TO ACTUAL DISCHARGE LEVEL.

8. ALL LIFE SAFETY SPECIFICS, SEE P2 CONTAIN DETAILS.

STAIR 3
FLOOR LEVEL
SERVICE LEVEL TO 27TH FLOOR
NO ROOF ACCESS
DOWN TO LOBBY LEVEL
FOR EXIT DISCHARGE

Diagram 1
Bottom of sign at 5'-0" AFF



section B



mezzanine level 03



lobby level 02

stairs no. 6 & 7 floor plans & section



level 06



mezzanine, levels 04 & 05



lobby level 02



service level 01



section A

AS-BUILT - December 14, 2006
stair no. 5A & 5B floor plans & section
1/4"

BUILDING PERMIT 06.15.200
A0216

stairs no. 5A & 5B floor plans & section 1/4"

The Sieger Suarez Architectural Partnership
5996 Southwest 70th Street South Miami, Florida. 33143. 305/274-2702.

TRG - Hallandale Beach Limited
1830 S. Ocean Drive
Hallandale Beach, Florida
(954) 458-5750

The Beach Club - Phase II

1830 South Ocean Drive
Hallandale Beach, FL.



lobby level



service level

EGRESS STAIR NOTES

1. ALL ACROSS STAIR PERIMETER WALLS TO BE CONCRETE BLOCK OR REINFORCED CONCRETE WITH 2 HOUR FIRERATING (MINIMUM). ANY PENETRATIONS THROUGH BLOCK TO BE SEPARATED FROM STAIRWELL BY 2 HOUR FIRE RATED PARTITION.
2. ALL EGRESS STAIRS TO CONFORM TO FLORIDA BUILDING CODE, FLORIDA FIRE PREVENTION CODE AND FLORIDA STATUTE CHAPTER 553 PART V (LATEST EDITION). STAIRS LEADING TO MECHANICAL LEVELS SHALL CONFORM TO FLORIDA FIRE PREVENTION CODE.
3. RAILING MANUFACTURER TO SUBMIT SHOP DRAWINGS FOR ARCHITECT'S APPROVAL.
4. PROVIDE SIGN AT ALL FLOOR LEVELS AT INTERIOR OF EGRESS STAIRWAYS TO IDENTIFY FLOOR LEVEL (EXAMPLE: "LOBBY", "FLOOR 2", "ROOF", ETC.) AND DIRECTION OF EGRESS AS PER NFPA 101 SECTION 5-2.2.6.6. SEE DIAGRAM 1 THIS PAGE.
5. PROVIDE "ROOF ACCESS" SIGN AT LOBBY LEVEL STAIR ENTRANCE WHICH ACCESS ROOF.
6. ALL EGRESS STAIRS TO DISCHARGE TO PAVED PUBLIC AREA OUTSIDE OF AND CLEAR OF BUILDINGS. (SEE 3/32" SCALE DRAWING FOR LOBBY AND MEZZANINE LEVELS AND 1/16" DRAWING FOR GARAGE BASEMENT LEVEL).
7. REENTRY OF ADJACENT EGRESS STAIRS SHALL BE POSSIBLE AT ALL FLOOR LEVELS PRIOR TO ACTUAL DISCHARGE LEVEL.
8. ALL LIFE SAFETY DIRECTIONAL SIGNS TO CONTAIN BRAILLE

Diagram 1
Bottom of sign at 5'-0" AFF



handrail extensions N.T.S



mezz to 05 level



06 level



section F

1/4"

AS-BUILT - December 14, 2006

stair no. 4 floor plans & section

JMA - 2307

BUILDING PERMIT 06.15.200

A0216a

stair no. 4 floor plans & section 1/4"

The Sieger Suarez Architectural Partnership
5896 Southwest 70th Street, South Miami, Florida. 33143. 305/274-2702.

A6.

TRG - Hallandale Beach Limited
1830 S. Ocean Drive
Hallandale Beach, Florida
(954) 455-5759

The Beach Club - Phase II
1830 South Ocean Drive
Hallandale Beach, FL.



lobby level



level 07 - pool deck



roof

1/4"



service level stair no. 3 floor plans & section



mezzanine, levels 04, 05 & 06

1/4"

EGRESS STAIR NOTES

1. ALL EGRESS STAIR PERIMETER WALLS TO BE CONCRETE BLOCK OR REINFORCED CONCRETE 4Th. 2 HOUR FIRERATING (MINIMUM). ANY PENETRATIONS THROUGH BLOCK TO BE SEPARATED FROM STAIRWELL BY 2 HOUR FIRE RATED PARTITION.

2. ALL EGRESS STAIRS TO CONFORM TO FLORIDA BUILDING CODE, FLORIDA FIRE PREVENTION CODE AND FLORIDA STATUTE CHAPTER 553 PART V (LATEST EDITION). STAIRS LEADING TO MECHANICAL LEVELS SHALL CONFORM TO FLORIDA FIRE PREVENTION CODE.

3. RAILING MANUFACTURER TO SUBMIT SHOP DRAWINGS FOR ARCHITECT'S APPROVAL.

4. PROVIDE SIGN AT ALL FLOOR LEVELS AT INTERIOR OF EGRESS STAIRWAYS TO IDENTIFY FLOOR LEVEL (EXAMPLE "LOBBY", "FLOOR 2", "ROOF", ETC.) AND DIRECTION OF EGRESS AS PER NFPA 101 SECTION 5-10.8.4, SEE DIAGRAM 1 THIS PAGE.

5. PROVIDE "ROOF ACCESS" SIGN AT LOBBY LEVEL STAIR ENTRANCE WHICH ACCESS ROOF.

6. ALL EGRESS STAIRS TO DISCHARGE TO HARD PUBLIC AREA OUTSIDE OF AND CLEAR OF BUILDING. SEE 3/32" SCALE DRAWING FOR LOBBY AND MEZZANINE LEVELS AND 1/16" DRAWING FOR GARAGE BREAKOUT LEVELS.

7. RECEIVER BY ADJACENT EGRESS STAIR SHALL BE POSSIBLE TO ALL FLOOR LEVELS PRIOR TO ACTUAL DISCHARGE LEVEL.

8. ALL EXIT SAFETY DIRECTIONAL SIGNS TO COMPLY WITH NFPA 101 SECTION 5-10.8.4.

Diagram 1
Bottom of sign at 5'-0" AFF



section A

1/4"

AS-BUILT - December 14, 2006

stair no. 3 floor plans & section

BUILDING PERMIT 06.15.200

A0218s

Sheet number A6.

The Sieger Suarez Architectural Partnership
5896 Southwest 70th Street, South Miami, Florida. 33143. 305/274-2707.

TRG - Hallandale Beach Limited
1530 S. Ocean Drive
Hallandale Beach, Florida
(954) 455-5750

The Beach Club - Phase II
1830 South Ocean Drive
Hallandale Beach, FL



level 52



roof level 53

elevator core floor plans

1/4"

AS-BUILT - December 14, 2006

elevator core floor plans

BUILDING PERMIT 06.15.2004

A0216a

A6.1

The Sieger Suarez Architectural Partnership
5996 Southwest 70th Street, South Miami, Florida. 33143. 305/274-2702.

TRG - Hallandale Beach Limited
1830 S. Ocean Drive
Hallandale Beach, Florida
(954) 455-5759

The Beach Club - Phase II
1830 South Ocean Drive
Hallandale Beach, FL.



levels 09 to 11



levels 12 to 50



level 51



Atlantic Ocean

South Ocean Drive
(State Road A.1.A.)

elevator core floor plans 1/4"

AS-BUILT - December 14, 2006

elevator core floor plans 1/4"

BUILDING PERMIT 06.15.2004

A02168

A6.10

The Sieger Suarez Architectural Partnership
5996 Southwest 70th Street, South Miami Florida 33143. 305/374-2700.

TRG - Hallandale Beach Limited
1830 S. Ocean Drive
Hallandale Beach, Florida
(954) 455-5769

The Beach Club - Phase II
1830 South Ocean Drive
Hallandale Beach, FL.

Atlantic Ocean

ELEVATOR CORE

South Ocean Drive
(State Road A.1.A.)



level 04



levels 06 & 07



level 08

elevator core floor plans 1/4"

1/4"

AS-BUILT - December 14, 2006

elevator core floor plans

BUILDING PERMIT 06.15.2004

A02168

The Sieger Suarez Architectural Partnership
5895 Southwest 70th Street, South Miami Florida 33143, 305/274-2707.

A6.09

TRG - Hallandale Beach Limited
1830 S. Ocean Drive
Hallandale Beach, Florida
(954) 455-5756

The Beach Club - Phase II
1830 South Ocean Drive
Hallandale Beach, FL.

Atlantic Ocean

ELEVATOR CORE

South Ocean Drive
(State Road A.1.A.)



service level | lobby level | level 3

elevator core floor plans 1/4"

1/4"

AS-BUILT - December 14, 2006

elevator core floor plans

JMA - 2397

BUILDING PERMIT 06.15.2004
A0218M

The Sieger Suarez Architectural Partnership
5998 Southwest 70th Street, South Miami, Florida 33143 305/274-2703

A6.08

TRG - Hallandale Beach Limited
1830 S. Ocean Drive
Hallandale Beach, Florida
(954) 455-5759

The Beach Club - Phase II
1830 South Ocean Drive
Hallandale Beach, FL

1 elevator A1 - section 1/4"

A stair 1 - section 1/4"

elevator manufacturer to submit shop drawings

AS-BUILT - December 14, 2006

BUILDING PERMIT 06.15.2004

The Sieger Suarez Architectural Partnership
5996 South-west 70th Street, South Miami, Florida. 33143. 305/274-2702

A6.07

TRG - Hallandale Beach Limited
1830 S. Ocean Drive
Hallandale Beach, Florida
(954) 455-5759

The Beach Club - Phase II
1830 South Ocean Drive
Hallandale Beach, FL.

EGRESS STAIR NOTES

1. ALL EGRESS STAIR PERIMETER WALLS TO BE CONCRETE BLOCK OR REINFORCED CONCRETE WITH 2 HOUR FIRERATING (MINIMUM). ANY PENETRATIONS THROUGH BLOCK TO BE SEPARATED FROM STAIRWELL BY 2 HOUR FIRE RATED PARTITION.
2. ALL EGRESS STAIRS TO CONFORM TO FLORIDA BUILDING CODE, FLORIDA FIRE PREVENTION CODE AND FLORIDA STATUTE CHAPTER 553 PART V (LATEST EDITION). STAIRS LEADING TO MECHANICAL LEVELS SHALL CONFORM TO FLORIDA FIRE PREVENTION CODE.
3. RATING MANUFACTURER TO SUBMIT SHOP DRAWINGS FOR ARCHITECT'S APPROVAL.
4. PROVIDE SIGN AT ALL FLOOR LEVELS AT INTERIOR OF EGRESS STAIRWAYS TO IDENTIFY FLOOR LEVEL (EXAMPLE "LOBBY", "FLOOR 2", "ROOF", ETC.) AND DIRECTION OF EGRESS AS PER NFPA 101 SECTION 5-10.2.6.6. SEE DIAGRAM 1 THIS PAGE.
5. PROVIDE "ROOF ACCESS" SIGN AT LOBBY LEVEL STAIR ENTRANCE WHICH ACCESS ROOF.
6. ALL EGRESS STAIRS TO DISCHARGE TO PAVED PUBLIC AREA OUTSIDE OF AND CLEAR OF BUILDINGS (SEE 1/32" SCALE DRAWING FOR LOBBY AND MEZZANINE LEVELS AND 1/16" DRAWING FOR GARAGE BASEMENT LEVEL).
7. REENTRY OF ADJACENT EGRESS STAIRS SHALL BE POSSIBLE AT ALL FLOOR LEVELS PRIOR TO ACTUAL DISCHARGE LEVEL.
8. ALL LIFE SAFETY DIRECTIONAL SIGNS TO CONTAIN BRAILLE.



Diagram 1
Bottom of sign at 5'-0" AFF



handrail extensions N.T.S.



level 7



level 14



level 8
stair no. 1 floor plans



levels 9 to 13



levels 15-49



level 50



level 51
1/4"



Atlantic Ocean

South Ocean Drive
(State Road A.1.A.)

1/4"

AS-BUILT - December 14, 2006

stair no. 1 floor plans

BUILDING PERMIT 06.15.2004

A0216a

A6.0

The Sieger Suarez Architectural Partnership
5996 Southwest 70th Street, South Miami, Florida. 33143. 305/274-2702.

TRG - Hallandale Beach Limited
1830 S. Ocean Drive
Hallandale Beach, Florida
(954) 455-5759

The Beach Club - Phase II
1830 South Ocean Drive
Hallandale Beach, FL.



lobby level 2



service level 1



level 3

handrail extensions N.T.S.



level 4



level 5



1/4"

1/4"

AS-BUILT - December 14, 2006

stair no. 1 floor plans

JMA - 2397
DEC 27 2006

BUILDING PERMIT 06.15.2004

A6.05

The Sieger Suarez Architectural Partnership
5998 Southwest 70th Street South Miami, Florida. 33143. 305/274-2702.

TRG - Hallandale Beach Limited
1830 S. Ocean Drive
Hallandale Beach, Florida
(954) 455-5759

The Beach Club - Phase II
1830 South Ocean Drive
Hallandale Beach, FL



A continuation of stair 2 section 1/4"

A stair 2 section 1/4"

AS-BUILT - December 14, 2006

JNA - 2397

BUILDING PERMIT 06.15.2004

A0216a

A6.04

The Sieger Suarez Architectural Partnership
5996 Southwest 70th Street, South Miami, Florida 33143. 305/274-2702.

TRG - Hallandale Beach Limited
1830 S. Ocean Drive
Hallandale Beach, Florida
(954) 455-5759

The Beach Club - Phase II
1830 South Ocean Drive
Hallandale Beach, FL.

EGRESS STAIR NOTES

1. ALL EGRESS STAIR PERIMETER WALLS TO BE CONCRETE BLOCK OR REINFORCED CONCRETE WITH 2 HOUR FIRERATING (MINIMUM). ANY PENETRATIONS THROUGH BLOCK TO BE SEPARATED FROM STAIRWELL BY 2 HOUR FIRE RATED PARTITION.
2. ALL EGRESS STAIRS TO CONFORM TO FLORIDA BUILDING CODE, FLORIDA FIRE PREVENTION CODE AND FLORIDA STATUTE CHAPTER 553 PART V (LATEST EDITION). STAIRS LEADING TO MECHANICAL LEVELS SHALL CONFORM TO FLORIDA FIRE PREVENTION CODE.
3. RAILING MANUFACTURER TO SUBMIT SHOP DRAWINGS FOR ARCHITECT'S APPROVAL.
4. PROVIDE SIGN AT ALL FLOOR LEVELS AT INTERIOR OF EGRESS STAIRWAYS TO IDENTIFY FLOOR LEVEL (EXAMPLE: "LOBBY", "FLOOR 2", "ROOF", ETC.) AND DIRECTION OF EGRESS AS PER NFPA 101 SECTION 5-2.2.6.6. SEE DIAGRAM 1 THIS PAGE.
5. PROVIDE "ROOF ACCESS" SIGN AT LOBBY LEVEL STAIR ENTRANCE WHICH ACCESS ROOF.
6. ALL EGRESS STAIRS TO DISCHARGE TO PAVED PUBLIC AREA OUTSIDE OF AND CLEAR OF BUILDINGS. (SEE 3/32" SCALE DRAWING FOR LOBBY AND MEZZANINE LEVELS AND 1/16" DRAWING FOR GARAGE BASEMENT LEVEL).
7. REENTRY OF ADJACENT EGRESS STAIRS SHALL BE POSSIBLE AT ALL FLOOR LEVELS PRIOR TO ACTUAL DISCHARGE LEVEL.
8. ALL LIFE SAFETY DIRECTIONAL SIGNS TO CONTAIN BRAILLE.

Diagram 1
Bottom of sign at 5'-0" AFT



handrail extensions N.T.S



level 52





level 12



level 13-50



level 51

stair no. 2 floor plans

1/4"

1/4"

AS-BUILT - December 14, 2006

stair no. 2 floor plans

JMA - 2397
Final Record As Built
DEC 27 2006

BUILDING PERMIT 08.15.2004
Job Number
A021108

The Sieger Suarez Architectural Partnership
5996 Southwest 70th Street, South Miami, Florida. 33143 305/274-2702
Charles M. Sieger, F.A.I.A. Lic. # AR5202
Jose J. Suarez, A.I.A. Lic. # AR11006

Sheet number
A6.03

TRG - Hallandale Beach Limited
1830 S. Ocean Drive
Hallandale Beach, Florida
(954) 455-5759

The Beach Club - Phase II
1830 South Ocean Drive
Hallandale Beach, FL

EGRESS STAIR NOTES

1. ALL EGRESS STAIR PERIMETER WALLS TO BE CONCRETE BLOCK OR REINFORCED CONCRETE WITH 2 HOUR FIRERATING (MINIMUM). ANY PENETRATIONS THROUGH BLOCK TO BE SEPARATED FROM STAIRWELL BY 2 HOUR FIRE RATED PARTITION.
2. ALL EGRESS STAIRS TO CONFORM TO FLORIDA BUILDING CODE, FLORIDA FIRE PREVENTION CODE AND FLORIDA STATUTE CHAPTER 553 PART V (LATEST EDITION). STAIRS LEADING TO MECHANICAL LEVELS SHALL CONFORM TO FLORIDA FIRE PREVENTION CODE.
3. RAILING MANUFACTURER TO SUBMIT SHOP DRAWINGS FOR ARCHITECT'S APPROVAL.
4. PROVIDE SIGN AT ALL FLOOR LEVELS AT INTERIOR OF EGRESS STAIRWAYS TO IDENTIFY FLOOR LEVEL (EXAMPLE: "LOBBY", "FLOOR 2", "ROOF", ETC.) AND DIRECTION OF EGRESS AS PER NFPA 101 SECTION 5-2.2.8.3. SEE DIAGRAM 1 THIS PAGE.
5. PROVIDE "ROOF ACCESS" SIGN AT LOBBY LEVEL STAIR ENTRANCE WHICH ACCESS ROOF.
6. ALL EGRESS STAIRS TO DISCHARGE TO PAVED PUBLIC AREA OUTSIDE OF AND CLEAR OF BUILDINGS. (SEE 3/32" SCALE DRAWING FOR LOBBY AND MEZZANINE LEVELS AND 1/16" DRAWING FOR GARAGE BASEMENT LEVEL).
7. REENTRY OF ADJACENT EGRESS STAIRS SHALL BE POSSIBLE AT ALL FLOOR LEVELS PRIOR TO ACTUAL DISCHARGE LEVEL.
8. ALL LIFE SAFETY DIRECTIONAL SIGNS TO CONTAIN BRAILLE



Diagram 1
Bottom of sign at 5'-0" AFF



handrail extensions N.T.S.





level 6 | level 7 | level 8 | level 9 | levels 10 & 11

stair no. 2 floor plans 1/4"

1/4"

AS-BUILT - December 14, 2006

stair no. 2 floor plans

BUILDING PERMIT 06.15.2004

A0216a

The Sieger Suarez Architectural Partnership
5996 Southwest 70th Street South Miami, Florida 33143 305/774-7702

A6.02

TRG - Hallandale Beach Limited
1830 S. Ocean Drive
Hallandale Beach, Florida
(954) 455-5759

The Beach Club - Phase II
1830 South Ocean Drive
Hallandale Beach, FL.

EGRESS STAIR NOTES

1. ALL EGRESS STAIR PERIMETER WALLS TO BE CONCRETE BLOCK OR REINFORCED CONCRETE WITH 2 HOUR FIRERATING (MINIMUM). ANY PENETRATIONS THROUGH BLOCK TO BE SEPARATED FROM STAIRWELL BY 2 HOUR FIRE RATED PARTITION.
2. ALL EGRESS STAIRS TO CONFORM TO FLORIDA BUILDING CODE, FLORIDA FIRE PREVENTION CODE AND FLORIDA STATUTE CHAPTER 553 PART V (LATEST EDITION). STAIRS LEADING TO MECHANICAL LEVELS SHALL CONFORM TO FLORIDA FIRE PREVENTION CODE.
3. RAILING MANUFACTURER TO SUBMIT SHOP DRAWINGS FOR ARCHITECT'S APPROVAL.
4. PROVIDE SIGN AT ALL FLOOR LEVELS AT INTERIOR OF EGRESS STAIRWAYS TO IDENTIFY FLOOR LEVEL (EXAMPLE: "LOBBY", "FLOOR 2", "ROOF", ETC.) AND DIRECTION OF EGRESS AS PER NFPA 101 SECTION 5-2.2.6.6. SEE DIAGRAM 1 THIS PAGE.
5. PROVIDE "ROOF ACCESS" SIGN AT LOBBY LEVEL STAIR ENTRANCE WHICH ACCESS ROOF.
6. ALL EGRESS STAIRS TO DISCHARGE TO PAVED PUBLIC AREA OUTSIDE OF AND CLEAR OF BUILDINGS. (SEE 3/32" SCALE DRAWING FOR LOBBY AND MEZZANINE LEVELS AND 1/16" DRAWING FOR GARAGE BASEMENT LEVEL).
7. REENTRY OF ADJACENT EGRESS STAIRS SHALL BE POSSIBLE AT ALL FLOOR LEVELS PRIOR TO ACTUAL DISCHARGE LEVEL.
8. ALL LIFE SAFETY DIRECTIONAL SIGNS TO CONTAIN BRAILLE.

Diagram 1
Bottom of sign at 5'-6" AFF


handrail extensions N.T.S.



South Ocean Drive
(State Road A.1.A.)



service level | lobby level | level 3 | level 4 | level 5

stair no. 2 floor plans

1/4"

AS-BUILT - December 14, 2006

stair no. 2 floor plans

JAA - 2397

BUILDING PERMIT 08.15.2004

AQ2166

A6.01

The Sieger Suarez Architectural Partnership
5996 Southwest 70th Street, South Miami, Florida, 33143, 305/324-2702.

TRG - Hallandale Beach Limited
1830 S. Ocean Drive
Hallandale Beach, Florida
(954) 455-5769

The Beach Club - Phase II
1830 South Ocean Drive
Hallandale Beach, FL.



1 / A5.07 section 1/4"

AS-BUILT - December 14, 2006

1/4" section

JAA 2397
DEC 27 2006
REVIEWED FOR

BUILDING PERMIT 06.15.2004
Job Number
A0215A
Sheet Number

The Sieger Suarez Architectural Partnership
5996 Southwest 70th Street South Miami, Florida, 33143. 305/274-2702.

A5.07

TRG - Hallandale Beach Limited
1830 S. Ocean Drive
Hallandale Beach, Florida
(954) 455-5758

The Beach Club - Phase II
1830 South Ocean Drive
Hallandale Beach, FL.



1 A5.06 section 3/16"



2 A5.06 section 3/16"

3/16"

AS-BUILT - December 14, 2006

Section

JMA - 2397
DEC. 24 2006

BUILDING PERMIT 06.15.2004
A0216a

The Sieger Suarez Architectural Partnership
5996 Southwest 70th Street South Miami, Florida 33143 (305)274-7702.

A5.06

TRG - Hallandale Beach Limited
1630 S. Ocean Drive
Hallandale Beach, Florida
(954) 456-5758

The Beach Club - Phase II
1830 South Ocean Drive
Hallandale Beach, FL.



section 2 3/32"



section 1 3/32"



section 3 3/32"

AS-BUILT - December 14, 2006

3/32"

section

BUILDING PERMIT 06.15.2004

The Sieger Suarez Architectural Partnership
5996 Southwest 70th Street South Miami, Florida 33143 305/274-2702.

A5.05

TRG - Hallandale Beach Limited
1699 S. Ocean Drive
Hallandale Beach, Florida
(954) 455-5759

The Beach Club - Phase II
1830 South Ocean Drive
Hallandale Beach, FL



3 GARAGE / BUILDING SCHEMATIC SECTION 1/8"

2 section thru storefront 1/4"

1 section thru canopy 1/8"

1/8"

AS-BUILT - December 14, 2006

sections

JMA - 23077

BUILDING PERMIT 06.15.2004

A02184

A5.04

The Sieger Suarez Architectural Partnership
5956 Southwest 70th Street, South Miami, Florida. 33143. 305/274-2702.

TRG - Hallandale Beach Limited
1830 S. Ocean Drive
Hallandale Beach, Florida
(954) 455-5769

The Beach Club - Phase II
1830 South Ocean Drive
Hallandale Beach, FL





section 2 — 1/8"

AS-BUILT - December 14, 2006

1/8"

Section 2

JMA - 23/77
APPROVED AS
Final Issued As Built
DEC 27 2006

BUILDING PERMIT 06.15.2004

A02186

The Sieger Suarez Architectural Partnership
5896 South-west 70th Street, South Miami, Florida, 33143, 305/274-7702

A5.03a

TRG - Hallandale Beach Limited
1830 S. Ocean Drive
Hallandale Beach, Florida
(954) 455-5758

The Beach Club - Phase II
1830 South Ocean Drive
Hallandale Beach, FL



section 1 — 1/8"

1/8"

AS-BUILT - December 14, 2006

Section 1

JMA - 2/3/07

DEC 27 2006

BUILDING PERMIT 06.15.2004

A0216a

A5.03

The Sieger Suarez Architectural Partnership
5996 Southwest 70th Street, South Miami, Florida 33143 305/274-2702

TRG - Hallandale Beach Limited
1830 S. Ocean Drive
Hallandale Beach, Florida
(954) 455-5758

The Beach Club - Phase II
1830 South Ocean Drive
Hallandale Beach, FL

section 3/32"



3/32"

AS-BUILT - December 14, 2006

Section

JMA - 2397
Final Revised As Built
DEC 27 2006

BUILDING PERMIT 08.15.2004

The Sieger Suarez Architectural Partnership
5956 Southwest 70th Street, South Miami, Florida. 33143. 305/274-2702.

A5.02a

TRG - Hallandale Beach Limited
1830 S. Ocean Drive
Hallandale Beach, Florida
(954) 455-5799

The Beach Club - Phase II
1830 South Ocean Drive
Hallandale Beach, FL.



SEE SECTION 1 AT SHT. A5.04 FOR CONTINUATION

A5.02 section 3/32"

3/32"

AS-BUILT - December 14, 2006

Section

BUILDING PERMIT 06.15.2004

The Sieger Suarez Architectural Partnership
3596 Southwest 70th Street, South Miami, Florida. 33143. 305/274-2702.

A5.02

TRG - Hallandale Beach Limited
1830 S. Ocean Drive
Hallandale Beach, Florida
(954) 455-5759

The Beach Club - Phase II
1830 South Ocean Drive
Hallandale Beach, FL.



1 A5.01 cross section 1/32"

AS-BUILT - December 14, 2006

1/32" cross section

JMA - 2307
APPROVED AS NOTED
DEC 27 2006

BUILDING PERMIT 06.15.2004

A0216a

The Sieger Suarez Architectural Partnership
5996 Southwest 70th Street, South Miami, Florida. 33143. 305/274-2702.

A5.01

TRG - Hallandale Beach Limited
1830 S. Ocean Drive
Hallandale Beach, Florida
(954) 456-5799

The Beach Club - Phase II
1830 South Ocean Drive
Hallandale Beach, FL.



partial east elevation 1/8"



partial north elevation 1/4"



partial sourth elevation 1/4"

AS-BUILT - December 14, 2006

partial elevations - east, north & south 1/4" & 1/8"

JMA - 2397

OCT. 17 2006

BUILDING PERMIT 06.15.2004

A0216a

The Sieger Suarez Architectural Partnership
5996 Southwest 70th Street, South Miami, Florida 33143 305/274-2702

A4.06

TRG - Hallandale Beach Limited
1830 S. Ocean Drive
Hallandale Beach, Florida
(954) 455-5758

The Beach Club - Phase II
1830 South Ocean Drive
Hallandale Beach, FL.



east garage elevation 3/32"



north garage elevation 3/32"

AS-BUILT - December 14, 2006

3/32"

east & north garage elevations

JMA - 2397

BUILDING PERMIT 06.15.2004

A0216a

The Sieger Suarez Architectural Partnership
5996 Southwest 70th Street, South Miami, Florida 33143 305/274-2702

A4.05

TRG - Hallandale Beach Limited
1830 S. Ocean Drive
Hallandale Beach, Florida
(954) 455-5799

The Beach Club - Phase II
1830 South Ocean Drive
Hallandale Beach, FL.



west elevation 1/32"

AS-BUILT - December 14, 2006

1/32"

west elevation

JMA - 2397

DEC 27 2006

BUILDING PERMIT 06.15.2004

A0216a

The Sieger Suarez Architectural Partnership
5996 Southwest 70th Street, South Miami, Florida, 33143 305/274-2702

A4.04

TRG - Hallandale Beach Limited
1830 S. Ocean Drive
Hallandale Beach, Florida
(954) 455-5759

The Beach Club - Phase II
1830 South Ocean Drive
Hallandale Beach, FL



east elevation 1/32"

1/32"

AS-BUILT - December 14, 2006

east elevation

JMA - 7397

DEC 21 2006

BUILDING PERMIT 06-15-7004

A0218

The Sieger Suarez Architectural Partnership
5996 Southwest 70th Street, South Miami, Florida. 33143. 305/274-2702.

A4.0

TRG - Hallandale Beach Limited
1830 S. Ocean Drive
Hallandale Beach, Florida
(954) 455-5768

The Beach Club - Phase II
1830 South Ocean Drive
Hallandale Beach, FL



south elevation 1/32"

1/32"

AS-BUILT - December 14, 2006

south elevation

JMA - 2397

BUILDING PERMIT 06.15.2004

A0218a

The Sieger Suarez Architectural Partnership
5998 Southwest 70th Street South Miami, Florida 33143. 305/274-2702.

A4.02

TRG - Hallandale Beach Limited
1830 S. Ocean Drive
Hallandale Beach, Florida
(954) 458-5759

The Beach Club - Phase II
1830 South Ocean Drive
Hallandale Beach, FL.



north elevation 1/32"

1/16"

AS-BUILT - December 14, 2006

north elevation

JMA - 2397

DEC. 07 2006

BUILDING PERMIT 06.15.2004

A0216a

The Sieger Suarez Architectural Partnership
5995 Southwest 70th Street, South Miami, Florida, 33143, 305/274-2702.

A4.01

TRG - Hallandale Beach Limited
1830 S. Ocean Drive
Hallandale Beach, Florida
(954) 458-5799

The Beach Club - Phase II
1830 South Ocean Drive
Hallandale Beach, FL.

UNIT "PH D-MOD" FINISH SCHEDULE

ROOM NO.	ROOM NAME	FLOOR	BASE	WALLS								CEILING		REMARKS
				FINISH				ASSEMBLY				FINISH	HEIGHT	
				1	2	3	4	1	2	3	4			
PHDM-110	FAMILY ROOM	CONCRETE	---	GWB	GWB	GWB	GWB					WOOD	8'-0"	
PHDM-120	TERRACE	CONCRETE	---	STUCCO	--	--	--					CONCRETE	8'-0"	
PHDM-111	BATH	MARBLE	MARBLE	GWB	GWB	GWB	GWB					GWB	7'-0"	MARBLE @ SHOWER WALL TO CEILING
PHDM-122	A/C	CONCRETE	---	GWB	GWB	GWB	GWB					GWB	8'-0"	

UNIT "PH D-MOD" DOOR SCHEDULE

DOOR NO.	TYPE	ROOM NAME	HC	SC	DOOR MTL.	WIDTH	HEIGHT	THICK.	FRAME DETAIL	FRAME MTL.	LABEL	THRESH	REMARKS
5	A	BATHROOM		S	WOOD	2'-10"	7'-0"	1-3/8"	4	WOOD			
7	A	A/C CLOSET		S	WOOD	2'-10"	7'-0"	1-3/8"	11	WOOD			
5.-2	F	FAMILY ROOM	---	---	ALUM. GLASS	5'-4"	8'-0"	--	--	--	---	ALUMINUM	---



stair section A 1/4"



floor plan - unit "PH d-mod" upper level 1/4"

a/c enclosed = 754 sq ft
balcony = 1405 sq. ft.

UNIT GENERAL NOTES

1. FOR WINDOWS & SLIDING GLASS DOORS REFER TO SHEETS A8.08 & A8.10
2. FOR PARTITION TYPES REFER TO SHEETS A8.01 & A8.02.
3. AT ALL BALCONIES OVER ENCLOSED SPACES PROVIDE WATERPROOFING.

COLOR: STONE GRAY
SEE WALL SECTIONS

4. ALL PENETRATIONS through FIRE RATED WALLS SHALL BE SEALED AS PER DETAILS ON SHEET A9.01, A9.02 & A9.03.

UNIT DOOR NOTES

1. REFER TO NOTES ON SHEET A8.03 & A8.04 FOR ADDITIONAL DOOR AND SECURITY NOTES.
2. ALL UNIT ENTRY DOORS TO HAVE FIRE TREATED EDGES SUCH THAT NO ASTRAGAL IS REQUIRED FOR 20 MIN. FIRERATING
3. ENTRY DOORS AND LAUNDRY ROOM DOORS TO HAVE 3/4" UNDERCUT. BOTTOM SELE TO BE "OVERSIZED" TO ALLOW FOR UP TO 1-3/4" UNDERCUT.
4. ALL INTERIOR APARTMENT DOORS AND TRIM TO BE PRIMED.
5. ALL SHOWER/TUB DOORS & ENCLOSURES SHALL BE 3/8" TEMPERED GLASS.

UNIT FINISH NOTES

1. REFER TO GENERAL FINISH NOTES SHEET A8.09.
2. ALL DROPPED CEILING AREAS SHALL BE ADJUSTED IN THE FIELD TO BE AS HIGH AS POSSIBLE ONCE ALL PIPING, CONDUIT, A/C DUCTS, ETC. HAVE BEEN INSTALLED. IN NO CASE SHALL ANY CEILING BE LESS THAN 7'-5" ABV. FINISHED SLAB. ALL DROPPED SOFFITS ABV KITCHEN CABTS. SHALL BE 8'-2" ABV. FIN. SLAB.
3. SEE GENERAL FINISH NOTES FOR INTERIOR FLAME SPREAD REQUIREMENTS.
4. FOR REINFORCEMENT @ BATHROOM WALLS SEE A8.05.
5. MIRRORS SHALL BE PROVIDED AT ALL BATHROOM VANITIES & SHALL RUN FROM TOP OF BACKSPLASH TO CEILING. ALL MIRRORS SHALL BE SAFETY GLASS FILM COATED
6. ALL BATHROOM FLOORS TO BE MARBLE w/ MARBLE BASE. FLOORING TO BE INSTALLED OVER SOUND INSULATION. ONLY MASTER BATH CHAIR UNIT THAT DO NOT HAVE DROP CEILINGS.

AS-BUILT - December 14, 2006

unit "PH d-mod" upper level

1/4"

JMA - 2307

DEC. 14 2006

BUILDING PERMIT 06.15.2004

A0216a

The Sieger Suarez Architectural Partnership
5999 Southwest 70th Street South Miami, Florida. 33143. 305/374-2700

A3.45

UNIT "PH PHDM-MOD" FINISH SCHEDULE

ROOM NO.	ROOM NAME	FLOOR	BASE	WALLS FINISH 1	2	3	4	WALLS ASSEMBLY 1	2	3	4	CEILING FINISH	CEILING HEIGHT	REMARKS
PHDM-101	FOYER	CONCRETE	---	GWB	GWB	GWB	GWB					GWB	7'-5"	
PHDM-102	KITCHEN	CONCRETE	---	GWB	GWB	GWB	GWB					GWB/WDSF	7'-5"/8'-8"	
PHDM-103	DINING	CONCRETE	---	GWB	GWB	---	GWB					WDSF	8'-8"	
PHDM-104	LIVING	CONCRETE	---	---	GWB	GWB	GWB					WDSF	8'-8"	
PHDM-105	MASTER BEDROOM	CONCRETE	---	GWB	GWB	GWB	GWB					WDSF	8'-8"	
PHDM-106	CLOSET	CONCRETE	---	GWB	GWB	GWB	GWB					GWB	7'-5"	
PHDM-107	WARDROBE	CONCRETE	---	GWB	GWB	GWB	GWB					GWB	7'-5"	
PHDM-108	MASTER BATH	MARBLE	MARBLE	GWB	GWB	GWB	GWB					GWB	7'-5"	MARBLE @ SHOWER WALL TO CEILING
PHDM-109	SECOND SUITE	CONCRETE	---	GWB	GWB	GWB	GWB					WDSF	8'-8"	
PHDM-110	WARDROBE	CONCRETE	---	GWB	GWB	GWB	GWB					GWB	7'-5"	
PHDM-111	BATH	MARBLE	MARBLE	GWB	GWB	GWB	GWB					GWB	7'-5"	MARBLE @ SHOWER WALL TO CEILING
PHDM-112	MEDIA	CONCRETE	---	GWB	GWB	GWB	GWB					WDSF	8'-8"	
PHDM-113	LAUNDRY	CONCRETE	---	GWB	GWB	GWB	GWB					GWB	7'-5"	
PHDM-114	A/C	CONCRETE	---	GWB	GWB	GWB	GWB					GWB	8'-8"	
PHDM-115	BATH	MARBLE	MARBLE	GWB	GWB	GWB	GWB					GWB	7'-5"	MARBLE @ SHOWER WALL TO CEILING
PHDM-116	TERRACE	CONCRETE	---	STUCCO	---	---	STUCCO					CONCRETE	8'-8"	

UNIT "PH PHDM-MOD" DOOR SCHEDULE

DOOR NO.	TYPE	ROOM NAME	HC	SC	DOOR MTL.	WIDTH	HEIGHT	THICK	FRAME DETAIL	FRAME MTL.	LABEL	THRESH	REMARKS
1	B	FOYER		•	WOOD/GLASS	3'-0"	7'-0"	1-3/4"	G	MTL	0 (20 MIN.)	ALUM	SCH
2	A	MASTER SUITE,SECOND SUITE		•	WOOD	2'-10"	7'-0"	1-3/8"	H	WOOD			
3	A	MASTER BATH, BATH 2, BATH 3		•	WOOD/GLASS	2'-10"	7'-0"	1-3/8"	H	WOOD			
4	A	LAUNDRY		•	WOOD/GLASS	2'-10"	7'-0"	1-3/8"	H	WOOD			SCH
5	A	CLOSET,WARDROBE	•		WOOD/GLASS	2'-10"	7'-0"	1-3/8"	H	WOOD			
6	A	CLOSET	•		WOOD/GLASS	2'-8"	7'-0"	1-3/8"	H	WOOD			
7	A	A/C CLOSET		•	WOOD/GLASS	2'-10"	7'-0"	1-3/8"	H	WOOD			
9	C	LAUNDRY	•		WOOD/GLASS	2'-6"	7'-0"	1-3/8"	---	WOOD	---		BI-FOLD
10	E	CLOSET	•		WOOD/GLASS	5' (2'-5")	7'-0"	1-3/8"	---	WOOD	---		BI-FOLD
SL-1	F	SECOND SUITE	---	---	ALUM. GLASS	6'-6"	8'-8"	---	---	---	---	ALUMINUM	---
SL-2	F	LIVING ROOM	---	---	ALUM. GLASS	9'-6"	8'-8"	---	---	---	---	ALUMINUM	---
SL-3	F	MASTER SUITE	---	---	ALUM. GLASS	12'-0"	8'-8"	---	---	---	---	ALUMINUM	---

UNIT GENERAL NOTES

1. FOR WINDOWS & SLIDING GLASS DOORS REFER TO SHEETS A8.08 & A8.10.
2. FOR PARTITION TYPES REFER TO SHEETS A8.01 & A8.02.
3. AT ALL BALCONIES OVER ENCLOSED SPACES PROVIDE WATERPROOFING.

COLOR: STONE GRAY
SEE WALL SECTIONS

4. ALL PENETRATIONS through FIRE RATED WALLS SHALL BE SEALED AS PER DETAILS ON SHEET A9.01, A9.02 & A9.03.

UNIT DOOR NOTES

1. REFER TO NOTES ON SHEET A8.03 & A8.04 FOR ADDITIONAL DOOR AND SECURITY NOTES.
2. ALL UNIT ENTRY DOORS TO HAVE FIRE TREATED EDGES SUCH THAT NO ASTRAGAL IS REQUIRED FOR 20 MIN. FIRERATING.
3. ENTRY DOORS AND LAUNDRY ROOM DOORS TO HAVE 3/4" UNDERCUT. BOTTOM STILE TO BE "OVERSIZED" TO ALLOW FOR UP TO 1-3/4" UNDERCUT.
4. ALL INTERIOR APARTMENT DOORS AND TRIM TO BE PRIMED.
5. ALL SHOWER/TUB DOORS & ENCLOSURES SHALL BE 3/8" TEMPERED GLASS.

UNIT FINISH NOTES

1. REFER TO GENERAL FINISH NOTES SHEET A8.00.
2. ALL DROPPED CEILING AREAS SHALL BE ADJUSTED IN THE FIELD TO BE AS HIGH AS POSSIBLE ONCE ALL PIPING, CONDUIT, A/C DUCTS, ETC. HAVE BEEN INSTALLED IN NO CASE SHALL ANY CEILING BE LESS THAN 7'-5" ABV. FINISHED SLAB. ALL DROPPED SOFFITS ABV. KITCHEN CAB'S. SHALL BE 8'-0" ABV. FIN. SLAB.
3. SEE GENERAL FINISH NOTES FOR INTERIOR FLAME SPREAD REQUIREMENTS.
4. FOR REINFORCEMENT @ BATHROOM WALLS SEE A8.05.
5. MIRRORS SHALL BE PROVIDED AT ALL BATHROOM VANITIES & SHALL RUN FROM TOP OF BACKSPLASH TO CEILING. ALL MIRRORS SHALL BE SAFETY GLASS FILM COATED.
6. ALL BATHROOM FLOORS TO BE MARBLE +/ MARBLE TILE, FLOORING TO BE INSTALLED OVER SOUND INSULATION. ONLY MASTER BATH OVER UNIT THAT DO NOT HAVE DROP CEILINGS.



floor plan - unit "PH d-mod" lower level 1/4"

a/c enclosed - 1812 sq. ft.
balcony - 295 sq. ft.

AS-BUILT - December 14, 2006

1/4"

Unit "PH d-mod" lower level

IMA - 2397

BUILDING PERMIT 06.15.2004

A0216a

UNIT "PH - D" FINISH SCHEDULE

ROOM NO.	ROOM NAME	FLOOR	BASE	WALLS								CEILING		REMARKS
				FINISH				ASSEMBLY						
				1	2	3	4	1	2	3	4	FINISH	HEIGHT	
PHD-119	FAMILY ROOM	CONCRETE		DWB	DWB	DWB	DWB					WDF	8'-0"	
PHD-120	TERRACE	CONCRETE	---	STUCCO	--	--	--					CONCRETE	8'-8"	
PHD-121	BATH	MARBLE	MARBLE	DWB	DWB	DWB	DWB					DWB	7'-0"	MARBLE @ SHOWER WALL TO CEILING
PHD-122	A/C	CONCRETE	---	DWB	DWB	DWB	DWB					DWB	8'-8"	

UNIT "PH - D" DOOR SCHEDULE

DOOR NO.	TYPE	ROOM NAME	HC	SC	DOOR MTL.	WIDTH	HEIGHT	THICK	FRAME DETAIL	FRAME MTL.	LABEL	THRESH.	REMARKS
3	A	BATHROOM		•	MASONITE	2'-10"	7'-0"	1-3/8"	H	WOOD			
7	A	A/C CLOSET		•	MASONITE	2'-10"	7'-0"	1-3/8"	H	WOOD			
SL-3	F	FAMILY ROOM	—	—	ALUM. GLASS	6'-0"	8'-8"	--	--	---	--	ALUMINUM	--



stair section A 1/4"



floor plan - unit "PH d" upper level 1/4"

a/c enclosed = 670 sq. ft.
balcony = 1405 sq. ft.

UNIT GENERAL NOTES

1. FOR WINDOWS & SLIDING GLASS DOORS REFER TO SHEETS A8.08 & A8.09.
2. FOR PARTITION TYPES REFER TO SHEETS A8.01 & A8.02.
3. AT ALL BALCONIES OVER ENCLOSED SPACES PROVIDE WATERPROOFING:

COLOR: STONE GRAY
SEE WALL SECTIONS

4. ALL PENETRATIONS through FIRE RATED WALLS SHALL BE SEALED AS PER DETAILS ON SHEET A8.01, A8.02 & A8.03.

UNIT DOOR NOTES

1. REFER TO NOTES ON SHEET A8.03 & A8.04 FOR ADDITIONAL DOOR AND SECURITY NOTES.
2. ALL UNIT ENTRY DOORS TO HAVE FIRE RREATED EDGES SUCH THAT NO ASTRAGAL IS REQUIRED FOR 20 MIN. FIREPAING.
3. ENTRY DOORS AND LAUNDRY ROOM DOORS TO HAVE 3/4" UNDERCUT. BOTTOM STILE TO BE "OVERSIZED" TO ALLOW FOR UP TO 1-3/4" UNDERCUT.
4. ALL INTERIOR APARTMENT DOORS AND TRIM TO BE PRIMED.
5. ALL SHOWER/TUB DOORS & ENCLOSURES SHALL BE 3/8" TEMPERED GLASS.

UNIT FINISH NOTES

1. REFER TO GENERAL FINISH NOTES SHEET A8.07.
2. ALL DROPPED CEILING AREAS SHALL BE ADJUSTED IN THE FIELD TO BE AS HIGH AS POSSIBLE ONCE ALL PIPING, CONDUIT, A/C DUCTS, ETC. HAVE BEEN INSTALLED. IN NO CASE, SHALL ANY CEILING BE LESS THAN 7'-5" ABV. FINISHED SLAB. ALL DROPPED SOFFITS ABV. KITCHEN CAB'S. SHALL BE 8'-0" ABV. FIN. SLAB.
3. SEE GENERAL FINISH NOTES FOR INTERIOR FLAME SPREAD REQUIREMENTS.
4. FOR REINFORCEMENT @ BATHROOM WALLS SEE A8.05.
5. MIRRORS SHALL BE PROVIDED AT ALL BATHROOM VANITIES & SHALL RUN FROM TOP OF BACKSPLASH TO CEILING. ALL MIRRORS SHALL BE SAFETY GLASS FILM COATED.
6. ALL BATHROOM FLOORS TO BE MARBLE w/ MARBLE BASE. FLOORING TO BE INSTALLED OVER SOUND INSULATION. ONLY MASTER BATH OVER UNIT THAT DO NOT HAVE DROP CEILINGS.

AS-BUILT - December 14, 2006

1/4"

unit "PH d" upper level

JMA - 2397

DEC 19 2006

BUILDING PERMIT 06.15.2004

A02168

A3.43

TRG - Hallandale Beach Limited
1630 S. Ocean Drive
Hallandale Beach, Florida
(954) 455-5799

The Beach Club - Phase II
1830 South Ocean Drive
Hallandale Beach, FL.

UNIT "PH - D" FINISH SCHEDULE

ROOM NO.	ROOM NAME	FLOOR	BASE	WALLS								CEILING		REMARKS
				FINISH				ASSEMBLY				FINISH	HEIGHT	
				1	2	3	4	1	2	3	4			
PHD-101	FOYER	CONCRETE	---		GWB	GWB	GWB					GWB	7'-0"	
PHD-102	KITCHEN	CONCRETE	---		GWB	GWB	GWB					GWB/WCSF	7'-0"/8'-8"	
PHD-103	DINING	CONCRETE	---		GWB	GWB	---					WCSF	8'-8"	
PHD-104	LIVING	CONCRETE	---		---	GWB	GWB					WCSF	8'-8"	
PHD-105	MASTER BEDROOM	CONCRETE	---		GWB	GWB	GWB					WCSF	8'-8"	
PHD-106	CLOSET	CONCRETE	---		GWB	GWB	GWB					GWB	7'-5"	
PHD-107	WARDROBE	CONCRETE	---		GWB	GWB	GWB					GWB	7'-5"	
PHD-108	MASTER BATH	MARBLE	MARBLE		GWB	GWB	GWB					GWB	7'-5"	MARBLE @ SHOWER WALL TO CEILING
PHD-109	SECOND SUITE	CONCRETE	---		GWB	GWB	GWB					WCSF	8'-8"	
PHD-110	WARDROBE	CONCRETE	---		GWB	GWB	GWB					GWB	7'-5"	
PHD-111	BATH	MARBLE	MARBLE		GWB	GWB	GWB					GWB	7'-5"	MARBLE @ SHOWER WALL TO CEILING
PHD-112	MEDIA	CONCRETE	---		GWB	GWB	GWB					WCSF	8'-8"	
PHD-113	LAUNDRY	CONCRETE	---		GWB	GWB	GWB					GWB	7'-5"	
PHD-114	A/C	CONCRETE	---		GWB	GWB	GWB					GWB	8'-8"	
PHD-115	BATH	MARBLE	MARBLE		GWB	GWB	GWB					GWB	7'-5"	MARBLE @ SHOWER WALL TO CEILING
PHD-116	TERRACE	CONCRETE	---		STUCCO	---	---					GONDREAL	8'-9"	

UNIT "PH - D" DOOR SCHEDULE

DOOR NO.	TYPE	ROOM NAME	HC	SC	DOOR MTL.	WIDTH	HEIGHT	THICK	FRAME DETAIL	FRAME MTL.	LABEL	THRESH	REMARKS
1	B	FOYER		•	MASONITE	3'-0"	7'-0"	1-3/4"	G	METAL	0 (20 MIN.)	ALUM	SCH
2	A	MASTER SUITE,SECOND SUITE		•	WOOD	2'-10"	7'-0"	1-3/8"	H	WOOD			
3	A	MASTER BATH, BATH 2, BATH 3		•	MASONITE	2'-10"	7'-0"	1-3/8"	H	WOOD			
4	A	LAUNDRY		•	MASONITE	2'-10"	7'-0"	1-3/8"	H	WOOD			SCH
5	A	CLOSET,WARDROBE	•		MASONITE	2'-10"	7'-0"	1-3/8"	H	WOOD			
6	A	CLOSET	•		MASONITE	2'-8"	7'-0"	1-3/8"	H	WOOD			
7	A	A/C CLOSET		•	MASONITE	2'-10"	7'-0"	1-3/8"	H	WOOD			
9	C	LAUNDRY	•		MASONITE	3'-6"	7'-0"	1-3/8"	---	WOOD	---		BI-FOLD
10	E	CLOSET	•		MASONITE	2 (3'-0")	7'-0"	1-3/8"	---	WOOD	---		BI-PASS
SL-1	F	SECOND SUITE	---	---	ALUM. GLASS	5'-6"	8'-8"	---	---	---	---	ALUMINUM	---
SL-2	F	LIVING ROOM	---	---	ALUM. GLASS	9'-6"	8'-8"	---	---	---	---	ALUMINUM	---
SL-3	F	MASTER SUITE	---	---	ALUM. GLASS	12'-0"	8'-8"	---	---	---	---	ALUMINUM	---

UNIT GENERAL NOTES

1. FOR WINDOWS & SLIDING GLASS DOORS REFER TO SHEETS A8.08 & A8.10.
2. FOR PARTITION TYPES REFER TO SHEETS A8.01 & A8.02
3. AT ALL BALCONIES OVER ENCLOSED SPACES PROVIDE WATERPROOFING:

COLOR: STONE GRAY
SEE WALL SECTIONS

4. ALL PENETRATIONS through FIRE RATED WALLS SHALL BE SEALED AS PER DETAILS ON SHEET A8.04, A8.02 & A8.03.

UNIT DOOR NOTES

1. REFER TO NOTES ON SHEET A8.03 & A8.04 FOR ADDITIONAL DOOR AND SECURITY NOTES.
2. ALL UNIT ENTRY DOORS TO HAVE FIRE TREATED EDGES SUCH THAT NO ASTRACAL IS REQUIRED FOR 20 MIN. FIRERATING.
3. ENTRY DOORS AND LAUNDRY ROOM DOORS TO HAVE 3/4" UNDERCUT. BOTTOM STILE TO BE "OVERSIZED" TO ALLOW FOR UP TO 1-3/4" UNDERCUT.
4. ALL INTERIOR APARTMENT DOORS AND TRIM TO BE PRIMED.
5. ALL SHOWER/TUB DOORS & ENCLOSURES SHALL BE 3/8" TEMPERED GLASS.

UNIT FINISH NOTES

1. REFER TO GENERAL FINISH NOTES SHEET A8.09
2. ALL DROPPED CEILING AREAS SHALL BE ADJUSTED IN THE FIELD TO BE AS HIGH AS POSSIBLE ONCE ALL PIPING, CONDUIT, A/C DUCTS, ETC. HAVE BEEN INSTALLED IN NO CASE SHALL ANY CEILING BE LESS THAN 7'-5" AFF. FINISHED SLAB. ALL DROPPED SOFFITS AFF. KITCHEN CAB'S. SHALL BE 8'-0" AFF. FIN. SLAB
3. SEE GENERAL FINISH NOTES FOR INTERIOR FLAME SPREAD REQUIREMENTS.
4. FOR REINFORCEMENT @ BATHROOM WALLS SEE A8.05.
5. MIRRORS SHALL BE PROVIDED AT ALL BATHROOM VANITIES & SHALL RUN FROM TOP OF BACKSPLASH TO CEILING. ALL MIRRORS SHALL BE SAFETY GLASS FILM COATED.
6. ALL BATHROOM FLOORS TO BE MARBLE w/ MARBLE BASE. FLOORING TO BE INSTALLED OVER SOUND INSULATION, ONLY MASTER BATH OVER UNIT THAT DO NOT HAVE DROP CEILINGS.



floor plan - unit "PH - D" lower level 1/4"

a/c enclosed = 1729 sq. ft.
balcony = 295 sq. ft.

AS-BUILT - December 14, 2006

unit "PH - D" lower level 1/4"

BUILDING PERMIT 06.15.2004
A0216e

The Sieger Suarez Architectural Partnership
5996 Southwest 70th Street, South Miami, Florida, 33143, 305/274-2702.

A3.42

TRG - Hallandale Beach Limited
1830 S. Ocean Drive
Hallandale Beach, Florida
(954) 455-5758

The Beach Club - Phase II
1830 South Ocean Drive
Hallandale Beach, FL

UNIT "PH C-MOD" FINISH SCHEDULE

ROOM NO.	ROOM NAME	FLOOR	BASE	WALLS								CEILING		REMARKS
				FINISH				ASSEMBLY				FINISH	HEIGHT	
				1	2	3	4	1	2	3	4			
PHCM-116	FAMILY ROOM	CONC./ST.	---	GWB	GWB	GWB	GWB					W.C.W.	9'-6"	
PHCM-120	TERRACE	CONCRETE	---	STUCCO	--	--	--					CONCRETE	8'-6"	
PHCM-121	BATH	MARBLE	MARBLE	GWB	GWB	GWB	GWB					GWB	7'-5"	MARBLE @ SHOWER WALL TO CEILING
PHCM-122	A/C	CONCRETE	---	GWB	GWB	GWB	GWB					GWB	8'-6"	

UNIT "PH C-MOD" DOOR SCHEDULE

DOOR NO.	TYPE	ROOM NAME	HC	SC	DOOR MTL.	WIDTH	HEIGHT	THICK	FRAME DETAIL	FRAME MTL.	LABEL	THRESH	REMARKS
3	A	BATHROOM		●	MASONITE	2'-10"	7'-0"	1-3/8"	H	WOOD	---		
7	A	A/C CLOSET		●	MASONITE	2'-10"	7'-0"	1-3/8"	H	WOOD	---		
SL-2	F	FAMILY ROOM	---	---	ALUMIN. GLASS	6'-6"	6'-8"	---	---	---	---	ALUMINUM	--



stair section A 1/4"

UNIT GENERAL NOTES

1. FOR WINDOWS & SLIDING GLASS DOORS REFER TO SHEETS A8.08 & A8.10.
2. FOR PARTITION TYPES REFER TO SHEETS A8.01 & A8.02.
3. AT ALL BALCONIES OVER ENCLOSED SPACES PROVIDE WATERPROOFING.

COLOR: SICONI GRAY
SEE WALL SECTIONS

4. ALL PENETRATIONS through FIRE RATED WALLS SHALL BE SEALED AS PER DETAILS ON SHEET A9.01, A9.02 & A9.03.

UNIT DOOR NOTES

1. REFER TO NOTES ON SHEET A8.03 & A8.04 FOR ADDITIONAL DOOR AND SECURITY NOTES.
2. ALL UNIT ENTRY DOORS TO HAVE FIRE TREATED EDGES SUCH THAT NO ASTRAGAL IS REQUIRED FOR 20 MIN. FIRERATING.
3. ENTRY DOORS AND LAUNDRY ROOM DOORS TO HAVE 3/4" UNDERCUT. BOTTOM STILE TO BE "OVERSIZED" TO ALLOW FOR UP TO 1-3/4" UNDERCUT.
4. ALL INTERIOR APARTMENT DOORS AND TRIM TO BE PRIMED.
5. ALL SHOWER/TUB DOORS & ENCLOSURES SHALL BE 1/8" TEMPERED GLASS.

UNIT FINISH NOTES

1. REFER TO GENERAL FINISH NOTES SHEET A8.09.
2. ALL DROPPED CEILING AREAS SHALL BE ADJUSTED IN THE FIELD TO BE AS HIGH AS POSSIBLE ONCE ALL PIPING, CONDUIT, A/C DUCTS, ETC. HAVE BEEN INSTALLED. IN NO CASE SHALL ANY CEILING BE LESS THAN 7'-5" ABV. FINISHED SLAB. ALL DROPPED SOFFITS ABV. KITCHEN CAB'S. SHALL BE 8'-0" ABV. FIN. SLAB.
3. SEE GENERAL FINISH NOTES FOR INTERIOR FLAME SPREAD REQUIREMENTS.
4. FOR REINFORCEMENT @ BATHROOM WALLS SEE A8.05
5. MIRRORS SHALL BE PROVIDED AT ALL BATHROOM VANITIES & SHALL RUN FROM TOP OF BACKSPLASH TO CEILING. ALL MIRRORS SHALL BE SAFETY GLASS FILM COATED.
6. ALL BATHROOM FLOORS TO BE MARBLE w/ MARBLE BASE. FLOORING TO BE INSTALLED OVER SOUND INSULATION ONLY MASTER BATH OVER UNIT THAT DO NOT HAVE DROP CEILINGS.



floor plan - unit "PH c-mod" upper level 1/4"

a/c enclosed = 585 sq. ft.
balcony = 1981 sq. ft.

AS-BUILT - December 14, 2006
floor plan - unit "PH c-mod" upper level 1/4"

JMA - 2397

BUILDING PERMIT 06.16.2004

The Sieger Suarez Architectural Partnership
5996 Southwest 70th Street South Miami, Florida 33143 305/274-2702

A3.41

TRG - Hallandale Beach Limited
1830 S. Ocean Drive
Hallandale Beach, Florida
(954) 458-5799

The Beach Club - Phase II
1830 South Ocean Drive
Hallandale Beach, FL.

UNIT "PH C-MOD" FINISH SCHEDULE

ROOM NO.	ROOM NAME	FLOOR	BASE	WALLS FINISH 1	2	3	4	WALLS ASSEMBLY 1	2	3	4	CEILING FINISH	CEILING HEIGHT	REMARKS
PHCM-101	FOYER	CONCRETE	---	GWB	GWB	GWB	GWB					GWB	7'-5"	
PHCM-102	KITCHEN	CONCRETE	---	GWB	GWB	GWB	GWB					GWB/WCSF	7'-5"/8'-6"	
PHCM-103	DINING	CONCRETE	---	GWB	GWB	---	GWB					WCSF	8'-6"	
PHCM-104	LIVING	CONCRETE	---	---	GWB	GWB	GWB					WCSF	8'-6"	
PHCM-105	MASTER BEDROOM	CONCRETE	---	GWB	GWB	GWB	GWB					WCSF	8'-6"	
PHCM-106	MASTER BATH	MARBLE	MARBLE	GWB	GWB	GWB	GWB					GWB	7'-5"	MARBLE @ SHOWER WALL TO CEILING
PHCM-107	WARDROBE	CONCRETE	---	GWB	GWB	GWB	GWB					GWB	7'-5"	
PHCM-108	LAUNDRY	CONCRETE	---	GWB	GWB	GWB	GWB					GWB	7'-5"	
PHCM-109	GUESTING SUITE	CONCRETE	---	GWB	GWB	GWB	GWB					WCSF	8'-6"	
PHCM-110	WARDROBE	CONCRETE	---	GWB	GWB	GWB	GWB					GWB	7'-5"	
PHCM-111	BATH	MARBLE	MARBLE	GWB	GWB	GWB	GWB					GWB	7'-5"	MARBLE @ SHOWER WALL TO CEILING
PHCM-112	BATH	MARBLE	MARBLE	GWB	GWB	GWB	GWB					GWB	7'-5"	MARBLE @ SHOWER WALL TO CEILING
PHCM-113	MEDIA	CONCRETE	---	GWB	GWB	GWB	GWB					WCSF	8'-6"	
PHCM-114	CLOSET	CONCRETE	---	GWB	GWB	GWB	GWB					GWB	7'-5"	
PHCM-115	A/PHCM	CONCRETE	---	GWB	GWB	GWB	GWB					GWB	8'-6"	
PHCM-116	TERRACE	CONCRETE	---	STUCCO	---	---	STUCCO					CONCRETE	8'-6"	

UNIT "PH C-MOD" DOOR SCHEDULE

DOOR NO.	TYPE	ROOM NAME	HC	SC	DOOR MTL.	WIDTH	HEIGHT	THICK	FRAME DETAIL	FRAME MTL.	LABEL	THRESH	REMARKS
1	B	FOYER		•	WD/GL	3'-0"	7'-0"	1-3/4"	G	METAL	PHCM (20 MIN.)	ALUM	SCH
2	A	MASTER SUITE,SECOND SUITE		•	WOOD	2'-10"	7'-0"	1-3/8"	H	WOOD			
3	A	MASTER BATH, BATH 2, BATH 3		•	WD/GL	2'-10"	7'-0"	1-3/8"	H	WOOD			
4	A	LAUNDRY		•	WD/GL	2'-10"	7'-0"	1-3/8"	H	WOOD			SCH
5	A	CLOSET,WARDROBE	•		WD/GL	2'-10"	7'-0"	1-3/8"	H	WOOD			
6	A	CLOSET	•		WD/GL	2'-6"	7'-0"	1-3/8"	H	WOOD			
7	A	A/PHCM CLOSET		•	WD/GL	2'-10"	7'-0"	1-3/8"	H	WOOD			
9	A	LAUNDRY	•		WD/GL	2'-6"	7'-0"	1-3/8"	---	WOOD	---		
10	E	CLOSET	•		WD/GL	3 (2'-0")	7'-0"	1-3/8"	---	WOOD	---		BI-PASS
SL-1	F	SECOND SUITE	---	---	ALUM/GL	6'-0"	8'-0"	---	---	---	---	ALUM/GL	---
SL-2	F	LIVING ROOM	---	---	ALUM/GL	6'-0"	8'-0"	---	---	---	---	ALUM/GL	---
SL-3	F	MASTER SUITE	---	---	ALUM/GL	12'-0"	8'-0"	---	---	---	---	ALUM/GL	---

UNIT GENERAL NOTES

1. FOR WINDOWS & SLIDING GLASS DOORS REFER TO SHEETS A8.08 & A8.10
2. FOR PARTITION TYPES REFER TO SHEETS A8.01 & A8.02.
3. AT ALL BALCONIES OVER ENCLOSED SPACES PROVIDE WATERPROOFING:

COLOR: STONE GRAY
SEE WALL SECTIONS

4. ALL PENETRATIONS through FIRE RATED WALLS SHALL BE SEALED AS PER DETAILS ON SHEET A8.01, A8.02 & A9.03.

UNIT DOOR NOTES

1. REFER TO NOTES ON SHEET A8.03 & A8.04 FOR ADDITIONAL DOOR AND SECURITY NOTES
2. ALL UNIT ENTRY DOORS TO HAVE FIRE TREATED EDGES SUCH THAT NO ASTRAGAL IS REQUIRED FOR 20 MIN. FIRERATING
3. ENTRY DOORS AND LAUNDRY ROOM DOORS TO HAVE 3/4" UNDERCUT. BOTTOM STILE TO BE "OVERSIZED" TO ALLOW FOR UP TO 1-3/4" UNDERCUT.
4. ALL INTERIOR APARTMENT DOORS AND TRIM TO BE PRIMED.
5. ALL SHOWER/TUB DOORS & ENCLOSURES SHALL BE 3/8" TEMPERED GLASS.

UNIT FINISH NOTES

1. REFER TO GENERAL FINISH NOTES SHEET A8.09.
2. ALL DROPPED CEILING AREAS SHALL BE ADJUSTED IN THE FIELD TO BE AS HIGH AS POSSIBLE ONCE ALL PIPING, CONDUIT, A/C DUCTS, ETC. HAVE BEEN INSTALLED. IN NO CASE SHALL ANY CEILING BE LESS THAN 7'-5" ABV. FINISHED SLAB. ALL DROPPED SOFFITS ABV. KITCHEN CAB'S. SHALL BE 8'-0" ABV. FIN. SLAB.
3. SEE GENERAL FINISH NOTES FOR INTERIOR FLAME SPREAD REQUIREMENTS.
4. FOR REINFORCEMENT @ BATHROOM WALLS SEE A8.05.
5. MIRRORS SHALL BE PROVIDED AT ALL BATHROOM VANITIES & SHALL RUN FROM TOP OF BACKSPLASH TO CEILING. ALL MIRRORS SHALL BE SAFETY GLASS FILM COATED
6. ALL BATHROOM FLOORS TO BE MARBLE +/ MARBLE BASE. FLOORING TO BE INSTALLED OVER SOUND INSULATION. ONLY MASTER BATH OVER UNIT 2ND DO NOT HAVE DROP CEILINGS.



floor plan - unit "PH c-mod" lower level 1/4"

a/c enclosed = 1744 sq. ft.
balcony = 287 sq. ft.

1/4"

AS-BUILT - December 14, 2006

unit "PH c-mod" lower level

JMA - 2397

BUILDING PERMIT 06.15.2004

A02166

The Sieger Suarez Architectural Partnership
5996 Southwest 70th Street. South Miami, Florida. 33143. 305/274-2702.

A3.40

TRG - Hallandale Beach Limited
1830 S. Ocean Drive
Hallandale Beach, Florida
(954) 458 5759

The Beach Club - Phase II
1830 South Ocean Drive
Hallandale Beach, FL.

UNIT "PH - C" FINISH SCHEDULE

ROOM NO	ROOM NAME	FLOOR	BASE	WALLS FINISH 1	2	3	4	WALLS ASSEMBLY 1	2	3	4	CEILING FINISH	CEILING HEIGHT	REMARKS
PHC-119	FAMILY ROOM	CONCRETE	---	GWB	GWB	GWB	GWB					WDF	8'-6"	
PHC-120	TERRACE	CONCRETE	---	STUCCO	---	---	---					CONCRETE	8'-6"	
PHC-121	BATH	MARBLE	MARBLE	GWB	GWB	GWB	GWB					GWB	7'-5"	MARBLE @ SHOWER WALL TO CEILING
PHC-122	A/C	CONCRETE	---	GWB	GWB	GWB	GWB					GWB	8'-6"	

UNIT "PH - C" DOOR SCHEDULE

DOOR NO.	TYPE	ROOM NAME	HC	SC	DOOR MTL.	WIDTH	HEIGHT	THICK	FRAME DETAIL	FRAME MTL.	LABEL	THRESH	REMARKS
3	A	BATHROOM		•	MASONITE	2'-10"	7'-0"	1-3/8"	H	WOOD		MARBLE	
7	A	A/C CLOSET		•	MASONITE	2'-10"	7'-0"	1-3/8"	H	WOOD			
9-2	T	FAMILY ROOM	---	---	ALUMN. GLASS	9'-6"	8'-6"	---	---	---	---	ALUMINUM	---



stair section A 1/4"

UNIT GENERAL NOTES

1. FOR WINDOWS & SLIDING GLASS DOORS REFER TO SHEETS A8.08 & A8.10.
2. FOR PARTITION TYPES REFER TO SHEETS A8.01 & A8.02.
3. AT ALL BALCONIES OVER ENCLOSED SPACES PROVIDE WATERPROOFING.

COLOR: STONE GRAY
SEE WALL SECTIONS

4. ALL PENETRATIONS through FIRE RATED WALLS SHALL BE SEALED AS PER DETAILS ON SHEET A9.01, A9.02 & A9.03.

UNIT DOOR NOTES

1. REFER TO NOTES ON SHEET A8.03 & A8.04 FOR ADDITIONAL DOOR AND SECURITY NOTES.
2. ALL UNIT ENTRY DOORS TO HAVE FIRE TREATED EDGES SUCH THAT NO ASTRAGAL IS REQUIRED FOR 20 MIN. FIRERATING
3. ENTRY DOORS AND LAUNDRY ROOM DOORS TO HAVE 3/4" UNDERCUT. BOTTOM STILE TO BE "OVERSIZED" TO ALLOW FOR UP TO 1-3/4" UNDERCUT.
4. ALL INTERIOR APARTMENT DOORS AND TRIM TO BE PRIMED.
5. ALL SHOWER/TUB DOORS & ENCLOSURES SHALL BE 3/8" TEMPERED GLASS.

UNIT FINISH NOTES

1. REFER TO GENERAL FINISH NOTES SHEET A8.09.
2. ALL DROPPED CEILING AREAS SHALL BE ADJUSTED IN THE FIELD TO BE AS HIGH AS POSSIBLE ONCE ALL PIPING, CONDUIT, A/C DUCTS, ETC. HAVE BEEN INSTALLED. IN NO CASE SHALL ANY CEILING BE LESS THAN 7'-5" ABV. FINISHED SLAB. ALL DROPPED SOFFITS ABV. KITCHEN CAB'S. SHALL BE 8'-0" ABV. FIN. SLAB.
3. SEE GENERAL FINISH NOTES FOR INTERIOR FLAME SPREAD REQUIREMENTS
4. FOR REINFORCEMENT @ BATHROOM WALLS SEE A8.05.
5. MIRRORS SHALL BE PROVIDED AT ALL BATHROOM VANITIES & SHALL RUN FROM TOP OF BACKSPLASH TO CEILING. ALL MIRRORS SHALL BE SAFETY GLASS FILM COATED
6. ALL BATHROOM FLOORS TO BE MARBLE w/ MARBLE BASE. FLOORING TO BE INSTALLED OVER SOUND INSULATION. ONLY MASTER BATH OVER UNIT THAT DO NOT HAVE DROP CEILINGS.



floor plan - unit "PH - C" upper level 1/4"

a/c enclosed = 515 sq. ft
balcony = 1981 sq. ft.

AS-BUILT - December 14, 2006

1/4"

unit "PH - C" upper level

JMA - 2307

OCT. 27 2004

BUILDING PERMIT 06.15.2004

A02168

The Sieger Suarez Architectural Partnership
5996 Southwest 70th Street South Miami, Florida 33143 305/274-2702

A3.39

TRG - Hallandale Beach Limited
1830 S. Ocean Drive
Hallandale Beach, Florida
(954) 455-5759

The Beach Club - Phase II
1830 South Ocean Drive
Hallandale Beach, FL

UNIT "C" FINISH SCHEDULE

ROOM NO.	ROOM NAME	FLOOR	BASE	WALLS FINISH 1	2	3	4	WALLS ASSEMBLY 1	2	3	4	CEILING FINISH	CEILING HEIGHT	REMARKS
C-101	FOYER	CONCRETE	---	GWB	GWB	GWB	GWB					GWB	7'-5"	
C-102	KITCHEN	CONCRETE	---	GWB	GWB	GWB	GWB					GWB/WCSF	7'-5"/8'-6"	
C-103	DINING	CONCRETE	---	GWB	GWB	---	GWB					WCSF	8'-6"	
C-104	LIVING	CONCRETE	---	---	GWB	GWB	GWB					WCSF	8'-6"	
C-105	MASTER BEDROOM	CONCRETE	---	GWB	GWB	GWB	GWB					WCSF	8'-6"	
C-106	MASTER BATH	MARBLE	MARBLE	GWB	GWB	GWB	GWB					GWB	7'-5"	MARBLE @ SHOWER WALL TO CEILING
C-107	WARDROBE	CONCRETE	---	GWB	GWB	GWB	GWB					GWB	7'-5"	
C-108	LAUNDRY	CONCRETE	---	GWB	GWB	GWB	GWB					GWB	7'-5"	
C-109	SECOND SUITE	CONCRETE	---	GWB	GWB	GWB	GWB					WCSF	8'-6"	
C-110	WARDROBE	CONCRETE	---	GWB	GWB	GWB	GWB					GWB	7'-5"	
C-111	BATH	MARBLE	MARBLE	GWB	GWB	GWB	GWB					GWB	7'-5"	MARBLE @ SHOWER WALL TO CEILING
C-112	BATH	MARBLE	MARBLE	GWB	GWB	GWB	GWB					GWB	7'-5"	MARBLE @ SHOWER WALL TO CEILING
C-113	MEDIA	CONCRETE	---	GWB	GWB	GWB	GWB					WCSF	8'-6"	
C-114	CLOSET	CONCRETE	---	GWB	GWB	GWB	GWB					GWB	7'-5"	
C-115	A/C	CONCRETE	---	GWB	GWB	GWB	GWB					GWB	8'-6"	
C-116	TERRACE	CONCRETE	---	STUCCO	---	---	STUCCO					CONCRETE	8'-6"	

UNIT "C" DOOR SCHEDULE

DOOR NO.	TYPE	ROOM NAME	HC	SC	DOOR MTL.	WIDTH	HEIGHT	THICK	FRAME DETAIL	FRAME MTL.	LABEL	THRESH	REMARKS
1	B	FOYER		•	MASONITE	3'-0"	7'-0"	1-3/4"	S	METAL	C (20 MIN.)	ALUM	SCH
2	A	MASTER SUITE/SECOND SUITE		•	WOOD	2'-10"	7'-0"	1-3/8"	H	WOOD			
3	A	MASTER BATH, BATH 2, BATH 3		•	MASONITE	2'-10"	7'-0"	1-3/8"	H	WOOD			
4	A	LAUNDRY		•	MASONITE	2'-10"	7'-0"	1-3/8"	H	WOOD			SCH
5	A	CLOSET/WARDROBE	•		MASONITE	2'-10"	7'-0"	1-3/8"	H	WOOD			
6	A	CLOSET	•		MASONITE	2'-6"	7'-0"	1-3/8"	H	WOOD			
7	A	A/C CLOSET		•	MASONITE	2'-10"	7'-0"	1-3/8"	H	WOOD			MFR/REQUIRE PAINT ON INTERIOR
9	A	LAUNDRY	•		MASONITE	3'-0"	7'-0"	1-3/8"	---	WOOD	---		BI-FOLD
10	E	CLOSET	•		MASONITE	2 (3'-0")	7'-0"	1-3/8"	---	WOOD	---		BI-PASS
SL-1	F	SECOND SUITE	---	---	ALUMN. GLASS	6'-6"	8'-8"	---	---	---	---	ALUMINUM	---
SL-2	F	LIVING ROOM	---	---	ALUMN. GLASS	9'-6"	8'-8"	---	---	---	---	ALUMINUM	---
SL-3	F	MASTER SUITE	---	---	ALUMN. GLASS	12'-0"	8'-8"	---	---	---	---	ALUMINUM	---

UNIT GENERAL NOTES

1. FOR WINDOWS & SLIDING GLASS DOORS REFER TO SHEETS A8.08 & A8.10
2. FOR PARTITION TYPES REFER TO SHEETS A8.01 & A8.02.
3. AT ALL BALCONIES OVER ENCLOSED SPACES PROVIDE WATERPROOFING:

COLOR: STONE GRAY
SEE WALL SECTIONS

4. ALL PENETRATIONS through FIRE RATED WALLS SHALL BE SEALED AS PER DETAILS ON SHEET A9.01, A9.02 & A9.03.

UNIT DOOR NOTES

1. REFER TO NOTES ON SHEET A8.03 & A8.04 FOR ADDITIONAL DOOR AND SECURITY NOTES.
2. ALL UNIT ENTRY DOORS TO HAVE FIRE TREATED EDGES SUCH THAT NO ASTRAGAL IS REQUIRED FOR 20 MIN. FIRERATING
3. ENTRY DOORS AND LAUNDRY ROOM DOORS TO HAVE 3/4" UNDERCUT. BOTTOM STILE TO BE "OVERSIZED" TO ALLOW FOR UP TO 1 1/4" UNDERCUT
4. ALL INTERIOR APARTMENT DOORS AND TRIM TO BE PRIMED.
5. ALL SHOWER/TUB DOORS & ENCLOSURES SHALL BE 3/8" TEMPERED GLASS

UNIT FINISH NOTES

1. REFER TO GENERAL FINISH NOTES SHEET A8.09
2. ALL DROPPED CEILING AREAS SHALL BE ADJUSTED IN THE FIELD TO BE AS HIGH AS POSSIBLE ONCE ALL PIPING, CONDUIT, A/C DUCTS, ETC. HAVE BEEN INSTALLED IN NO CASE SHALL ANY CEILING BE LESS THAN 7'-5" ABV. FINISHED SLAB. ALL DROPPED SOFFITS ABV. KITCHEN CAB'S. SHALL BE 8'-0" ABV. FIN. SLAB.
3. SEE GENERAL FINISH NOTES FOR INTERIOR FLAME SPREAD REQUIREMENTS.
4. FOR REINFORCEMENT @ BATHROOM WALLS SEE A8.05.
5. MIRRORS SHALL BE PROVIDED AT ALL BATHROOM VANITIES & SHALL RUN FROM TOP OF BACKSPLASH TO CEILING. ALL MIRRORS SHALL BE SAFETY GLASS FILM COATED
6. ALL BATHROOM FLOORS TO BE MARBLE w/ MARBLE BASE. FLOORING TO BE INSTALLED OVER SOUND INSULATION. ONLY MASTER BATH OVER UNIT THAT DO NOT HAVE DROP CEILINGS.



floor plan - unit "PH - c" lower level 1/4"

a/c enclosed = 1878 sq. ft.
balcony = 287 sq. ft.

AS-BUILT - December 14, 2006

unit "PH - c" lower level 1/4"

BUILDING PERMIT 06.15.2004
A02168

The Sieger Suarez Architectural Partnership
3595 Southwest 70th Street, South Miami, Florida 33143 305/274-2702

A3.38

TRG - Hallandale Beach Limited
1830 S. Ocean Drive
Hallandale Beach, Florida
(954) 455-5769

The Beach Club - Phase II
1830 South Ocean Drive
Hallandale Beach, FL.

UNIT "PH B-MOD" FINISH SCHEDULE

ROOM NO.	ROOM NAME	FLOOR	BASE	WALLS FINISH 1	2	3	4	WALLS ASSEMBLY 1	2	3	4	CEILING FINISH	CEILING HEIGHT	REMARKS
PHBM-120	FAMILY ROOM	CONCRETE	---	GWB	GWB	GWB	GWB					WD/	8'-6"	
PHBM-120	TERRACE	CONCRETE	---	STUCCO	---	---	---					CONCRETE	8'-6"	
PHBM-121	MASTER BATH	MARBLE	MARBLE	GWB	GWB	GWB	GWB					GWB	7'-5"	MARBLE @ SHOWER WALL TO CEILING
PHBM-122	A/C	CONCRETE	---	GWB	GWB	GWB	GWB					GWB	8'-6"	
PHBM-123	CLOSET	CONCRETE	---	GWB	GWB	GWB	GWB					GWB	7'-5"	

UNIT "PH B-MOD" DOOR SCHEDULE

DOOR NO.	TYPE	ROOM NAME	HC	BC	DOOR MTL.	WIDTH	HEIGHT	THICK	FRAME DETAIL	FRAME MTL.	LABEL	THRESH	REMARKS
1	A	BATHROOM		•	MASONITE	2'-10"	7'-0"	1-3/8"	H	WOOD			
2	A	A/C CLOSET		•	MASONITE	2'-10"	7'-0"	1-3/8"	H	WOOD			
6	A	CLOSET	•		MASONITE	3'-0"	7'-0"	1-3/8"	H	WOOD			
SL-1	F	FAMILY ROOM	—	—	ALUMN. GLASS	6'-6"	8'-8"	---	---	---	---	ALUMINUM	---
SL-2	F	FAMILY ROOM	—	—	ALUMN. GLASS	9'-6"	8'-8"	---	---	---	---	ALUMINUM	---



stair section A 1/4"



floor plan - unit "PH b-mod" upper level 1/4"

a/c enclosed = 1045 sq. ft.
balcony = 1671 sq. ft.

UNIT GENERAL NOTES

1. FOR WINDOWS & SLIDING GLASS DOORS REFER TO SHEETS A8.08 & A8.10.
2. FOR PARTITION TYPES REFER TO SHEETS A8.01 & A8.02.
3. AT ALL BALCONIES OVER ENCLOSED SPACES PROVIDE WATERPROOFING.

COLOR: STONE GRAY
SEE WALL SECTIONS

4. ALL PENETRATIONS through FIRE RATED WALLS SHALL BE SEALED AS PER DETAILS ON SHEET A9.01, A9.02 & A9.03.

UNIT DOOR NOTES

1. REFER TO NOTES ON SHEET A8.03 & A8.04 FOR ADDITIONAL DOOR AND SECURITY NOTES.
2. ALL UNIT ENTRY DOORS TO HAVE FIRE TREATED EDGES SUCH THAT NO ASTRACAL IS REQUIRED FOR 20 MIN. FIRERATING.
3. ENTRY DOORS AND LAUNDRY ROOM DOORS TO HAVE 3/4" UNDERCUT. BOTTOM STILE TO BE "OVERSIZED" TO ALLOW FOR UP TO 1-3/4" UNDERCUT
4. ALL INTERIOR APARTMENT DOORS AND TRIM TO BE PRIMED.
5. ALL SHOWER/TUB DOORS & ENCLOSURES SHALL BE 3/8" TEMPERED GLASS.

UNIT FINISH NOTES

1. REFER TO GENERAL FINISH NOTES SHEET A8.09.
2. ALL DROPPED CEILING AREAS SHALL BE ADJUSTED IN THE FIELD TO BE AS HIGH AS POSSIBLE ONCE ALL PIPING, CONDUIT, A/C DUCTS, LIT. HAVE BEEN INSTALLED IN NO CASE SHALL ANY CEILING BE LESS THAN 7'-5" AGV FINISHED SLAB. ALL DROPPED SOFFITS AND KITCHEN CAB'S. SHALL BE 8'-0" ABV FIN. FLR.
3. SEE GENERAL FINISH NOTES FOR INTERIOR FLAME SPREAD REQUIREMENTS.
4. FOR REINFORCEMENT @ BATHROOM WALLS SEE A8.05.
5. MIRRORS SHALL BE PROVIDED AT ALL BATHROOM VANITIES & SHALL RUN FROM TOP OF BACKSPLASH TO CEILING. ALL MIRRORS SHALL BE SAFETY GLASS FILM COATED.
6. ALL BATHROOM FLOORS TO BE MARBLE +/ MARBLE BASE. FLOORING TO BE INSTALLED OVER SOUND INSULATION. ONLY MASTER BATH OVER UNIT THAT DO NOT HAVE DROP CEILINGS.

AS-BUILT - December 14, 2006
1/4"
unit "PH b-mod" upper level

JMA - 2397
T. MARCHESANO
Total Record & Landscape
DEC 14 2006
REVIEWED

BUILDING PERMIT 06.15.2004
A0216a

The Sieger Suarez Architectural Partnership
5896 Southwest 70th Street, South Miami, Florida, 33143, 305/274-2702.

A3.37

UNIT "PH B-MOD" FINISH SCHEDULE

ROOM NO.	ROOM NAME	FLOOR	BASE	WALLS FINISH 1	2	3	4	WALLS ASSEMBLY 1	2	3	4	CEILING FINISH	CEILING HEIGHT	REMARKS
PHBM-101	FOYER	CONCRETE	---	DWG	DWG	DWG	DWG					DWG	7'-5"	
PHBM-102	KITCHEN	CONCRETE	---	DWG	DWG	DWG	DWG					DWG/WDF	7'-5"/8'-6"	
PHBM-103	DINING	CONCRETE	---	DWG	DWG	---	DWG					WDF	8'-6"	
PHBM-104	LIVING	CONCRETE	---	---	DWG	DWG	DWG					WDF	8'-6"	
PHBM-105	MASTER BEDROOM	CONCRETE	---	DWG	DWG	DWG	DWG					WDF	8'-6"	
PHBM-106	WARDROBE	CONCRETE	---	DWG	DWG	DWG	DWG					DWG	7'-5"	
PHBM-107	WARDROBE	CONCRETE	---	DWG	DWG	DWG	DWG					DWG	7'-5"	
PHBM-108	MASTER BATH	MARBLE	MARBLE	DWG	DWG	DWG	DWG					DWG	7'-5"	MARBLE @ SHOWER WALL TO CEILING
PHBM-109	STAIR VESTIBULE													
PHBM-110	CLOSET	CONCRETE	---	DWG	DWG	DWG	DWG					DWG	7'-5"	
PHBM-111	LAUNDRY	CONCRETE	---	DWG	DWG	DWG	DWG					DWG	7'-5"	
PHBM-112	A/C	CONCRETE	VINYL	DWG	DWG	DWG	DWG					DWG	8'-6"	
PHBM-113	CLOSET	CONCRETE	---	DWG	DWG	DWG	DWG					DWG	7'-5"	
PHBM-114	BATH	MARBLE	MARBLE	DWG	DWG	DWG	DWG					DWG	7'-5"	MARBLE @ SHOWER WALL TO CEILING
PHBM-115	WARDROBE	CONCRETE	---	DWG	DWG	DWG	DWG					DWG	7'-5"	
PHBM-116	SECOND SUITE	CONCRETE	---	DWG	DWG	DWG	DWG					WDF	8'-6"	
PHBM-117	TERRACE	CONCRETE	---	STUCCO	---	---	STUCCO					CONCRETE	8'-6"	
PHBM-118	TERRACE	CONCRETE	---	STUCCO	---	---	---					CONCRETE	8'-6"	

UNIT "PH BMOD" DOOR SCHEDULE

DOOR NO.	TYPE	ROOM NAME	HC	SC	DOOR MTL.	WIDTH	HEIGHT	THICK.	FRAME DETAIL	FRAME MTL.	LABEL	THRESH.	REMARKS
1	B	FOYER		•	WD/GLASS	3'-0"	7'-8"	1-3/4"	G	METAL	C (20 MIN.)	ALUM.	SDH
2	A	MASTER SUITE,SECOND SUITE		•	WOOD	2'-10"	7'-0"	1-3/8"	H	WOOD			
3	A	MASTER BATH, BATH 2, BATH 3		•	WD/GLASS	2'-10"	7'-0"	1-3/8"	H	WOOD			
4	A	LAUNDRY		•	WD/GLASS	2'-10"	7'-0"	1-3/4"	H	WOOD			SDH
5	A	CLOSET,WARDROBE	•		WD/GLASS	2'-10"	7'-0"	1-3/8"	H	WOOD			
6	A	CLOSET	•		WD/GLASS	2'-10"	7'-0"	1-3/8"	H	WOOD			
7	A	A/C CLOSET		•	WD/GLASS	2'-10"	7'-0"	1-3/8"	H	WOOD			
8	A	STORAGE	•		WD/GLASS	2'-10"	7'-0"	1-3/8"	H	WOOD			
SL-1	F	SECOND SUITE	---	---	ALUM. GLASS	8'-4"	8'-8"	---	---	---	---	ALUMINUM	---
SL-2	F	LIVING ROOM	---	---	ALUM. GLASS	9'-8"	8'-8"	---	---	---	---	ALUMINUM	---
SL-3	F	MASTER SUITE	---	---	ALUM. GLASS	12'-0"	8'-8"	---	---	---	---	ALUMINUM	---

UNIT GENERAL NOTES

1. FOR WINDOWS & SLIDING GLASS DOORS REFER TO SHEETS A8.08 & A8.10.
2. FOR PARTITION TYPES REFER TO SHEETS A8.01 & A8.02.
3. AT ALL BALCONIES OVER ENCLOSED SPACES PROVIDE WATERPROOFING:

COLOR: STONE GRAY
SEE WALL SECTIONS

4. ALL PENETRATIONS through FIRE RATED WALLS SHALL BE SEALED AS PER DETAILS ON SHEET A9.01, A9.02 & A6.01.

UNIT DOOR NOTES

1. REFER TO NOTES ON SHEET A8.03 & A8.04 FOR ADDITIONAL DOOR AND SECURITY NOTES
2. ALL UNIT ENTRY DOORS TO HAVE FIRE TREATED EDGES SUCH THAT NO ASTRACAL IS REQUIRED FOR 20 MIN. FIRERATING.
3. ENTRY DOORS AND LAUNDRY ROOM DOORS TO HAVE 3/4" UNDERCUT. BOTTOM STILE TO BE "OVERSIZED" TO ALLOW FOR UP TO 1-3/4" UNDERCUT.
4. ALL INTERIOR APARTMENT DOORS AND TRIM TO BE PRIMED.
5. ALL SHOWER/TUB DOORS & ENCLOSURES SHALL BE 3/8" TEMPERED GLASS.

UNIT FINISH NOTES

1. REFER TO GENERAL FINISH NOTES SHEET A8.09.
2. ALL DROPPED CEILING AREAS SHALL BE ADJUSTED IN THE FIELD TO BE AS HIGH AS POSSIBLE ONCE ALL PIPING, CONDUIT, A/C DUCTS, ETC. HAVE BEEN INSTALLED. IN NO CASE SHALL ANY CEILING BE LESS THAN 7'-5" ABV. FINISHED SLAB. ALL DROPPED SOFFITS ABV. KITCHEN CAB'S. SHALL BE 8'-0" ABV. FIN. SLAB.
3. SEE GENERAL FINISH NOTES FOR INTERIOR FLAME SPREAD REQUIREMENTS.
4. FOR REINFORCEMENT @ BATHROOM WALLS SEE A8.05
5. MIRRORS SHALL BE PROVIDED AT ALL BATHROOM VANITIES & SHALL RUN FROM TOP OF BACKSPLASH TO CEILING. ALL MIRRORS SHALL BE SAFETY GLASS FILM COATED.
6. ALL BATHROOM FLOORS TO BE MARBLE w/ MARBLE BASE. FLOORING TO BE INSTALLED OVER SOUND INSULATION. ONLY MASTER BATH OVER UNIT THAT DO NOT HAVE DROP CEILINGS.



floor plan - unit "PH b-mod" lower level 1/4"

a/c enclosed = 2094 sq. ft.
balcony = 586 sq. ft.

AS-BUILT - December 14, 2006
unit "PH b-mod" lower level
1/4"

JMA - 2397
Final Record As Built
DEC 07 2006

BUILDING PERMIT 06.15.2004
Job Number: A0216a

TRG - Hallandale Beach Limited
1830 S. Ocean Drive
Hallandale Beach, Florida
(954) 455-5759

The Beach Club - Phase II
1830 South Ocean Drive
Hallandale Beach, FL.

UNIT "PH-B" FINISH SCHEDULE

ROOM NO.	ROOM NAME	FLOOR	BASE	WALLS								CEILING		REMARKS
				FINISH				ASSEMBLY				FINISH	HEIGHT	
				1	2	3	4	1	2	3	4			
PHB-118	FAMILY ROOM	CONCRETE	---	GWB	GWB	GWB	GWB					WDF	10'-1"	
PHB-120	BEDROOM 3	CONCRETE	---	GWB	GWB	GWB	GWB					WDF	10'-1"	
PHB-121	BEDROOM 4	CONCRETE	---	GWB	GWB	GWB	GWB					WDF	10'-1"	
PHB-122	BATH 3	MARBLE	MARBLE	GWB	GWB	GWB	GWB					GWB	7'-5"	MARBLE @ SHOWER WALL TO CEILING
PHB-123	BATH 4	MARBLE	MARBLE	GWB	GWB	GWB	GWB					GWB	7'-5"	MARBLE @ SHOWER WALL TO CEILING
PHB-124	STORAGE	CONCRETE	---	GWB	GWB	GWB	GWB					GWB	7'-5"	
PHB-125	A/C	CONCRETE	---	GWB	GWB	GWB	GWB					GWB	10'-1"	
PHB-126	TERRACE	CONCRETE	---	STUCCO	---	---	STUCCO					CONCRETE	10'-1"	

UNIT "PH-B" DOOR SCHEDULE

DOOR NO.	TYPE	ROOM NAME	HC	SC	DOOR MTL.	WIDTH	HEIGHT	THICK	FRAME DETAIL	FRAME MTL.	LABEL	THRETH	REMARKS
2	A	BEDROOM 3, BEDROOM 4		●	WOOD	3'-0"	7'-0"	1-3/8"	H	WOOD			
3	A	BATH 3, BATH 4		●	MASONITE	2'-0"	7'-0"	1-3/8"	H	WOOD			
7	A	A/C CLOSET		●	MASONITE	2'-0"	7'-0"	1-3/8"	H	WOOD			
8	A	STORAGE	●		MASONITE	2'-0"	7'-0"	1-3/8"	H	WOOD			
9	C	CLOSET	●		MASONITE	1'-0"	7'-0"	1-3/8"	K	WOOD	-----		B-FOLD
10	C	CLOSET	●		MASONITE	1'-0"	7'-0"	1-3/8"	K	WOOD	-----		B-FOLD
SL-1	F	FAMILY ROOM	---	---	ALUM. GLASS	6'-0"	8'-0"	---	---	---	---	ALUMINUM	---
SL-2	F	FAMILY ROOM	---	---	ALUM. GLASS	5'-0"	8'-0"	---	---	---	---	ALUMINUM	---

UNIT GENERAL NOTES

1. FOR WINDOWS & SLIDING GLASS DOORS REFER TO SHEETS A8.08 & A8.10.
2. FOR PARTITION TYPES REFER TO SHEETS A8.01 & A8.02.
3. AT ALL BALCONIES OVER ENCLOSED SPACES PROVIDE WATERPROOFING.

COLOR: STONE GRAY
SEE WALL SECTIONS

4. ALL PENETRATIONS through FIRE RATED WALLS SHALL BE SEALED AS PER DETAILS ON SHEET A9.01, A9.02 & A9.03

UNIT DOOR NOTES

1. REFER TO NOTES ON SHEET A8.03 & A8.04 FOR ADDITIONAL DOOR AND SECURITY NOTES.
2. ALL UNIT ENTRY DOORS TO HAVE FIRE TREATED EDGES SUCH THAT NO ASTRAGAL IS REQUIRED FOR 20 MIN. FIRERATING.
3. ENTRY DOORS AND LAUNDRY ROOM DOORS TO HAVE 3/4" UNDERCUT. BOTTOM STILE TO BE "OVERSIZED" TO ALLOW FOR UP TO 1-1/4" UNDERCUT.
4. ALL INTERIOR APARTMENT DOORS AND TRIM TO BE PRIMED.
5. ALL SHOWER/TUB DOORS & ENCLOSURES SHALL BE 3/8" TEMPERED GLASS.

UNIT FINISH NOTES

1. REFER TO GENERAL FINISH NOTES SHEET A8.09.
2. ALL DROPPED CEILING AREAS SHALL BE ADJUSTED IN THE FIELD TO BE AS HIGH AS POSSIBLE ONCE ALL PIPING, CONDUIT, A/C DUCTS, ETC. HAVE BEEN INSTALLED. IN NO CASE SHALL ANY CEILING BE LESS THAN 7'-5" ABV. FINISHED SLAB. ALL DROPPED SOFFITS ABV. KITCHEN CAB'S. SHALL BE 8'-0" ABV FIN. SLAB
3. SEE GENERAL FINISH NOTES FOR INTERIOR FLAME SPREAD REQUIREMENTS.
4. FOR REINFORCEMENT @ BATHROOM WALLS SEE A8.05.
5. MIRRORS SHALL BE PROVIDED AT ALL BATHROOM VANITIES & SHALL RUN FROM TOP OF BACKSPLASH TO CEILING. ALL MIRRORS SHALL BE SAFTY GLASS FILM COATED.
6. ALL BATHROOM FLOORS TO BE MARBLE w/ MARBLE BASE. FLOORING TO BE INSTALLED OVER SOUND INSULATION. ONLY MASTER BATH OVER UNIT THAT DO NOT HAVE DROP CEILINGS.



stair section A 1/4"



floor plan - unit "PH - B" upper level 1/4"

a/c enclosed = 1115 sq. ft.
balcony = 1671 sq. ft.

AS-BUILT - December 14, 2006

1/4"

unit "PH - b" upper level

JAA - 2307

BUILDING PERMIT 08.15.2004

A0216a

The Sieger Suarez Architectural Partnership
5996 Southwest 70th Street, South Miami, Florida. 33143. 305/274-2702.

A3.35

TRG - Hallandale Beach Limited
1830 S. Ocean Drive
Hallandale Beach, Florida
(954) 455-5799

The Beach Club - Phase II
1830 South Ocean Drive
Hallandale Beach, FL.

UNIT "PH-8" FINISH SCHEDULE

ROOM NO.	ROOM NAME	FLOOR	BASE	WALLS FINISH 1	2	3	4	WALLS ASSEMBLY 1	2	3	4	CEILING FINISH	CEILING HEIGHT	REMARKS
PHB-101	FOYER	CONCRETE	---	DWB	DWB	DWB	DWB					DWB	7'-5"	
PHB-102	KITCHEN	CONCRETE	---	DWB	DWB	DWB	DWB					DWB/WDF	7'-5"/8'-8"	
PHB-103	DINING	CONCRETE	---	DWB	DWB	---	DWB					WDF	8'-8"	
PHB-104	LIVING	CONCRETE	---	---	DWB	DWB	DWB					WDF	8'-8"	
PHB-105	MASTER BEDROOM	CONCRETE	---	DWB	DWB	DWB	DWB					WDF	8'-8"	
PHB-106	WARDROBE	CONCRETE	---	DWB	DWB	DWB	DWB					DWB	7'-5"	
PHB-107	WARDROBE	CONCRETE	---	DWB	DWB	DWB	DWB					DWB	7'-5"	
PHB-108	MASTER BATH	MARBLE	MARBLE	DWB	DWB	DWB	DWB					DWB	7'-5"	MARBLE @ SHOWER WALL TO CEILING
PHB-109	STAIR VESTIBULE													
PHB-110	CLOSET	CONCRETE	---	DWB	DWB	DWB	DWB					DWB	7'-5"	
PHB-111	LAUNDRY	CONCRETE	---	DWB	DWB	DWB	DWB					DWB	7'-5"	
PHB-112	A/C	CONCRETE	---	DWB	DWB	DWB	DWB					DWB	8'-8"	
PHB-113	CLOSET	CONCRETE	---	DWB	DWB	DWB	DWB					DWB	7'-5"	
PHB-114	BATH	MARBLE	MARBLE	DWB	DWB	DWB	DWB					DWB	7'-5"	MARBLE @ SHOWER WALL TO CEILING
PHB-115	WARDROBE	CONCRETE	---	DWB	DWB	DWB	DWB					DWB	7'-5"	
PHB-116	SECOND SUITE	CONCRETE	---	DWB	DWB	DWB	DWB					WDF	8'-8"	
PHB-117	TERRACE	CONCRETE	---	STUCCO	---	---	STUCCO					CONCRETE	8'-8"	
PHB-118	TERRACE	CONCRETE	---	STUCCO	---	---	---					CONCRETE	8'-8"	

UNIT "PH-B" DOOR SCHEDULE

DOOR NO.	TYPE	ROOM NAME	HC	SC	DOOR MTL.	WIDTH	HEIGHT	THICK	FRAME DETAIL	FRAME MTL.	LABEL	THRESH	REMARKS
1	B	FOYER		•	MASONITE	3'-0"	7'-0"	1-3/4"	G	METAL	C (20 MIN.)	ALUM	SCH
2	A	MASTER SUITE,SECOND SUITE		•	WOOD	3'-0"	7'-0"	1-3/8"	H	WOOD			
3	A	MASTER BATH, BATH 2, BATH 3		•	MASONITE	2'-0"	7'-0"	1-3/8"	H	WOOD			
4	A	LAUNDRY		•	MASONITE	2'-0"	7'-0"	1-3/8"	H	WOOD			SCH
5	A	CLOSET,WARDROBE	•		MASONITE	2'-0"	7'-0"	1-3/8"	H	WOOD			
6	A	CLOSET	•		MASONITE	2'-0"	7'-0"	1-3/8"	H	WOOD			
7	A	A/C CLOSET		•	MASONITE	2'-0"	7'-0"	1-3/8"	H	WOOD			
8	A	STORAGE	•		MASONITE	2'-0"	7'-0"	1-3/8"	H	WOOD			
SL-1	F	SECOND SUITE	---	---	ALUM. GLASS	6'-6"	8'-6"	---	---	---	---	ALUMINUM	---
SL-2	F	LIVING ROOM	---	---	ALUM. GLASS	9'-6"	8'-6"	---	---	---	---	ALUMINUM	---
SL-3	F	MASTER SUITE	---	---	ALUM. GLASS	12'-0"	8'-6"	---	---	---	---	ALUMINUM	---

UNIT GENERAL NOTES

1. FOR WINDOWS & SLIDING GLASS DOORS REFER TO SHEETS A8.08 & A8.10.
2. FOR PARTITION TYPES REFER TO SHEETS A8.01 & A8.02.
3. AT ALL BALCONIES OVER ENCLOSED SPACES PROVIDE WATERPROOFING.

COLOR: STONE GRAY
SEE WALL SECTIONS

4. ALL PENETRATIONS through FIRE RATED WALLS SHALL BE SEALED AS PER DETAILS ON SHEET A9.01, A8.02 & A9.03.

UNIT DOOR NOTES

1. REFER TO NOTES ON SHEET A8.03 & A8.04 FOR ADDITIONAL DOOR AND SECURITY NOTES.
2. ALL UNIT ENTRY DOORS TO HAVE FIRE TREATED EDGES SUCH THAT NO ASTRAGAL IS REQUIRED FOR 20 MIN. FIRERATING.
3. ENTRY DOORS AND LAUNDRY ROOM DOORS TO HAVE 3/4" UNDERCUT. BOTTOM STILL TO BE "OVERSIZED" TO ALLOW FOR UP TO 1-3/4" UNDERCUT.
4. ALL INTERIOR APARTMENT DOORS AND TRIM TO BE PRIMED.
5. ALL SHOWER/TUB DOORS & ENCLOSURES SHALL BE 3/8" TEMPERED GLASS.

UNIT FINISH NOTES

1. REFER TO GENERAL FINISH NOTES SHEET A8.00.
2. ALL DROPPED CEILING AREAS SHALL BE ADJUSTED IN THE FIELD TO BE AS HIGH AS POSSIBLE ONCE ALL PIPING, CONDUIT, A/C DUCTS, ETC. HAVE BEEN INSTALLED. IN NO CASE SHALL ANY CEILING BE LESS THAN 7'-5" ABV. FINISHED SLAB. ALL DROPPED SOFFITS ABV. KITCHEN C/B'S. SHALL BE 8'-0" ABV. FIN. SLAB.
3. SEE GENERAL FINISH NOTES FOR INTERIOR FLAME SPREAD REQUIREMENTS.
4. FOR REINFORCEMENT @ BATHROOM WALLS SEE A8.05.
5. MIRRORS SHALL BE PROVIDED AT ALL BATHROOM VANITIES & SHALL RUN FROM TOP OF BACKSPLASH TO CEILING. ALL MIRRORS SHALL BE SAFETY GLASS FILM COATED.
6. ALL BATHROOM FLOORS TO BE MARBLE w/ MARBLE BASE. FLOORING TO BE INSTALLED OVER SOUND INSULATION. ONLY MASTER BATH OVER UNIT 1101 DO NOT HAVE DROP CEILINGS.



floor plan - unit "PH - B" lower level 1/4"

a/c enclosed = 2065 sq. ft.
balcony = 586 sq. ft.

AS-BUILT - December 14, 2006

unit "PH - B" lower level 1/4"

BUILDING PERMIT 06.15.2004
A02166

The Sieger Suarez Architectural Partnership
5996 Southwest 70th Street South Miami, Florida. 33143 305/274-2702.

A3.34

UNIT "J" FINISH SCHEDULE

ROOM NO.	ROOM NAME	FLOOR	BASE	WALLS FINISH 1	2	3	4	WALLS ASSEMBLY 1	2	3	4	CEILING FINISH	CEILING HEIGHT	REMARKS
J-101	FOYER	CONCRETE	---	GWB	GWB	GWB	GWB					GWB	7'-0"	
J-102	KITCHEN	CONCRETE	---	GWB	GWB	GWB	GWB					WD/WCF	7'-0"/8'-6"	
J-103	DINING	CONCRETE	---	GWB	GWB	---	GWB					WCF	8'-6"	
J-104	LIVING	CONCRETE	---	---	GWB	GWB	GWB					WCF	8'-6"	
J-105	SECOND SUITE	CONCRETE	---	GWB	GWB	GWB	GWB					WCF	8'-6"	
J-106	CLOSET	CONCRETE	---	GWB	GWB	GWB	GWB					GWB	7'-0"	
J-107	MASTER BEDROOM	CONCRETE	---	GWB	GWB	GWB	GWB					WCF	8'-6"	
J-108	WARDROBE	CONCRETE	---	GWB	GWB	GWB	GWB					GWB	7'-0"	
J-109	BATH	MARBLE	MARBLE	GWB	GWB	GWB	GWB					GWB	7'-0"	MARBLE @ SHOWER WALL TO CEILING
J-110	MASTER BATH	MARBLE	MARBLE	GWB	GWB	GWB	GWB					GWB	7'-0"	MARBLE @ SHOWER WALL TO CEILING
J-111	LAUNDRY	CONCRETE	---	GWB	GWB	GWB	GWB					GWB	7'-0"	
J-112	A/C	CONCRETE	---	GWB	GWB	GWB	GWB					GWB	8'-6"	
J-113	MEDIA	CONCRETE	---	GWB	GWB	GWB	GWB					WCF	8'-6"	
J-114	TERRACE	CONCRETE	---	STUCCO	---	---	---					CONCRETE	8'-6"	

UNIT "J" DOOR SCHEDULE

DOOR NO.	TYPE	ROOM NAME	HC	SC	DOOR MTL.	WIDTH	HEIGHT	THICK.	FRAME DETAIL	FRAME MTL.	LABEL	THRESH.	REMARKS
1	B	FOYER		•	MASONITE	3'-0"	7'-0"	1-3/4"	G	METAL	[20 MIN]	ALUM	SCH
2	A	MASTER SUITE/SECOND SUITE		•	WOOD	2'-10"	7'-0"	1-3/8"	H	WOOD			
3	A	MASTER BATH, BATH 2, BATH 3		•	MASONITE	2'-10"	7'-0"	1-3/8"	H	WOOD			
4	A	LAUNDRY		•	MASONITE	2'-10"	7'-0"	1-3/8"	H	WOOD			SCH
5	A	CLOSET/WARDROBE	•		MASONITE	2'-10"	7'-0"	1-3/8"	H	WOOD			
6	A	CLOSET	•		MASONITE	2'-10"	7'-0"	1-3/8"	H	WOOD			
7	A	A/C CLOSET		•	MASONITE	2'-10"	7'-0"	1-3/8"	H	WOOD			
8	C	LAUNDRY	•		MASONITE	3'-0"	7'-0"	1-3/8"	---	WOOD	---		BI-FOLD
10	E	CLOSET	•		MASONITE	2 (2'-0")	7'-0"	1-3/8"	---	WOOD	---		BI-PASS
SL-1	F	SECOND SUITE	---	---	ALUMN. GLASS	5'-6"	8'-6"	---	---	---	---	ALUMIUM	---
SL-2	F	LIVING ROOM	---	---	ALUMN. GLASS	9'-6"	8'-6"	---	---	---	---	ALUMIUM	---
SL-3	F	MASTER SUITE	---	---	ALUMN. GLASS	12'-0"	8'-6"	---	---	---	---	ALUMIUM	---

UNIT GENERAL NOTES

1. FOR WINDOWS & SLIDING GLASS DOORS REFER TO SHEETS A8.08 & A8.10.
2. FOR PARTITION TYPES REFER TO SHEETS A8.01 & A8.02.
3. AT ALL BALCONIES OVER ENCLOSED SPACES PROVIDE WATERPROOFING.

COLOR: STONE GRAY
SEE WALL SECTIONS

4. ALL PENETRATIONS through FIRE RATED WALLS SHALL BE SEALED AS PER DETAILS ON SHEET A9.01, A9.02 & A9.03

UNIT DOOR NOTES

1. REFER TO NOTES ON SHEET A8.03 & A8.04 FOR ADDITIONAL DOOR AND SECURITY NOTES
2. ALL UNIT ENTRY DOORS TO HAVE FIRE RREATED EDGES SUCH THAN NO ASSTRAGAL IS REQUIRED FOR 20 MIN. FIRERATING
3. ENTRY DOORS AND LAUNDRY ROOM DOORS TO HAVE 3/4" UNDERCUT. BOTTOM STILE TO BE "OVERSIZED" TO ALLOW FOR UP TO 1-3/4" UNDERCUT.
4. ALL INTERIOR APARTMENT DOORS AND TRIM TO BE PRIMED.
5. ALL SHOWER/TUB DOORS & ENCLOSURES SHALL BE 1/8" TEMPERED GLASS

UNIT FINISH NOTES

1. REFER TO GENERAL FINISH NOTES SHEET A8.09.
2. ALL DROPPED CEILING AREAS SHALL BE ADJUSTED IN THE FIELD TO BE AS HIGH AS POSSIBLE ONCE ALL PIPING, CONDUIT, A/C DUCTS, ETC. HAVE BEEN INSTALLED IN NO CASE SHALL ANY CEILING BE LESS THAN 7'-5" ABV. FINISHED SLAB. ALL DROPPED SOFFITS ABV. KITCHEN CAB'S. SHALL BE 8'-0" ABV. FIN. SLAB
3. SEE GENERAL FINISH NOTES FOR INTERIOR FLAME SPREAD REQUIREMENTS.
4. FOR REINFORCEMENT @ BATHROOM WALLS SEE A8.05.
5. MIRRORS SHALL BE PROVIDED AT ALL BATHROOM VANITIES & SHALL RUN FROM TOP OF BACKSPLASH TO CEILING ALL MIRRORS SHALL BE SAFETY GLASS FILM COATED
6. ALL BATHROOM FLOORS TO BE MARBLE w/ MARBLE BASE. FLOORING TO BE INSTALLED OVER SOUND INSULATION. ONLY MASTER BATH OVER UNIT THAT DO NOT HAVE DROP CEILINGS.



floor plan - unit "j" 1/4"

a/c enclosed = 1554 sq. ft.
balcony = 264 sq. ft.

AS-BUILT - December 14, 2006

1/4"

BUILDING PERMIT 06.15.2004

The Sieger Suarez Architectural Partnership
5996 Southwest 70th Street, South Miami, Florida. 33143. 305/271-7702.

A3.33

TRG - Hallandale Beach Limited
1630 S. Ocean Drive
Hallandale Beach, Florida
(954) 455-0709

The Beach Club - Phase II
1630 South Ocean Drive
Hallandale Beach, FL.

UNIT "H" FINISH SCHEDULE

ROOM NO	ROOM NAME	FLOOR	BASE	WALLS FINISH 1	2	3	4	WALLS ASSEMBLY 1	2	3	4	CEILING FINISH	CEILING HEIGHT	REMARKS
H-101	FOYER	CONCRETE	----	DWG	DWG	DWG	DWG					DWG	7'-0	
H-102	KITCHEN	CONCRETE	----	DWG	DWG	DWG	DWG					DWG/WDG	7'-0"/8'-6"	
H-103	DINING	CONCRETE	----	DWG	DWG	---	DWG					WDG	8'-6"	
H-104	LIVING	CONCRETE	----	---	DWG	DWG	DWG					WDG	8'-6"	
H-105	MASTER BEDROOM	CONCRETE	----	DWG	DWG	DWG	DWG					WDG	8'-6"	
H-106	WARDROBE	CONCRETE	----	DWG	DWG	DWG	DWG					DWG	7'-0"	
H-107	A/C	CONCRETE	----	DWG	DWG	DWG	DWG					DWG	8'-6"	
H-108	CLOSET	CONCRETE	----	DWG	DWG	DWG	DWG					DWG	7'-0"	
H-109	MASTER BATH	MARBLE	MARBLE	DWG	DWG	DWG	DWG					DWG	7'-0"	MARBLE @ SHOWER WALL TO CEILING
H-110	LAUNDRY	CONCRETE	----	DWG	DWG	DWG	DWG					DWG	7'-0"	
H-111	BATH	MARBLE	MARBLE	DWG	DWG	DWG	DWG					DWG	7'-0"	MARBLE @ SHOWER WALL TO CEILING
H-112	MEDIA	CONCRETE	----	DWG	DWG	DWG	DWG					WDG	8'-6"	
H-113	CLOSET	CONCRETE	----	DWG	DWG	DWG	DWG					DWG	7'-0"	
H-114	TERRACE	CONCRETE	----	STUCCO	---	---	---					CONCRETE	8'-6"	

UNIT "H" DOOR SCHEDULE

DOOR NO.	TYPE	ROOM NAME	HC	SC	DOOR MTL.	WIDTH	HEIGHT	THICK.	FRAME DETAIL	FRAME MTL.	LABEL	THRESH	REMARKS
1	B	FOYER		•	WOOD/GLASS	3'-0"	7'-0"	1-3/4"	G	MTL	C (20 MIN.)	ALUM	SCH
2	A	MASTER SUITE/SLIDING SUITE		•	WOOD	2'-10"	7'-0"	1-3/8"	H	WOOD			
3	A	MASTER BATH, BATH 2, BATH 3		•	WOOD/GLASS	2'-10"	7'-0"	1-3/8"	H	WOOD			
4	A	LAUNDRY		•	WOOD/GLASS	2'-10"	7'-0"	1-3/8"	H	WOOD			SCH
5	A	CLOSET/WARDROBE	•		WOOD/GLASS	2'-10"	7'-0"	1-3/8"	H	WOOD			
6	A	CLOSET	•		WOOD/GLASS	2'-10"	7'-0"	1-3/8"	H	WOOD			
7	A	A/C CLOSET		•	WOOD/GLASS	2'-10"	7'-0"	1-3/8"	H	WOOD			
9	C	LAUNDRY	•		WOOD/GLASS	3'-0"	7'-0"	1-3/8"	---	WOOD	---		BI-FOLD
10	E	CLOSET	•		WOOD/GLASS	2 (5'-0")	7'-0"	1-3/8"	---	WOOD	---		BI-PASS
SL-1	F	SECOND SUITE	---	---	ALUM. GLASS	9'-6"	8'-6"	---	---	---	---	ALUMINUM	---
SL-2	F	LIVING ROOM	---	---	ALUM. GLASS	9'-6"	8'-6"	---	---	---	---	ALUMINUM	---
SL-3	F	MASTER SUITE	---	---	ALUM. GLASS	13'-0"	8'-6"	---	---	---	---	ALUMINUM	---

UNIT GENERAL NOTES

1. FOR WINDOWS & SLIDING GLASS DOORS REFER TO SHEETS A8.08 & A8.10.
2. FOR PARTITION TYPES REFER TO SHEETS A8.01 & A8.02.
3. AT ALL BALCONIES OVER ENCLOSED SPACES PROVIDE WATERPROOFING.

COLOR: STONE GRAY
SEE WALL SECTIONS

4. ALL PENETRATIONS through FIRE RATED WALLS SHALL BE SEALED AS PER DETAILS ON SHEET A8.01, A8.02 & A9.03.

UNIT DOOR NOTES

1. REFER TO NOTES ON SHEET A8.03 & A8.04 FOR ADDITIONAL DOOR AND SECURITY NOTES.
2. ALL UNIT ENTRY DOORS TO HAVE FIRE TREATED EDGES SUCH THAT NO ASSEMBLY IS REQUIRED FOR 20 MIN. FIRERATING.
3. ENTRY DOORS AND LAUNDRY ROOM DOORS TO HAVE 3/4" UNDERCUT (BOTTOM STILE TO BE "OVERSIZED" TO ALLOW FOR UP TO 1-3/4" UNDERCUT.
4. ALL INTERIOR APARTMENT DOORS AND TRIM TO BE PRIMED.
5. ALL SHOWER/TUB DOORS & ENCLOSURES SHALL BE 3/8" TEMPERED GLASS.

UNIT FINISH NOTES

1. REFER TO GENERAL FINISH NOTES SHEET A8.09.
2. ALL DROPPED CEILING AREAS SHALL BE ADJUSTED IN THE FIELD TO BE AS HIGH AS POSSIBLE ONCE ALL PIPING, CONDUIT, A/C DUCTS, ETC. HAVE BEEN INSTALLED. IN NO CASE SHALL ANY CEILING BE LESS THAN 7'-5" ABV. FINISHED SLAB. ALL DROPPED SOFFITS ABV. KITCHEN CAB'S. SHALL BE 8'-0" ABV. FIN. SLAB.
3. SEE GENERAL FINISH NOTES FOR INTERIOR FLAME SPREAD REQUIREMENTS.
4. FOR REINFORCEMENT @ BATHROOM WALLS SEE A8.05.
5. MIRRORS SHALL BE PROVIDED AT ALL BATHROOM VANITIES & SHALL RUN FROM TOP OF BACKSPLASH TO CEILING. ALL MIRRORS SHALL BE SAFETY GLASS FILM COATED.
6. ALL BATHROOM FLOORS TO BE MARBLE w/ MARBLE BASE. FLOORING TO BE INSTALLED OVER SOUND INSULATION. ONLY MASTER BATH OVER UNIT THAT DO NOT HAVE DROP CEILINGS.



1/4"

AS-BUILT - December 14, 2006

unit "h"

JMA - 2307
DEC. 27 '06

BUILDING PERMIT 06.15.2004

floor plan - unit "h" 1/4"

a/c enclosed = 1337 sq. ft.
balcony = 198 sq. ft.

The Sieger Suarez Architectural Partnership
5996 Southwest 70th Street South Miami, Florida 33143 305/274-2702.

A3.32

TRG - Hallandale Beach Limited
1800 S. Ocean Drive
Hallandale Beach, Florida
(954) 455-5759

The Beach Club - Phase II
1830 South Ocean Drive
Hallandale Beach, FL.

UNIT "G-MOD-REV" FINISH SCHEDULE

ROOM NO.	ROOM NAME	FLOOR	BASE	WALLS FINISH 1	2	3	4	WALLS ASSEMBLY 1	2	3	4	CEILING FINISH	CEILING HEIGHT	REMARKS
Unit-101	FOYER	CONCRETE	----	GWB	GWB	GWB	GWB					GWB	7'-6"	
Unit-102	KITCHEN	CONCRETE	----	GWB	GWB	GWB	GWB					GWB/WDSF	7'-9"/8'-6"	
Unit-103	GREAT ROOM	CONCRETE	----	GWB	GWB	---	GWB					WDSF	8'-6"	
Unit-104	LAUNDRY	CONCRETE	----	GWB	GWB	GWB	GWB					GWB	7'-6"	
Unit-105	BATH	MARBLE	MARBLE	GWB	GWB	GWB	GWB					GWB	7'-6"	MARBLE @ SHOWER WALL TO CEILING
Unit-106	WARDROBE	CONCRETE	----	GWB	GWB	GWB	GWB					GWB	7'-6"	
Unit-107	A/C	CONCRETE	----	GWB	GWB	GWB	GWB					GWB	8'-6"	
Unit-108	MSTR	CONCRETE	----	GWB	GWB	GWB	GWB					WDSF	8'-6"	
Unit-109	TERRACE	CONCRETE	----	STUCCO	---	---	STUCCO					CONCRETE	8'-6"	

UNIT "G-MOD-REV" DOOR SCHEDULE

DOOR NO.	TYPE	ROOM NAME	HC	SC	DOOR MTL	WIDTH	HEIGHT	THICK	FRAME DETAIL	FRAME MTL	LABEL	THRESH	REMARKS
1	B	FOYER		•	WD/GLASS	3'-0"	7'-0"	1-3/4"	5	METAL	1 HR	ALUM	SCH
2	A	MASTER SUITE/SECOND SUITE		•	WOOD	2'-10"	7'-0"	1-3/8"	H	WOOD			
3	A	MASTER BATH, BATH 2, BATH 3		•	WD/GLASS	2'-10"	7'-0"	1-3/8"	H	WOOD			
4	A	LAUNDRY		•	WD/GLASS	2'-10"	7'-0"	1-3/8"	H	WOOD			SCH
5	A	CLOSET,WARDROBE	•		WD/GLASS	2'-10"	7'-0"	1-3/8"	H	WOOD			
6	A	CLOSET	•		WD/GLASS	2'-10"	7'-0"	1-3/8"	H	WOOD			
7	A	A/C CLOSET		•	WD/GLASS	2'-10"	7'-0"	1-3/8"	H	WOOD			
9	C	LAUNDRY	•		WD/GLASS	2'-6"	7'-0"	1-3/8"	H	WOOD	---		
10	L	CLOSET	•		WD/GLASS	2 (2'-0")	7'-0"	1-3/8"	---	WOOD	---		BI-PASS
SL-1	F	SECOND SUITE	---	---	ALUM. GLASS	6'-0"	8'-6"	---	---	---	---	ALUMINUM	---
SL-2	F	LIVING ROOM	---	---	ALUM. GLASS	9'-0"	8'-6"	---	---	---	---	ALUMINUM	---
SL-3	F	MASTER SUITE	---	---	ALUM. GLASS	12'-6"	8'-6"	---	---	---	---	ALUMINUM	---

UNIT GENERAL NOTES

1. FOR WINDOWS & SLIDING GLASS DOORS REFER TO SHEETS A8.08 & A8.10.
2. FOR PARTITION TYPES REFER TO SHEETS A8.01 & A8.02.
3. AT ALL BALCONIES OVER ENCLOSED SPACES PROVIDE WATERPROOFING.

COLOR: STONE GRAY
SEE WALL SECTIONS

4. ALL PENETRATIONS through FIRE RATED WALLS SHALL BE SEALED AS PER DETAILS ON SHEET A9.01, A9.02 & A9.03

UNIT DOOR NOTES

1. REFER TO NOTES ON SHEET A8.03 & A8.04 FOR ADDITIONAL DOOR AND SECURITY NOTES.
2. ALL UNIT ENTRY DOORS TO HAVE FIRE TREATED EDGES SUCH THAT NO ASTRAGAL IS REQUIRED FOR 20 MIN. FIRERATING.
3. ENTRY DOORS AND LAUNDRY ROOM DOORS TO HAVE 3/4" UNDERCUT. BOTTOM STILE TO BE "OVERSIZED" TO ALLOW FOR UP TO 1-3/4" UNDERCUT.
4. ALL INTERIOR APARTMENT DOORS AND TRIM TO BE PRIMED.
5. ALL SHOWER/TUB DOORS & ENCLOSURES SHALL BE 3/8" TEMPERED GLASS.

UNIT FINISH NOTES

1. REFER TO GENERAL FINISH NOTES SHEET A8.09.
2. ALL DROPPED CEILING AREAS SHALL BE ADJUSTED IN THE FIELD TO BE AS HIGH AS POSSIBLE ONCE ALL PIPING, CONDUIT, A/C DUCTS, ETC. HAVE BEEN INSTALLED IN NO CASE SHALL ANY CEILING BE LESS THAN 7'-5" ABV. FINISHED SLAB. ALL DROPPED SOFFITS ABV. KITCHEN CAB'S. SHALL BE 8'-0" ABV. FIN. SLAB.
3. SEE GENERAL FINISH NOTES FOR INTERIOR FLAME SPREAD REQUIREMENTS.
4. FOR REINFORCEMENT @ BATHROOM WALLS SEE A8.05.
5. MIRRORS SHALL BE PROVIDED AT ALL BATHROOM VANITIES & SHALL RUN FROM TOP OF BACKSPLASH TO CEILING. ALL MIRRORS SHALL BE SAFETY GLASS FILM COATED
6. ALL BATHROOM FLOORS TO BE MARBLE w/ MARBLE BASE. FLOORING TO BE INSTALLED OVER SOUND INSURATION. ONLY MASTER BATH OVER UNIT THAT DO NOT HAVE DROP CEILINGS



floor plan - unit "g-mod-rev" 1/4"

a/c enclosed	=	844 sq. ft.
balcony	=	121 sq. ft.

1/4"

AS-BUILT - December 14, 2006

unit "g-mod-rev"

JMA - 2307
Revised per Cert
DEC 07 2006

BUILDING PERMIT 06.15.2004
A0216a

The Sieger Suarez Architectural Partnership
5996 Southwest 70th Street South Miami, Florida, 33143, 305/274-2702

A3.31

TRG - Hallandale Beach Limited
1830 S. Ocean Drive
Hallandale Beach, Florida
(954) 455-5759

The Beach Club - Phase II
1830 South Ocean Drive
Hallandale Beach, FL.

UNIT "G-MOD" FINISH SCHEDULE

ROOM NO	ROOM NAME	FLOOR	BASE	WALLS								CEILING		REMARKS
				FINISH				ASSEMBLY				FINISH	HEIGHT	
				1	2	3	4	1	2	3	4			
GM-101	FOYER	CONCRETE	----	GWB	GWB	GWB	GWB					GWB	7'-5"	
GM-102	KITCHEN	CONCRETE	----	GWB	GWB	GWB	GWB					GWB/WOF	7'-5"/8'-8"	
GM-103	GREAT ROOM	CONCRETE	----	GWB	GWB	---	GWB					WOF	8'-8"	
GM-104	LAUNDRY	CONCRETE	----	GWB	GWB	GWB	GWB					GWB	7'-5"	
GM-105	BATH	MARBLE	MARBLE	GWB	GWB	GWB	GWB					GWB	7'-5"	MARBLE @ SHOWER WALL TO CEILING
GM-106	WARDROBE	CONCRETE	----	GWB	GWB	GWB	GWB					GWB	7'-5"	
GM-107	A/C	CONCRETE	----	GWB	GWB	GWB	GWB					GWB	8'-8"	
GM-108	MEDIA	CONCRETE	----	GWB	GWB	GWB	GWB					WOF	8'-8"	
GM-109	TERRACE	CONCRETE	----	STUCCO	---	---	STUCCO					CONCRETE	8'-8"	

UNIT "G-MOD" DOOR SCHEDULE

DOOR NO.	TYPE	ROOM NAME	HC	SC	DOOR MTL.	WIDTH	HEIGHT	THICK	FRAME DETAIL	FRAME MTL.	LABEL	THRESH	REMARKS
1	B	FOYER		•	MASONITE	3'-0"	7'-0"	1-3/4"	G	METAL	C (20 MIN.)	ALUM	SCH
3	A	BATH		•	MASONITE	2'-10"	7'-0"	1-3/8"	H	WOOD			
4	A	LAUNDRY		•	MASONITE	2'-10"	7'-0"	1-3/8"	H	WOOD			SCH
5	A	A/C CLOSET		•	MASONITE	2'-10"	7'-0"	1-3/8"	H	WOOD			
9	A	LAUNDRY	•		MASONITE	3'-8"	7'-0"	1-3/8"	H	WOOD	---	---	
10	E	STORAGE	•		MASONITE	2 (2'-0")	7'-0"	1-3/8"	---	WOOD	---	---	BI-PASS
11-3	F	MASTER SUITE	---	---	KLEAR GLASS	13'-0"	8'-1"	---	---	---	---	ALUMINUM	---

UNIT GENERAL NOTES

1. FOR WINDOWS & SLIDING GLASS DOORS REFER TO SHEETS A8.08 & A8.10.
2. FOR PARTITION TYPES REFER TO SHEETS A8.01 & A8.02.
3. AT ALL BALCONIES OVER ENCLOSED SPACES PROVIDE WATERPROOFING.

COLOR: STONE GRAY
SEE WALL SECTIONS

4. ALL PENETRATIONS through FIRE RATED WALLS SHALL BE SEALED AS PER DETAILS ON SHEET A9.01, A9.02 & A9.03

UNIT DOOR NOTES

1. REFER TO NOTES ON SHEET A8.03 & A8.04 FOR ADDITIONAL DOOR AND SECURITY NOTES.
2. ALL UNIT ENTRY DOORS TO HAVE FIRE TREATED EDGES SUCH THAT NO ASTRAGAL IS REQUIRED FOR 20 MIN. FIRERAMING.
3. ENTRY DOORS AND LAUNDRY ROOM DOORS TO HAVE 3/4" UNDERCUT. BOTTOM STILE TO BE "OVERSIZED" TO ALLOW FOR UP TO 1-3/4" UNDERCUT.
4. ALL INTERIOR APARTMENT DOORS AND TRIM TO BE PRIMED.
5. ALL SHOWER/TUB DOORS & ENCLOSURES SHALL BE 3/8" TEMPERED GLASS.

UNIT FINISH NOTES

1. REFER TO GENERAL FINISH NOTES SHEET A8.09.
2. ALL DROPPED CEILING AREAS SHALL BE ADJUSTED IN THE FIELD TO BE AS HIGH AS POSSIBLE ONCE ALL PIPING, CONDUIT, A/C DUCTS, ETC. HAVE BEEN INSTALLED. IN NO CASE SHALL ANY CEILING BE LESS THAN 7'-5" ABV. FINISHED SLAB. ALL DROPPED SOFFITS ABV. KITCHEN CAB'S. SHALL BE 8'-0" ABV. FIN. SLAB.
3. SEE GENERAL FINISH NOTES FOR INTERIOR FLAME SPREAD REQUIREMENTS.
4. FOR REINFORCEMENT @ BATHROOM WALLS SEE A8.05.
5. MIRRORS SHALL BE PROVIDED AT ALL BATHROOM VANITIES & SHALL RUN FROM TOP OF BACKSPLASH TO CEILING. ALL MIRRORS SHALL BE SAFETY GLASS FILM COATED.
6. ALL BATHROOM FLOORS TO BE MARBLE w/ MARBLE BASE. FLOORING TO BE INSTALLED OVER SOUND INSULATION. ONLY MASTER BATH OVER UNIT THAT DO NOT HAVE DROP CEILINGS.



floor plan - unit "g-mod" 1/4"

a/c enclosed = 844 sq. ft
balcony = 121 sq. ft.

AS-BUILT - December 14, 2006

unit "g-mod"

BUILDING PERMIT 06.15.2004
Job Number: A0216a
Sheet Number: A3.30

The Sieger Suarez Architectural Partnership
5995 Southwest 70th Street, South Miami, Florida 33143 305/274-2702

TRG - Hallandale Beach Limited
1830 S. Ocean Drive
Hallandale Beach, Florida
(954) 455-5759

The Beach Club - Phase II
1830 South Ocean Drive
Hallandale Beach, FL

UNIT "G" FINISH SCHEDULE

ROOM NO.	ROOM NAME	FLOOR	BASE	WALLS								CEILING		REMARKS
				FINISH				ASSEMBLY				FINISH	HEIGHT	
				1	2	3	4	1	2	3	4			
G-101	FOYER	CONCRETE	---	GWB	GWB	GWB	GWB					GWB	9'-0"	
G-102	KITCHEN	CONCRETE	---	GWB	GWB	GWB	GWB					GWB/WDF	7'-3"/9'-6"	
G-103	GREAT ROOM	CONCRETE	---	GWB	GWB	---	GWB					WDF	9'-6"	
G-104	LAUNDRY	CONCRETE	---	GWB	GWB	GWB	GWB					GWB	7'-0"	
G-105	BATH	MARBLE	MARBLE	GWB	GWB	GWB	GWB					GWB	7'-0"	MARBLE @ SHOWER WALLS TO CEILING
G-106	STORAGE	CONCRETE	---	GWB	GWB	GWB	GWB					GWB	7'-9"	
G-107	A/C	CONCRETE	---	GWB	GWB	GWB	GWB					GWB	9'-6"	
G-108	MEDIA	CONCRETE	---	GWB	GWB	GWB	GWB					WDF	9'-6"	
G-109	TERRACE	CONCRETE	---	STUCCO	---	---	STUCCO					CONCRETE	9'-6"	

UNIT "G" DOOR SCHEDULE

DOOR NO	TYPE	ROOM NAME	HC	BC	DOOR MTL.	WIDTH	HEIGHT	THICK	FRAME DETAIL	FRAME MTL.	LABEL	THRESH	REMARKS
1	B	FOYER		•	MASONITE	3'-0"	7'-0"	1-3/4"	G	METAL	C (20 MIN.)	ALUM	SCH
2	A	MASTER SUITE,SECOND SUITE		•	WOOD	2'-10"	7'-0"	1-3/8"	H	WOOD			
3	A	MASTER BATH, BATH 2, BATH 3		•	MASONITE	2'-10"	7'-0"	1-3/8"	H	WOOD			
4	A	LAUNDRY		•	MASONITE	2'-10"	7'-0"	1-3/8"	H	WOOD			SCH
5	A	CLOSET,LINEN/ROBE	•		MASONITE	2'-10"	7'-0"	1-3/8"	H	WOOD			
6	A	CLOSET	•		MASONITE	2'-10"	7'-0"	1-3/8"	H	WOOD			
7	A	A/C CLOSET		•	MASONITE	2'-10"	7'-0"	1-3/8"	H	WOOD			
9	A	LAUNDRY	•		MASONITE	2'-8"	7'-0"	1-3/8"	H	WOOD	---		
10	E	CLOSET	•		MASONITE	3 (2'-0")	7'-0"	1-3/8"	---	WOOD	---		BI-FOLD
SL-1	F	SECOND SUITE	---	---	ALUMN. GLASS	6'-0"	8'-0"	---	---	---	---	ALUMINUM	---
SL-2	C	LIVING ROOM	---	---	ALUMN. GLASS	9'-0"	8'-0"	---	---	---	---	ALUMINUM	---
SL-3	F	MASTER SUITE	---	---	ALUMN. GLASS	12'-0"	8'-0"	---	---	---	---	ALUMINUM	---

UNIT GENERAL NOTES

1. FOR WINDOWS & SLIDING GLASS DOORS REFER TO SHEETS A8.08 & A8.10.
2. FOR PARTITION TYPES REFER TO SHEETS A8.01 & A8.02.
3. AT ALL BALCONIES OVER ENCLOSED SPACES PROVIDE WATERPROOFING

COLOR: STONE GRAY
SEE WALL SECTIONS

4. ALL PENETRATIONS through FIRE RATED WALLS SHALL BE SEALED AS PER DETAILS ON SHEET A9.01, A9.02 & A9.03.

UNIT DOOR NOTES

1. REFER TO NOTES ON SHEET A8.03 & A8.04 FOR ADDITIONAL DOOR AND SECURITY NOTES
2. ALL UNIT ENTRY DOORS TO HAVE FIRE TREATED EDGES SUCH THAT NO ASTRAGAL IS REQUIRED FOR 20 MIN. FIRERATING.
3. ENTRY DOORS AND LAUNDRY ROOM DOORS TO HAVE 1/4" UNDERCUT. BOTTOM STILE TO BE "OVERSIZED" TO ALLOW FOR UP TO 1-3/4" UNDERCUT.
4. ALL INTERIOR APARTMENT DOORS AND TRIM TO BE PRIMED.
5. ALL SHOWER/TUB DOORS & ENCLOSURES SHALL BE 1/8" TEMPERED GLASS.

UNIT FINISH NOTES

1. REFER TO GENERAL FINISH NOTES SHEET A8.00
2. ALL DROPPED CEILING AREAS SHALL BE ADJUSTED IN THE FIELD TO BE AS HIGH AS POSSIBLE ONCE ALL PIPING, CONDUIT, A/C DUCTS, ETC. HAVE BEEN INSTALLED. IN NO CASE SHALL ANY CEILING BE LESS THAN 7'-0" ABV. FINISHED SLAB. ALL DROPPED SOFFITS ABV. KITCHEN CAB'S. SHALL BE 9'-0" ABV. FIN. SLAB.
3. SEE GENERAL FINISH NOTES FOR INTERIOR FLAME SPREAD REQUIREMENTS.
4. FOR REINFORCEMENT @ BATHROOM WALLS SEE A8.05.
5. MIRRORS SHALL BE PROVIDED AT ALL BATHROOM VANITIES & SHALL RUN FROM TOP OF BACKSPLASH TO CEILING. ALL MIRRORS SHALL BE SAFETY GLASS FILM COATED
6. ALL BATHROOM FLOORS TO BE MARBLE w/ MARBLE BASE. FLOORING TO BE INSTALLED OVER SOUND INSULATION. ONLY MASTER BATH ENTR TINT HAT DO NOT HAVE DROP CEILINGS.



floor plan - unit "g"

a/c enclosed = 811 sq. ft.
balcony = 121 sq. ft.

1/4"

AS-BUILT - December 14, 2006

1/4"

unit "g"

BUILDING PERMIT 06.15.2004
Job Number: A02168
Sheet number: A3.29

The Sieger Suarez Architectural Partnership
5996 Southwest 70th Street, South Miami, Florida. 33143. 305/274-2702.

TRG - Hallandale Beach Limited
1830 S. Ocean Drive
Hallandale Beach, Florida
(954) 455-5759

The Beach Club - Phase II
1830 South Ocean Drive
Hallandale Beach, FL.

UNIT "F" FINISH SCHEDULE

ROOM NO.	ROOM NAME	FLOOR	BASE	WALLS FINISH 1	2	3	4	WALLS ASSEMBLY 1	2	3	4	CEILING FINISH	CEILING HEIGHT	REMARKS
F-101	FOYER	CONCRETE	---	GWB	GWB	GWB	GWB					GWB	7'-6"	
F-102	GREAT ROOM	CONCRETE	---	GWB	GWB	GWB	GWB					GWB/WCSF	7'-10"/8'-8"	
F-103	KITCHEN	CONCRETE	---	GWB	GWB	GWB	GWB					GWB/WCSF	7'-10"/8'-8"	
F-104	A/C	CONCRETE	---	GWB	GWB	GWB	GWB					GWB	8'-6"	
F-105	LAUNDRY	CONCRETE	---	GWB	GWB	GWB	GWB					GWB	7'-10"	
F-106	MASTER BEDROOM	CONCRETE	---	GWB	GWB	GWB	GWB					WCSF	8'-4"	
F-107	WARDROBE	CONCRETE	---	GWB	GWB	GWB	GWB					GWB	7'-10"	
F-108	BATH	MARBLE	MARBLE	GWB	GWB	GWB	GWB					GWB	8'-9"	MARBLE @ SHOWER WALL TO CEILING

UNIT "F" DOOR SCHEDULE

DOOR NO.	TYPE	ROOM NAME	HC	SC	DOOR MTL.	WIDTH	HEIGHT	THICK	FRAME DETAIL	FRAME MTL.	LABEL	THRESH	REMARKS
1	B	FOYER		•	MASONITE	3'-0"	7'-0"	1-3/4"	C	METAL	C (20 MIN.)	ALUM	SCH
2	A	MASTER SUITE,SECOND SUITE		•	WOOD	2'-10"	7'-0"	1-3/8"	H	WOOD			
3	A	MASTER BATH, BATH 2, BATH 3		•	MASONITE	2'-10"	7'-0"	1-3/8"	H	WOOD			
4	A	LAUNDRY		•	MASONITE	2'-10"	7'-0"	1-3/8"	H	WOOD			SCH
5	A	CLOSET,WARDROBE	•		MASONITE	2'-10"	7'-0"	1-3/8"	H	WOOD			
6	A	CLOSET	•		MASONITE	2'-10"	7'-0"	1-3/8"	H	WOOD			
7	A	A/C CLOSET		•	MASONITE	2'-10"	7'-0"	1-3/8"	H	WOOD			
8	F	DEN			WOOD	3'-10"	7'-0"	1-3/8"		WOOD			FRENCH DOOR
9	C	LAUNDRY	•		MASONITE	3'-0"	7'-0"	1-3/8"	---	WOOD	---	---	BI-FOLD
10	E	CLOSET	•		MASONITE	2 (2'-0")	7'-0"	1-3/8"	---	WOOD	---	---	BI-PASS
1A-1	F	SECOND SUITE	---	---	ALUMIN. GLASS	5'-6"	8'-8"	---	---	---	---	ALUMINUM	---
1A-2	F	LIVING ROOM	---	---	ALUMIN. GLASS	9'-4"	8'-8"	---	---	---	---	ALUMINUM	---
1A-3	F	MASTER SUITE	---	---	ALUMIN. GLASS	12'-4"	8'-8"	---	---	---	---	ALUMINUM	---

UNIT GENERAL NOTES

1. FOR WINDOWS & SLIDING GLASS DOORS REFER TO SHEETS A8.08 & A8.10.
2. FOR PARTITION TYPES REFER TO SHEETS A8.01 & A8.02.
3. AT ALL BALCONIES OVER ENCLOSED SPACES PROVIDE WATERPROOFING.

COLOR: STONE GRAY
SEE WALL SECTIONS

4. ALL PENETRATIONS through FIRE RATED WALLS SHALL BE SEALED AS PER DETAILS ON SHEET A9.01, A9.02 & A9.03

UNIT DOOR NOTES

1. REFER TO NOTES ON SHEET A8.03 & A8.04 FOR ADDITIONAL DOOR AND SECURITY NOTES.
2. ALL UNIT ENTRY DOORS TO HAVE FIRE TREATED EDGES SUCH THAT NO ASTRAGAL IS REQUIRED FOR 20 MIN. FIRERATING.
3. ENTRY DOORS AND LAUNDRY ROOM DOORS TO HAVE 3/4" UNDERCUT. BOTTOM STILE TO BE "OVERSIZED" TO ALLOW FOR UP TO 1-1/4" UNDERCUT.
4. ALL INTERIOR APARTMENT DOORS AND TRIM TO BE PRIMED.
5. ALL SHOWER/TUB DOORS & ENCLOSURES SHALL BE 3/8" TEMPERED GLASS.

UNIT FINISH NOTES

1. REFER TO GENERAL FINISH NOTES SHEET A8.09.
2. ALL DROPPED CEILING AREAS SHALL BE ADJUSTED IN THE FIELD TO BE AS HIGH AS POSSIBLE ONCE ALL PIPING, CONDUIT, A/C DUCTS, ETC. HAVE BEEN INSTALLED. IN NO CASE SHALL ANY CEILING BE LESS THAN 7'-5" ABV. FINISHED SLAB. ALL DROPPED SOFFITS ABV. KITCHEN CAB'S. SHALL BE 8'-0" ABV. FIN. SLAB.
3. SEE GENERAL FINISH NOTES FOR INTERIOR FLAME SPREAD REQUIREMENTS.
4. FOR REINFORCEMENT @ BATHROOM WALLS SEE A8.05
5. MIRRORS SHALL BE PROVIDED AT ALL BATHROOM VANITIES & SHALL RUN FROM TOP OF BACKSPLASH TO CEILING. ALL MIRRORS SHALL BE SAFETY GLASS FILM COATED
6. ALL BATHROOM FLOORS TO BE MARBLE w/ MARBLE BASE. FLOORING TO BE INSTALLED OVER SOUND INSULATION. ONLY MASTER BATH OVER UNIT THAT DO NOT HAVE DROP CEILINGS.



floor plan - unit "f" 1/4"

a/c enclosed = 871 sq. ft.

1/4"

AS-BUILT - December 14, 2006

unit "f"

BUILDING PERMIT 06.15.2004

The Sieger Suarez Architectural Partnership
5996 Southwest 70th Street South Miami, Florida. 33143 305/274-2702.

A3.28

TRG - Hallandale Beach Limited
1630 S. Ocean Drive
Hallandale Beach, Florida
(954) 455-5759

The Beach Club - Phase II
1630 South Ocean Drive
Hallandale Beach, FL.

UNIT "E REV" FINISH SCHEDULE

ROOM NO.	ROOM NAME	FLOOR	BASE	WALLS FINISH 1	2	3	4	WALLS ASSEMBLY 1	2	3	4	CEILING FINISH	CEILING HEIGHT	REMARKS
ER-101	FOYER	CONCRETE	---	CM1	CM1	CM1	CM1					CM1	7'-0"	
ER-102	KITCHEN	CONCRETE	---	CM1	CM1	CM1	CM1					CM1/WC1F	7'-6"/9'-6"	
ER-103	DINING	CONCRETE	---	CM1	CM1	---	CM1					WC1F	9'-6"	
ER-104	LIVING	CONCRETE	---	---	CM1	CM1	CM1					WC1F	9'-6"	
ER-105	SECOND SUITE	CONCRETE	---	CM1	CM1	CM1	CM1					WC1F	9'-6"	
ER-106	WARDROBE	CONCRETE	---	CM1	CM1	CM1	CM1					CM1	7'-9"	
ER-107	BATH	MARBLE	MARBLE	CM1	CM1	CM1	CM1					CM1	7'-5"	MARBLE @ SHOWER WALL TO CEILING
ER-108	MASTER BEDROOM	CONCRETE	---	CM1	CM1	CM1	CM1					WC1F	9'-6"	
ER-109	WARDROBE	CONCRETE	---	CM1	CM1	CM1	CM1					CM1	7'-0"	
ER-110	MASTER BATH	MARBLE	MARBLE	CM1	CM1	CM1	CM1					CM1	7'-5"	MARBLE @ SHOWER WALL TO CEILING
ER-111	WARDROBE	CONCRETE	---	CM1	CM1	CM1	CM1					CM1	7'-0"	
ER-112	LAUNDRY	CONCRETE	---	CM1	CM1	CM1	CM1					CM1	7'-0"	
ER-113	A/C	CONCRETE	---	CM1	CM1	CM1	CM1					CM1	8'-6"	
ER-114	TERRACE	CONCRETE	---	STUCCO	---	---	STUCCO					CONCRETE	8'-6"	
ER-115	TERRACE	CONCRETE	---	STUCCO	---	---	---					CONCRETE	8'-6"	

UNIT "E REV" DOOR SCHEDULE

DOOR NO.	TYPE	ROOM NAME	HC	SC	DOOR MTL.	WIDTH	HEIGHT	THICK.	FRAME DETAIL	FRAME MTL.	LABEL	THRESH	REMARKS
1	B	FOYER		•	MASONITE	3'-0"	7'-0"	1-3/4"	G	METAL	-C (20 MIN.)	ALUM	SCH
2	A	MASTER SUITE/SECOND SUITE		•	WOOD	3'-10"	7'-0"	1-3/8"	H	WOOD			
3	A	MASTER BATH, BATH 2, BATH 3		•	MASONITE	2'-10"	7'-0"	1-3/8"	H	WOOD			
4	A	LAUNDRY		•	MASONITE	2'-10"	7'-0"	1-3/8"	H	WOOD			SCH
5	A	CLOSET/WARDROBE	•		MASONITE	2'-10"	7'-0"	1-3/8"	H	WOOD			
6	A	CLOSET	•		MASONITE	2'-10"	7'-0"	1-3/8"	H	WOOD			
7	A	A/C CLOSET		•	MASONITE	2'-10"	7'-0"	1-3/8"	H	WOOD			
8	T	DEN			WOOD	2'-10"	7'-0"	1-3/8"		WOOD			FRENCH DOOR
9	C	LAUNDRY	•		MASONITE	2'-10"	7'-0"	1-3/8"	---	WOOD	---	---	BI-FOLD
10	C	CLOSET	•		MASONITE	2 (2'-0")	7'-0"	1-3/8"	---	WOOD	---	---	BI-PASS
SL-1	F	SECOND SUITE	---	---	ALUMN. GLASS	6'-0"	8'-6"	---	---	---	---	ALUMINUM	---
SL-2	F	LIVING ROOM	---	---	ALUMN. GLASS	6'-0"	8'-6"	---	---	---	---	ALUMINUM	---
SL-3	F	MASTER SUITE	---	---	ALUMN. GLASS	12'-0"	8'-6"	---	---	---	---	ALUMINUM	---

UNIT GENERAL NOTES

1. FOR WINDOWS & SLIDING GLASS DOORS REFER TO SHEETS A8.06 & A8.10
2. FOR PARTITION TYPES REFER TO SHEETS A8.01 & A8.02.
3. AT ALL BALCONIES OVER ENCLOSED SPACES PROVIDE WATERPROOFING;

COLOR: STONE GRAY
SEE WALL SECTIONS

4. ALL PENETRATIONS through FIRE RATED WALLS SHALL BE SEALED AS PER DETAILS ON SHEET A8.01, A8.02 & A9.03

UNIT DOOR NOTES

1. REFER TO NOTES ON SHEET A8.03 & A8.04 FOR ADDITIONAL DOOR AND SECURITY NOTES.
2. ALL UNIT ENTRY DOORS TO HAVE FIRE TREATED EDGES SUCH THAT NO ASTRAGAL IS REQUIRED FOR 20 MIN. FIRERATING.
3. ENTRY DOORS AND LAUNDRY ROOM DOORS TO HAVE 3/4" UNDERCUT. BOTTOM STILE TO BE "OVERSIZED" TO ALLOW FOR UP TO 1-3/4" UNDERCUT
4. ALL INTERIOR APARTMENT DOORS AND TRIM TO BE PRIMED.
5. ALL SHOWER/TUB DOORS & ENCLOSURES SHALL BE 3/8" TEMPERED GLASS

UNIT FINISH NOTES

1. REFER TO GENERAL FINISH NOTES SHEET A8.09.
2. ALL DROPPED CEILING AREAS SHALL BE ADJUSTED IN THE FIELD TO BE AS HIGH AS POSSIBLE ONCE ALL PIPING, CONDUIT, A/C DUCTS, ETC. HAVE BEEN INSTALLED. IN NO CASE SHALL ANY CEILING BE LESS THAN 7'-5" ABV. FINISHED SLAB ALL DROPPED SOFFITS ABV. KITCHEN CAB'S. SHALL BE 8'-0" ABV. FIN. SLAB.
3. SEE GENERAL FINISH NOTES FOR INTERIOR FLAME SPREAD REQUIREMENTS.
4. FOR REINFORCEMENT @ BATHROOM WALLS SEE A8.05.
5. MIRRORS SHALL BE PROVIDED AT ALL BATHROOM VANITIES & SHALL RUN FROM TOP OF BACKSPLASH TO CEILING. ALL MIRRORS SHALL BE SAFETY GLASS FILM COATED
6. ALL BATHROOM FLOORS TO BE MARBLE +/- MARBLE FIRST FLOORING TO BE INSTALLED OVER SOUND INSULATION. ONLY MASTER BATH OVER UNIT THAT DO NOT HAVE DROP CEILINGS.



floor plan - unit "e-rev" 1/4"

a/c enclosed = 1458 sq. ft.
balcony = 568 sq. ft.

AS-BUILT - December 14, 2006

1/4"

unit "e-rev"

JMA - 2307
Reviewed by Terrel Rashid Dasouki
DEC 27 2006

BUILDING PERMIT 06.15.2004
Job Number A02168
Sheet Number A3.27

The Sieger Suarez Architectural Partnership
5896 Southwest 70th Street South Miami, Florida 33143. 305/274-7702.

TRG - Hallandale Beach Limited
1830 S. Ocean Drive
Hallandale Beach, Florida
(954) 455-5759

The Beach Club - Phase II
1830 South Ocean Drive
Hallandale Beach, FL.

UNIT "E" FINISH SCHEDULE

ROOM NO.	ROOM NAME	FLOOR	BASE	WALLS FINISH 1	2	3	4	WALLS ASSEMBLY 1	2	3	4	CEILING FINISH	CEILING HEIGHT	REMARKS
E-101	FOYER	CONCRETE	---	GWB	GWB	GWB	GWB					GWB	7'-5"	
E-102	KITCHEN	CONCRETE	---	GWB	GWB	GWB	GWB					GWB/WDF	7'-5"/8'-8"	
E-103	DINING	CONCRETE	---	GWB	GWB	---	GWB					WDF	8'-8"	
E-104	LIVING	CONCRETE	---	---	GWB	GWB	GWB					WDF	8'-8"	
E-105	SECOND SUITE	CONCRETE	---	GWB	GWB	GWB	GWB					WDF	8'-8"	
E-106	WARDROBE	CONCRETE	---	GWB	GWB	GWB	GWB					GWB	7'-5"	
E-107	BATH	MARBLE	MARBLE	GWB	GWB	GWB	GWB					GWB	7'-5"	MARBLE @ SHOWER WALL TO CEILING
E-108	MASTER BEDROOM	CONCRETE	---	GWB	GWB	GWB	GWB					WDF	8'-8"	
E-109	WARDROBE	CONCRETE	---	GWB	GWB	GWB	GWB					GWB	7'-5"	
E-110	MASTER BATH	MARBLE	MARBLE	GWB	GWB	GWB	GWB					GWB	7'-5"	MARBLE @ SHOWER WALL TO CEILING
E-111	WARDROBE	CONCRETE	---	GWB	GWB	GWB	GWB					GWB	7'-5"	
E-112	LAUNDRY	CONCRETE	---	GWB	GWB	GWB	GWB					GWB	7'-5"	
E-113	A/C	CONCRETE	---	GWB	GWB	GWB	GWB					GWB	8'-8"	
E-114	TERRACE	CONCRETE	---	STUCCO	---	---	STUCCO					CONCRETE	8'-8"	

UNIT "E" DOOR SCHEDULE

DOOR NO.	TYPE	ROOM NAME	HC	SC	DOOR MTL.	WIDTH	HEIGHT	THICK	FRAME DETAIL	FRAME MTL.	LABEL	THRESH	REMARKS
1	B	FOYER		•	MASONITE	3'-0"	7'-0"	1-3/4"	G	METAL	C (20 MIN.)	ALUM.	SCH
2	A	MASTER SUITE,SECOND SUITE		•	WOOD	2'-10"	7'-0"	1-3/8"	H	WOOD			
3	A	MASTER BATH, BATH 2, BATH 3		•	MASONITE	2'-10"	7'-0"	1-3/8"	H	WOOD			
4	A	LAUNDRY		•	MASONITE	2'-10"	7'-0"	1-3/8"	H	WOOD			SCH
5	A	CLOSET,WARDROBE	•		MASONITE	2'-10"	7'-0"	1-3/8"	H	WOOD			
6	A	CLOSET	•		MASONITE	2'-10"	7'-0"	1-3/8"	H	WOOD			
7	A	A/C CLOSET		•	MASONITE	2'-10"	7'-0"	1-3/8"	H	WOOD			
SL-1	F	SECOND SUITE	---	---	ALUM. GLASS	6'-0"	8'-8"	---	---	---	---	ALUMINUM	---
SL-2	F	LIVING ROOM	---	---	ALUM. GLASS	6'-0"	8'-8"	---	---	---	---	ALUMINUM	---
SL-3	F	MASTER SUITE	---	---	ALUM. GLASS	12'-0"	8'-8"	---	---	---	---	ALUMINUM	---

UNIT GENERAL NOTES

1. FOR WINDOWS & SLIDING GLASS DOORS REFER TO SHEETS A8.08 & A8.10.
2. FOR PARTITION TYPES REFER TO SHEETS A8.01 & A8.02.
3. AT ALL BALCONIES OVER ENCLOSED SPACES PROVIDE WATERPROOFING.

COLOR: STONE GRAY
SEE WALL SECTIONS

4. ALL PENETRATIONS through FIRE RATED WALLS SHALL BE SEALED AS PER DETAILS ON SHEET A9.01, A9.02 & A9.03.

UNIT DOOR NOTES

1. REFER TO NOTES ON SHEET A8.03 & A8.04 FOR ADDITIONAL DOOR AND SECURITY NOTES.
2. ALL UNIT ENTRY DOORS TO HAVE FIRE TREATED EDGES SUCH THAT NO ASTRAGAL IS REQUIRED FOR 20 MIN. FIRERATING.
3. ENTRY DOORS AND LAUNDRY ROOM DOORS TO HAVE 3/4" UNDERCUT. BOTTOM STILE TO BE "OVERSIZED" TO ALLOW FOR UP TO 1-3/4" UNDERCUT.
4. ALL INTERIOR APARTMENT DOORS AND TRIM TO BE PRIMED.
5. ALL SHOWER/TUB DOORS & ENCLOSURES SHALL BE 1/8" TEMPERED GLASS.

UNIT FINISH NOTES

1. REFER TO GENERAL FINISH NOTES SHEET A8.09.
2. ALL DROPPED CEILING AREAS SHALL BE ADJUSTED IN THE FIELD TO BE AS HIGH AS POSSIBLE ONCE ALL PIPING, CONDUIT, A/C DUCTS, ETC. HAVE BEEN INSTALLED. IN NO CASE SHALL ANY CEILING BE LESS THAN 7'-5" ABV. FINISHED SLAB. ALL DROPPED SOFFITS ABV. KITCHEN CAFES. SHALL BE 8'-6" ABV. FIN. SLAB.
3. SEE GENERAL FINISH NOTES FOR INTERIOR FLAME SPREAD REQUIREMENTS.
4. FOR REINFORCEMENT @ BATHROOM WALLS SEE A8.05.
5. MIRRORS SHALL BE PROVIDED AT ALL BATHROOM VANITIES & SHALL RUN FROM TOP OF BACKSPLASH TO CEILING. ALL MIRRORS SHALL BE SAFETY GLASS FILM (SAATI)
6. ALL BATHROOM FLOORS TO BE MARBLE w/ MARBLE BASE. FLOORING TO BE INSTALLED OVER SOUND INSULATION. ONLY MASTER BATH OVER UNIT THAT DO NOT HAVE DROP CEILINGS.



partial floor plan - unit "e"
typ. from level 9 to 11 1/4"



floor plan - unit "e" 1/4"

a/c enclosed = 1458 sq. ft.
balcony = 586 sq. ft.

1/4"

AS-BUILT - December 14, 2006

unit "e"

BUILDING PERMIT 06.15.2004

A0216a

The Sieger Suarez Architectural Partnership
5996 Southwest 70th Street South Miami, Florida. 33143. 305/274-2702.

A3.26

UNIT "D" FINISH SCHEDULE

ROOM NO.	ROOM NAME	FLOOR	BASE	WALLS FINISH 1	2	3	4	WALLS ASSEMBLY 1	2	3	4	CEILING FINISH	CEILING HEIGHT	REMARKS
D-101	FOYER	CONCRETE	----	GWB	GWB	GWB	GWB					GWB	7'-5"	
D-102	KITCHEN	CONCRETE	----	GWB	GWB	GWB	GWB					GWB/WCU	7'-5"/8'-6"	
D-103	DINING	CONCRETE	----	GWB	GWB	--	GWB					WCU	8'-6"	
D-104	LIVING	CONCRETE	----	--	GWB	GWB	GWB					WCU	8'-6"	
D-105	MASTER BEDROOM	CONCRETE	----	GWB	GWB	GWB	GWB					WCU	8'-6"	
D-106	CLOSET	CONCRETE	----	GWB	GWB	GWB	GWB					GWB	7'-5"	
D-107	WARDROBE	CONCRETE	----	GWB	GWB	GWB	GWB					GWB	7'-5"	
D-108	MASTER BATH	MARBLE	MARBLE	GWB	GWB	GWB	GWB					GWB	7'-5"	MARBLE @ SHOWER WALL TO CEILING
D-109	SECOND SUITE	CONCRETE	----	GWB	GWB	GWB	GWB					WCU	8'-6"	
D-110	WARDROBE	CONCRETE	----	GWB	GWB	GWB	GWB					GWB	7'-5"	
D-111	BATH	MARBLE	MARBLE	GWB	GWB	GWB	GWB					GWB	7'-5"	MARBLE @ SHOWER WALL TO CEILING
D-112	MEDIA	CONCRETE	----	GWB	GWB	GWB	GWB					WCU	8'-6"	
D-113	LAUNDRY	CONCRETE	----	GWB	GWB	GWB	GWB					GWB	7'-5"	
D-114	A/C	CONCRETE	----	GWB	GWB	GWB	GWB					GWB	8'-6"	
D-115	BATH	MARBLE	MARBLE	GWB	GWB	GWB	GWB					GWB	7'-5"	MARBLE @ SHOWER WALL TO CEILING
D-116	TERRACE	CONCRETE	----	STUCCO	---	---	STUCCO					CONCRETE	8'-6"	

UNIT "D" DOOR SCHEDULE

DOOR NO.	TYPE	ROOM NAME	HC	SC	DOOR MTL.	WIDTH	HEIGHT	THICK.	FRAME DETAIL	FRAME MTL.	LABEL	THRESH.	REMARKS
1	B	FOYER		•	WOOD/GLASS	3'-0"	7'-0"	1-3/4"	C	METAL	45 MIN	ALUM.	SDH
2	A	MASTER SUITE/SECOND SUITE		•	WOOD	2'-10"	7'-0"	1-3/8"	H	WOOD			
3	A	MASTER BATH, BATH 2, BATH 3		•	WOOD/GLASS	2'-10"	7'-0"	1-3/8"	H	WOOD			
4	A	LAUNDRY		•	WOOD/GLASS	2'-10"	7'-0"	1-3/8"	H	WOOD			SDH
5	A	CLOSET/WARDROBE	•		WOOD/GLASS	2'-10"	7'-0"	1-3/8"	H	WOOD			
6	A	CLOSET	•		WOOD/GLASS	2'-10"	7'-0"	1-3/8"	H	WOOD			
7	A	A/C CLOSET		•	WOOD/GLASS	2'-10"	7'-0"	1-3/8"	H	WOOD			
SL-1	F	SECOND SUITE	---	---	ALUM. GLASS	6'-0"	8'-0"	---	---	---	---	ALUM/SILL	---
SL-2	F	LIVING ROOM	---	---	ALUM. GLASS	9'-0"	8'-0"	---	---	---	---	ALUM/SILL	---
SL-3	F	MASTER SUITE	---	---	ALUM. GLASS	12'-0"	8'-0"	---	---	---	---	ALUM/SILL	---

UNIT GENERAL NOTES

1. FOR WINDOWS & SLIDING GLASS DOORS REFER TO SHEETS A8.08 & A8.10.
2. FOR PARTITION TYPES REFER TO SHEETS A8.01 & A8.02.
3. AT ALL BALCONIES OVER ENCLOSED SPACES PROVIDE WATERPROOFING:

COLOR: STONE GRAY
SEE WALL SECTIONS

4. ALL PENETRATIONS through FIRE RATED WALLS SHALL BE SEALED AS PER DETAILS ON SHEET A8.01, A8.02 & A9.03.

UNIT DOOR NOTES

1. REFER TO NOTES ON SHEET A8.03 & A8.04 FOR ADDITIONAL DOOR AND SECURITY NOTES.
2. ALL UNIT ENTRY DOORS TO HAVE FIRE TREATED EDGES SUCH THAT NO ASTRAGAL IS REQUIRED FOR 20 MIN. FIRERATING.
3. ENTRY DOORS AND LAUNDRY ROOM DOORS TO HAVE 3/4" UNDERCUT. BOTTOM STILE TO BE "OVERSIZED" TO ALLOW FOR UP TO 1-3/4" UNDERCUT.
4. ALL INTERIOR APARTMENT DOORS AND TRIM TO BE PRIMED.
5. ALL SHOWER/TUB DOORS & ENCLOSURES SHALL BE 3/8" TEMPERED GLASS.

UNIT FINISH NOTES

1. REFER TO GENERAL FINISH NOTES SHEET A8.09.
2. ALL DROPPED CEILING AREAS SHALL BE ADJUSTED IN THE FIELD TO BE AS HIGH AS POSSIBLE ONCE ALL PIPING, CONDUIT, A/C DUCTS, ETC. HAVE BEEN INSTALLED. IN NO CASE SHALL ANY CEILING BE LESS THAN 7'-5" ABV. FINISHED SLAB. ALL DROPPED SOFFITS ABV. KITCHEN CAB'S. SHALL BE 8'-6" ABV. FIN. SLAB.
3. SEE GENERAL FINISH NOTES FOR INTERIOR FLAME SPREAD REQUIREMENTS.
4. FOR REINFORCEMENT @ BATHROOM WALLS SEE A8.05.
5. MIRRORS SHALL BE PROVIDED AT ALL BATHROOM VANITIES & SHALL RUN FROM TOP OF BACKSPLASH TO CEILING. ALL MIRRORS SHALL BE SAFTTY GLASS FILM COATED.
6. ALL BATHROOM FLOORS TO BE MARBLE w/ MARBLE BASE. FLOORING TO BE INSTALLED OVER SOUND INSULATION. ONLY MASTER BATH OVER UNIT THAT DO NOT HAVE DROP CEILINGS.



floor plan - unit "d" 1/4"

a/c enclosed	=	1733 sq. ft.
balcony	=	269 sq. ft.

1/4"

AS-BUILT - December 14, 2006

unit "d"

JMA - 2397

BUILDING PERMIT 06.15.2004

A0216e

TRG - Hallandale Beach Limited
1830 S. Ocean Drive
Hallandale Beach, Florida
(954) 455-5759

The Beach Club - Phase II
1830 South Ocean Drive
Hallandale Beach, FL

UNIT "C" FINISH SCHEDULE

ROOM NO.	ROOM NAME	FLOOR	BASE	WALLS FINISH 1	2	3	4	WALLS ASSEMBLY 1	2	3	4	CEILING FINISH	CEILING HEIGHT	REMARKS
C-101	FOYER	CONCRETE	---	GWB	GWB	GWB	GWB					GWB	7'-5"	
C-102	KITCHEN	CONCRETE	---	GWB	GWB	GWB	GWB					GWB/WDSF	7'-6"/8'-8"	
C-103	DINING	CONCRETE	---	GWB	GWB	---	GWB					WDSF	8'-8"	
C-104	LIVING	CONCRETE	---	---	GWB	GWB	GWB					WDSF	8'-8"	
C-105	MASTER BEDROOM	CONCRETE	---	GWB	GWB	GWB	GWB					WDSF	8'-8"	
C-106	MASTER BATH	MARBLE	MARBLE	GWB	GWB	GWB	GWB					GWB	7'-5"	MARBLE @ SHOWER WALL TO CEILING
C-107	WARDROBE	CONCRETE	---	GWB	GWB	GWB	GWB					GWB	7'-5"	
C-108	LAUNDRY	CONCRETE	---	GWB	GWB	GWB	GWB					GWB	7'-5"	
C-109	SECOND SUITE	CONCRETE	---	GWB	GWB	GWB	GWB					WDSF	8'-8"	
C-110	WARDROBE	CONCRETE	---	GWB	GWB	GWB	GWB					GWB	7'-5"	
C-111	BATH	MARBLE	MARBLE	GWB	GWB	GWB	GWB					GWB	7'-5"	MARBLE @ SHOWER WALL TO CEILING
C-112	BATH	MARBLE	MARBLE	GWB	GWB	GWB	GWB					GWB	7'-5"	MARBLE @ SHOWER WALL TO CEILING
C-113	MEDIA	CONCRETE	---	GWB	GWB	GWB	GWB					WDSF	8'-8"	
C-114	CLOSET	CONCRETE	---	GWB	GWB	GWB	GWB					GWB	7'-5"	
C-115	A/C	CONCRETE	---	GWB	GWB	GWB	GWB					GWB	8'-8"	
C-116	TERRACE	CONCRETE	---	STUCCO	---	---	STUCCO					CONCRETE	8'-8"	

UNIT "C" DOOR SCHEDULE

DOOR NO.	TYPE	ROOM NAME	HC	SC	DOOR MTL.	WIDTH	HEIGHT	THICK	FRAME DETAIL	FRAME MTL.	LABEL	THRESH	REMARKS
1	B	FOYER		•	MASONITE	3'-0"	7'-0"	1-3/4"	C	METAL	C (20 MIN.)	ALUM.	SCH
2	A	MASTER SUITE/SECOND SUITE		•	WOOD	2'-10"	7'-0"	1-3/8"	H	WOOD			
3	A	MASTER BATH, BATH 2, BATH 3		•	MASONITE	2'-10"	7'-0"	1-3/8"	H	WOOD			
5	A	CLOSET/WARDROBE	•		MASONITE	2'-10"	7'-0"	1-3/8"	H	WOOD			
7	A	A/C CLOSET		•	MASONITE	2'-10"	7'-0"	1-3/8"	H	WOOD			
9	A	LAUNDRY	•		MASONITE	2'-6"	7'-0"	1-3/8"	---	WOOD	---	---	
10	C	CLOSET	•		MASONITE	2 (2'-0")	7'-0"	1-3/8"	---	WOOD	---	---	BI-PASS
SL-1	F	SECOND SUITE	---	---	ALUM. GLASS	5'-0"	8'-8"	---	---	---	---	ALUMINUM	---
SL-2	F	LIVING ROOM	---	---	ALUM. GLASS	9'-6"	8'-8"	---	---	---	---	ALUMINUM	---
SL-3	F	MASTER SUITE	---	---	ALUM. GLASS	12'-6"	9'-8"	---	---	---	---	ALUMINUM	---

UNIT GENERAL NOTES

1. FOR WINDOWS & SLIDING GLASS DOORS REFER TO SHEETS A8.08 & A8.10.
2. FOR PARTITION TYPES REFER TO SHEETS A8.01 & A8.02.
3. AT ALL BALCONIES OVER ENCLOSED SPACES PROVIDE WATERPROOFING.

COLOR: STONE GRAY
SEE WALL SECTIONS

4. ALL PENETRATIONS through FIRE RATED WALLS SHALL BE SEALED AS PER DETAILS ON SHEET A9.01, A9.02 & A9.03

UNIT DOOR NOTES

1. REFER TO NOTES ON SHEET A8.03 & A8.04 FOR ADDITIONAL DOOR AND SECURITY NOTES.
2. ALL UNIT ENTRY DOORS TO have FIRE TREATED EDGES SUCH THAT NO ASTRAGAL IS REQUIRED FOR 20 MIN. FIRERATING.
3. ENTRY DOORS AND LAUNDRY ROOM DOORS TO HAVE 3/4" UNDERCUT. BOTTOM STILE TO BE "OVERSIZED" TO ALLOW FOR UP TO 1-3/4" UNDERCUT
4. ALL INTERIOR APARTMENT DOORS AND TRIM TO BE PRIMED.
5. ALL SHOWER/TUB DOORS & ENCLOSURES SHALL BE 1/8" TEMPERED GLASS.

UNIT FINISH NOTES

1. REFER TO GENERAL FINISH NOTES SHEET A8.09.
2. ALL DROPPED CEILING AREAS SHALL BE ADJUSTED IN THE FIELD TO BE AS HIGH AS POSSIBLE ONCE ALL PIPING, CONDUIT, A/C DUCTS, ETC. HAVE BEEN INSTALLED. IN NO CASE SHALL ANY CEILING BE LESS THAN 7'-5" ABV. FINISHED SLAB. ALL DROPPED SOFFITS ABV. KITCHEN CAB'S. SHALL BE 8'-0" ABV. FIN. SLAB.
3. SEE GENERAL FINISH NOTES FOR INTERIOR FLAME SPREAD REQUIREMENTS.
4. FOR REINFORCEMENT @ BATHROOM WALLS SEE A8.05.
5. MIRRORS SHALL BE PROVIDED AT ALL BATHROOM VANITIES & SHALL RUN FROM TOP OF BACKSPLASH TO CEILING. ALL MIRRORS SHALL BE SAFETY GLASS FILM COATED
6. ALL BATHROOM FLOORS TO BE MARBLE w/ MARBLE BASE. FLOORING TO BE INSTALLED OVER SOUND INSULATION. ONLY MASTER BATH OVER UNIT THAT DO NOT HAVE DROP CEILINGS.



floor plan - unit "c"

a/c enclosed = 1675 sq. ft.
balcony = 294 sq. ft.

1/4"

AS-BUILT - December 14, 2006

unit "c"

BUILDING PERMIT 06.15.2004

The Sieger Suarez Architectural Partnership
5996 Southwest 70th Street, South Miami, Florida 33143 305/274-2702

A3.24

TRG - Hallandale Beach Limited
1830 S. Ocean Drive
Hallandale Beach, Florida
(954) 455-5759

The Beach Club - Phase II
1830 South Ocean Drive
Hallandale Beach, FL

UNIT "B MOD REV" FINISH SCHEDULE

ROOM NO.	ROOM NAME	FLOOR	BASE	WALLS FINISH 1	2	3	4	WALLS ASSEMBLY 1	2	3	4	CEILING FINISH	CEILING HEIGHT	REMARKS
BMR-101	FOYER	CONCRETE	---	CMU	CMU	CMU	CMU					CMU	7'-5"	
BMR-102	KITCHEN	CONCRETE	---	CMU	CMU	CMU	CMU					CMU/WOOD	7'-6"/8'-0"	
BMR-103	DINING	CONCRETE	---	LMU	CMU	---	CMU					WOOD	8'-0"	
BMR-104	LIVING	CONCRETE	---	---	CMU	CMU	CMU					WOOD	8'-0"	
BMR-105	MASTER BEDROOM	CONCRETE	---	CMU	CMU	CMU	CMU					WOOD	8'-0"	
BMR-106	WARDROBE	CONCRETE	---	CMU	CMU	CMU	CMU					CMU	7'-6"	
BMR-107	WARDROBE	CONCRETE	---	CMU	CMU	CMU	CMU					CMU	7'-5"	
BMR-108	MASTER BATH	MARBLE	MARBLE	CMU	CMU	CMU	CMU					CMU	7'-5"	MARBLE @ SHOWER WALL TO CEILING
BMR-109	BATH	MARBLE	MARBLE	CMU	CMU	CMU	CMU					CMU	7'-5"	MARBLE @ SHOWER WALL TO CEILING
BMR-110	MEDIA	CONCRETE	---	CMU	CMU	CMU	CMU					WOOD	8'-0"	
BMR-111	CLOSET	CONCRETE	---	CMU	CMU	CMU	CMU					CMU	7'-5"	
BMR-112	LAUNDRY	CONCRETE	---	CMU	CMU	CMU	CMU					CMU	7'-5"	
BMR-113	A/C	CONCRETE	---	CMU	CMU	CMU	CMU					CMU	8'-0"	
BMR-114	BATH	MARBLE	MARBLE	CMU	CMU	CMU	CMU					CMU	7'-5"	MARBLE @ SHOWER WALL TO CEILING
BMR-115	WARDROBE	CONCRETE	---	CMU	CMU	CMU	CMU					CMU	7'-5"	
BMR-116	SECOND SUITE	CONCRETE	---	CMU	CMU	CMU	CMU					WOOD	8'-0"	
BMR-117	TERRACE	CONCRETE	---	STUCCO	---	---	STUCCO					CONCRETE	8'-0"	
BMR-118	TERRACE	CONCRETE	---	STUCCO	---	---	---					CONCRETE	8'-0"	

UNIT "B MOD REV" DOOR SCHEDULE

DOOR NO.	TYPE	ROOM NAME	HC	SC	DOOR MTL.	WIDTH	HEIGHT	THICK.	FRAME DETAIL	FRAME MTL.	LABEL	THRESH	REMARKS
1	B	FOYER		●	WD/GL	3'-0"	7'-0"	1-3/4"	G	METAL	45 MIN	ALUM	SCH
2	A	MASTER SUITE,SECOND SUITE		●	WOOD	2'-10"	7'-0"	1-3/8"	H	WOOD			
3	A	MASTER BATH, BATH 1, BATH 3		●	WD/GL	2'-10"	7'-0"	1-3/8"	H	WOOD			
4	A	LAUNDRY		●	WD/GL	2'-10"	7'-0"	1-3/8"	H	WOOD			SCH
5	A	CLOSET,WARDROBE	●		WD/GL	2'-10"	7'-0"	1-3/8"	H	WOOD			
6	A	CLOSET	●		WD/GL	2'-10"	7'-0"	1-3/8"	H	WOOD			
7	A	A/C CLOSET		●	WD/GL	2'-10"	7'-0"	1-3/8"	H	WOOD			
SL-1	F	SECOND SUITE	---	---	ALUM. GLASS	5'-0"	8'-0"	---	---	---	---	ALUMINUM	---
SL-2	F	LIVING ROOM	---	---	ALUM. GLASS	9'-0"	8'-0"	---	---	---	---	ALUMINUM	---
SL-3	F	MASTER SUITE	---	---	ALUM. GLASS	12'-0"	8'-0"	---	---	---	---	ALUMINUM	---

UNIT GENERAL NOTES

1. FOR WINDOWS & SLIDING GLASS DOORS REFER TO SHEETS A8.08 & A8.10
2. FOR PARTITION TYPES REFER TO SHEETS A8.01 & A8.02
3. AT ALL BALCONIES OVER ENCLOSED SPACES PROVIDE WATERPROOFING

COLOR: STONE GRAY
SEE WALL SECTIONS

4. ALL PENETRATIONS through FIRE RATED WALLS SHALL BE SEALED AS PER DETAILS ON SHEET A9.01, A9.02 & A9.03.

UNIT DOOR NOTES

1. REFER TO NOTES ON SHEET A8.03 & A8.04 FOR ADDITIONAL DOOR AND SECURITY NOTES.
2. ALL UNIT ENTRY DOORS TO HAVE FIRE TREATED EDGES SUCH THAT NO ASTRAGAL IS REQUIRED FOR 20 MIN. FIRERATING.
3. ENTRY DOORS AND LAUNDRY ROOM DOORS TO HAVE 3/4" UNDERCUT, BOTTOM STILE TO BE "OVERSIZED" TO ALLOW FOR UP TO 1-3/4" UNDERCUT.
4. ALL INTERIOR APARTMENT DOORS AND TRIM TO BE PRIMED
5. ALL SHOWER/TUB DOORS & ENCLOSURES SHALL BE 3/8" TEMPERED GLASS

UNIT FINISH NOTES

1. REFER TO GENERAL FINISH NOTES SHEET A8.09.
2. ALL DROPPED CEILING AREAS SHALL BE ADJUSTED IN THE FIELD TO BE AS HIGH AS POSSIBLE ONCE ALL PIPING, CONDUIT, A/C DUCTS, ETC. HAVE BEEN INSTALLED IN NO CASE SHALL ANY CEILING BE LESS THAN 7'-5" ABV. FINISHED SLAB. ALL DROPPED SOFFITS ABV. KITCHEN CAB'S. SHALL BE 8'-0" ABV. FIN. SLAB.
3. SEE GENERAL FINISH NOTES FOR INTERIOR FLAME SPREAD REQUIREMENTS.
4. FOR REINFORCEMENT @ BATHROOM WALLS SEE A8.05.
5. MIRRORS SHALL BE PROVIDED AT ALL BATHROOM VANITIES & SHALL RUN FROM TOP OF BACKSPLASH TO CEILING ALL MIRRORS SHALL BE SAFETY GLASS FILM COATED
6. ALL BATHROOM FLOORS TO BE MARBLE w/ MARBLE BASE. FLOORING TO BE INSTALLED OVER SOUND INSULATION ONLY MASTER BATH OVER UNIT THAT DO NOT HAVE DROP CEILINGS.



floor plan - unit "b-mod-rev" 1/4"

a/c enclosed = 2115 sq. ft.
balcony = 586 sq. ft.

1/4"

AS-BUILT - December 14, 2006
Unit "b-mod-rev"

JMA - 2397
Revised by Bard C
DEC 27 2006

BUILDING PERMIT 06.15.2006
A9218a

The Sieger Suarez Architectural Partnership
5966 Southwest 70th Street, South Miami, Florida 33143, 305/274-2702

A3.23

UNIT "B MOD" FINISH SCHEDULE

ROOM NO.	ROOM NAME	FLOOR	BASE	WALLS FINISH 1	2	3	4	WALLS ASSEMBLY 1	2	3	4	CEILING FINISH	CEILING HEIGHT	REMARKS
B#-101	FOYER	CONCRETE	---	DW	DW	DW	DW					DW	7'-1"	
B#-102	KITCHEN	CONCRETE	---	DW	DW	DW	DW					DW/WDF	7'-9"/9'-8"	
B#-103	DINING	CONCRETE	---	DW	DW	---	DW					WDF	8'-8"	
B#-104	LIVING	CONCRETE	---	---	DW	DW	DW					WDF	8'-8"	
B#-105	MASTER BEDROOM	CONCRETE	---	DW	DW	DW	DW					WDF	8'-8"	
B#-106	WARDROBE	CONCRETE	---	DW	DW	DW	DW					DW	7'-5"	
B#-107	WARDROBE	CONCRETE	---	DW	DW	DW	DW					DW	7'-1"	
B#-108	MASTER BATH	MARBLE	MARBLE	DW	DW	DW	DW					DW	7'-1"	MARBLE @ SHOWER WALL TO CEILING
B#-109	A/C	CONCRETE	---	DW	DW	DW	DW					DW	8'-8"	
B#-110	LAUNDRY	CONCRETE	---	DW	DW	DW	DW					DW	7'-1"	
B#-111	CLOSET	CONCRETE	---	DW	DW	DW	DW					DW	7'-5"	
B#-112	BATH	MARBLE	MARBLE	DW	DW	DW	DW					DW	7'-5"	MARBLE @ SHOWER WALL TO CEILING
B#-113	WARDROBE	CONCRETE	---	DW	DW	DW	DW					DW	7'-5"	
B#-114	SECOND SUITE	CONCRETE	---	DW	DW	DW	DW					WDF	8'-8"	
B#-115	TERRACE	CONCRETE	---	STUCCO	---	---	STUCCO					CONCRETE	8'-8"	
B#-116	TERRACE	CONCRETE	---	STUCCO	---	---	---					CONCRETE	8'-8"	

UNIT "B MOD" DOOR SCHEDULE

DOOR NO.	TYPE	ROOM NAME	HC	SC	DOOR MTL.	WIDTH	HEIGHT	THICK	FRAME DETAIL	FRAME MTL.	LABEL	THRESH	REMARKS
1	B	FOYER		•	WOOD/GLASS	3'-0"	7'-0"	1-3/4"	G	METAL	1 (20 MIN.)	ALUM	SCH
2	A	MASTER SUITE_SECOND SUITE		•	WOOD	2'-10"	7'-0"	1-3/8"	H	WOOD			
3	A	MASTER BATH, BATH 2, BATH 3		•	WOOD/GLASS	2'-10"	7'-0"	1-3/8"	H	WOOD			
4	A	LAUNDRY		•	WOOD/GLASS	2'-10"	7'-0"	1-3/8"	H	WOOD			SCH
5	A	CLOSET/WARDROBE	•		WOOD/GLASS	2'-10"	7'-0"	1-3/8"	H	WOOD			
6	A	CLOSET	•		WOOD/GLASS	2'-10"	7'-0"	1-3/8"	H	WOOD			
7	A	A/C CLOSET		•	WOOD/GLASS	2'-10"	7'-0"	1-3/8"	H	WOOD			
SL-1	F	SECOND SUITE	---	---	ALUM. GLASS	6'-0"	8'-0"	---	---	---	---	ALUMINUM	---
SL-2	F	LIVING ROOM	---	---	ALUM. GLASS	9'-0"	8'-0"	---	---	---	---	ALUMINUM	---
SL-3	F	MASTER SUITE	---	---	ALUM. GLASS	12'-0"	8'-0"	---	---	---	---	ALUMINUM	---

UNIT GENERAL NOTES

1. FOR WINDOWS & SLIDING GLASS DOORS REFER TO SHEETS A8.08 & A8.10.
2. FOR PARTITION TYPES REFER TO SHEETS A8.01 & A8.02.
3. AT ALL BALCONIES OVER ENCLOSED SPACES PROVIDE WATERPROOFING:

COLOR: STONE GRAY
SEE WALL SECTIONS

4. ALL PENETRATIONS through FIRE RATED WALLS SHALL BE SEALED AS PER DETAILS ON SHEET A9.01, A9.02 & A9.03.

UNIT DOOR NOTES

1. REFER TO NOTES ON SHEET A8.03 & A8.04 FOR ADDITIONAL DOOR AND SECURITY NOTES.
2. ALL UNIT ENTRY DOORS TO HAVE FIRE TREATED EDGES SUCH THAT NO ASBRADAL IS REQUIRED FOR 20 MIN. FIRERATING.
3. ENTRY DOORS AND LAUNDRY ROOM DOORS TO HAVE 3/4" UNDERCUT. BOTTOM STILE TO BE "OVERSIZED" TO ALLOW FOR UP TO 1-3/4" UNDERCUT.
4. ALL INTERIOR APARTMENT DOORS AND TRIM TO BE PRIMED.
5. ALL SHOWER/TUB DOORS & ENCLOSURES SHALL BE 3/8" TEMPERED GLASS.

UNIT FINISH NOTES

1. REFER TO GENERAL FINISH NOTES SHEET A8.03.
2. ALL DROPPED CEILING AREAS SHALL BE ADJUSTED IN THE FIELD TO BE AS HIGH AS POSSIBLE ONCE ALL PIPING, CONDUIT, A/C DUCTS, ETC. HAVE BEEN INSTALLED. IN NO CASE SHALL ANY CEILING BE LESS THAN 7'-5" AFF. FINISHED SLAB. ALL DROPPED SOFFITS AFF, KITCHEN CABS. SHALL BE 8'-0" AFF. TYP. SLAB.
3. SEE GENERAL FINISH NOTES FOR INTERIOR FLAME SPREAD REQUIREMENTS.
4. FOR REINFORCEMENT @ BATHROOM WALLS SEE A8.05.
5. MIRRORS SHALL BE PROVIDED AT ALL BATHROOM VANITIES & SHALL RUN FROM TOP OF BACKSPLASH TO CEILING. ALL MIRRORS SHALL BE SAFETY GLASS FILM COATED.
6. ALL BATHROOM FLOORS TO BE MARBLE w/ MARBLE BASE. FLOORING TO BE INSTALLED OVER SOUND INSULATION. ONLY MASTER BATH OVER UNIT THAT DO NOT HAVE DROP CEILINGS.



floor plan - unit "b-mod" 1/4"

a/c enclosed = 1917 sq. ft.
balcony = 586 sq. ft.

1/4"

AS-BUILT - December 14, 2006

unit "b-mod"

BUILDING PERMIT 06.15.2004

TRG - Hallandale Beach Limited
1830 S. Ocean Drive
Hallandale Beach, Florida
(954) 455-5759

The Beach Club - Phase II
1830 South Ocean Drive
Hallandale Beach, FL.

UNIT "B-REV" FINISH SCHEDULE

ROOM NO.	ROOM NAME	FLOOR	BASE	WALLS FINISH 1	2	3	4	ASSEMBLY 1	2	3	4	CEILING FINISH	HEIGHT	REMARKS
BR-101	FOYER	CONCRETE	---	DWG	DWG	DWG	DWG					EXP	7'-3"	
BR-102	KITCHEN	CONCRETE	---	DWG	DWG	DWG	DWG					DWG/WDF	7'-6"/8'-8"	
BR-103	DINING	CONCRETE	---	DWG	DWG	---	DWG					WDF	8'-8"	
BR-104	LIVING	CONCRETE	---	---	DWG	DWG	DWG					WDF	8'-8"	
BR-105	MASTER BEDROOM	CONCRETE	---	DWG	DWG	DWG	DWG					WDF	8'-8"	
BR-106	WARDROBE	CONCRETE	---	DWG	DWG	DWG	DWG					DWG	7'-5"	
BR-107	WARDROBE	CONCRETE	---	DWG	DWG	DWG	DWG					DWG	7'-5"	
BR-108	MASTER BATH	MARBLE	MARBLE	DWG	DWG	DWG	DWG					DWG	7'-5"	MARBLE @ SHOWER WALL TO CEILING
BR-109	BATH	MARBLE	MARBLE	DWG	DWG	DWG	DWG					DWG	7'-5"	MARBLE @ SHOWER WALL TO CEILING
BR-110	MEDIA	CONCRETE	---	DWG	DWG	DWG	DWG					WDF	8'-8"	
BR-111	CLOSET	CONCRETE	---	DWG	DWG	DWG	DWG					DWG	7'-5"	
BR-112	LAUNDRY	CONCRETE	---	DWG	DWG	DWG	DWG					DWG	7'-5"	
BR-113	A/C	CONCRETE	---	DWG	DWG	DWG	DWG					DWG	8'-8"	
BR-114	CLOSET	CONCRETE	---	DWG	DWG	DWG	DWG					DWG	7'-5"	
BR-115	BATH	MARBLE	MARBLE	DWG	DWG	DWG	DWG					DWG	7'-5"	MARBLE @ SHOWER WALL TO CEILING
BR-116	WARDROBE	CONCRETE	---	DWG	DWG	DWG	DWG					DWG	7'-5"	
BR-117	SECOND SUITE	CONCRETE	---	DWG	DWG	DWG	DWG					DWG	7'-5"	
BR-118	CLOSET	CONCRETE	---	DWG	DWG	DWG	DWG					WDF	7'-5"	
BR-119	TERRACE	CONCRETE	---	STUCCO	---	---	STUCCO					CONCRETE	8'-8"	
BR-120	TERRACE	CONCRETE	---	STUCCO	---	---	---					CONCRETE	8'-8"	

UNIT "B-REV" DOOR SCHEDULE

DOOR NO.	TYPE	ROOM NAME	HC	SC	DOOR MTL.	WIDTH	HEIGHT	THICK	FRAME DETAIL	FRAME MTL.	LABEL	THRESH	REMARKS
1	B	FOYER		•	WOOD/METAL	3'-0"	7'-0"	1-3/4"	G	METAL	C (20 MIN.)	ALUM	SCH
2	A	MASTER SUITE,SECOND SUITE		•	WOOD	2'-10"	7'-0"	1-3/8"	H	WOOD			
3	A	MASTER BATH, BATH 2, BATH 3		•	WOOD/METAL	2'-10"	7'-0"	1-3/8"	H	WOOD			
4	A	LAUNDRY		•	WOOD/METAL	2'-10"	7'-0"	1-3/8"	H	WOOD			SCH
5	A	CLOSET,WARDROBE	•		WOOD/METAL	2'-10"	7'-0"	1-3/8"	H	WOOD			
6	A	CLOSET	•		WOOD/METAL	2'-10"	7'-0"	1-3/8"	H	WOOD			
7	A	A/C CLOSET		•	WOOD/METAL	2'-10"	7'-0"	1-3/8"	H	WOOD			
SL-1	F	SECOND SUITE	---	---	ALUM. GLASS	6'-0"	8'-8"	---	---	---	---	ALUMINUM	---
SL-2	F	LIVING ROOM	---	---	ALUM. GLASS	9'-0"	8'-8"	---	---	---	---	ALUMINUM	---
SL-3	F	MASTER SUITE	---	---	ALUM. GLASS	12'-0"	8'-8"	---	---	---	---	ALUMINUM	---

UNIT GENERAL NOTES

1. FOR WINDOWS & SLIDING GLASS DOORS REFER TO SHEETS A8.06 & A8.10
2. FOR PARTITION TYPES REFER TO SHEETS A8.01 & A8.02.
3. AT ALL BALCONIES OVER ENCLOSED SPACES PROVIDE WATERPROOFING.

COLOR: STONE GRAY
SEE WALL SECTIONS

4. ALL PENETRATIONS through FIRE RATED WALLS SHALL BE SEALED AS PER DETAILS ON SHEET A8.01, A8.02 & A8.03.

UNIT DOOR NOTES

1. REFER TO NOTES ON SHEET A8.03 & A8.04 FOR ADDITIONAL DOOR AND SECURITY NOTES.
2. ALL UNIT ENTRY DOORS TO HAVE FIRE TREATED EDGES SUCH THAT NO ASTRAGAL IS REQUIRED FOR 20 MIN. RATING.
3. ENTRY DOORS AND LAUNDRY ROOM DOORS TO HAVE 3/4" UNDERCUT (BOTTOM STILE TO BE "OVERSIZED" TO ALLOW FOR UP TO 1-3/4" UNDERCUT.
4. ALL INTERIOR APARTMENT DOORS AND TRIM TO BE PRIMED.
5. ALL SHOWER/TUB DOORS & ENCLOSURES SHALL BE 3/8" TEMPERED GLASS.

UNIT FINISH NOTES

1. REFER TO GENERAL FINISH NOTES SHEET A8.09.
2. ALL DROPPED CEILING AREAS SHALL BE ADJUSTED IN THE FIELD TO BE AS HIGH AS POSSIBLE ONCE ALL PIPING, CONDUIT, A/C DUCTS, ETC HAVE BEEN INSTALLED IN NO CASE SHALL ANY CEILING BE LESS THAN 7'-3" ABV. FINISHED SLAB. ALL DROPPED SOFFITS ABV. KITCHEN CABTS. SHALL BE 8'-0" ABV. FIN. SLAB.
3. SEE GENERAL FINISH NOTES FOR INTERIOR FLAME SPREAD REQUIREMENTS.
4. FOR REINFORCEMENT @ BATHROOM WALLS SEE A8.05.
5. MIRRORS SHALL BE PROVIDED AT ALL BATHROOM VANITIES & SHALL RUN FROM TOP OF BACKSPLASH TO CEILING. ALL MIRRORS SHALL BE SAFETY GLASS FILM COATED.
6. ALL BATHROOM FLOORS TO BE MARBLE w/ MARBLE BASE. FLOORING TO BE INSTALLED OVER SOUND INSULATION ONLY MASTER BATH OVER UNIT THAT DO NOT HAVE DROP CEILINGS.



floor plan - unit "b-rev" 1/4"

a/c enclosed	=	2094 sq. ft
balcony	=	586 sq. ft.

1/4"

AS-BUILT - December 14, 2006

unit "b-rev"

BUILDING PERMIT 06.15.2006

The Sieger Suarez Architectural Partnership
5996 Southwest 70th Street South Miami, Florida. 33143. 305/274-2787.

A3.21

TRG - Hallandale Beach Limited
1830 S. Ocean Drive
Hallandale Beach, Florida
(954) 455-5750

The Beach Club - Phase II
1830 South Ocean Drive
Hallandale Beach, FL.

UNIT "B" FINISH SCHEDULE

ROOM NO.	ROOM NAME	FLOOR	BASE	WALLS FINISH 1	2	3	4	ASSEMBLY 1	2	3	4	CEILING FINISH	HEIGHT	REMARKS
B-101	FOYER	CONCRETE	---	GWB	GWB	GWB	GWB					GWB	7'-3"	
B-102	KITCHEN	CONCRETE	---	GWB	GWB	GWB	GWB					GWB/WDSP	7'-6"/8'-8"	
B-103	DINING	CONCRETE	---	GWB	GWB	---	GWB					WDSP	8'-8"	
B-104	LIVING	CONCRETE	---	---	GWB	GWB	GWB					WDSP	8'-8"	
B-105	MASTER BEDROOM	CONCRETE	---	GWB	GWB	GWB	GWB					WDSP	8'-8"	
B-106	WARDROBE	CONCRETE	---	GWB	GWB	GWB	GWB					GWB	7'-5"	
B-107	WARDROBE	CONCRETE	---	GWB	GWB	GWB	GWB					GWB	7'-5"	
B-108	MASTER BATH	MARBLE	MARBLE	GWB	GWB	GWB	GWB					GWB	7'-5"	MARBLE @ SHOWER WALL TO CEILING
B-109	BATH	MARBLE	MARBLE	GWB	GWB	GWB	GWB					GWB	7'-5"	MARBLE @ SHOWER WALL TO CEILING
B-110	MEDIA	CONCRETE	---	GWB	GWB	GWB	GWB					WDSP	8'-8"	
B-111	CLOSET	CONCRETE	---	GWB	GWB	GWB	GWB					GWB	7'-5"	
B-112	LAUNDRY	CONCRETE	---	GWB	GWB	GWB	GWB					GWB	7'-5"	
B-113	A/C	CONCRETE	---	GWB	GWB	GWB	GWB					GWB	8'-8"	
B-114	CLOSET	CONCRETE	---	GWB	GWB	GWB	GWB					GWB	7'-5"	
B-115	BATH	MARBLE	MARBLE	GWB	GWB	GWB	GWB					GWB	7'-5"	MARBLE @ SHOWER WALL TO CEILING
B-116	WARDROBE	CONCRETE	---	GWB	GWB	GWB	GWB					GWB	7'-5"	
B-117	SECOND SUITE	CONCRETE	---	GWB	GWB	GWB	GWB					WDSP	8'-8"	
B-118	TERRACE	CONCRETE	---	STUCCO	---	---	STUCCO					CONCRETE	8'-8"	
B-119	TERRACE	CONCRETE	---	STUCCO	---	---	---					CONCRETE	8'-8"	

UNIT "B" DOOR SCHEDULE

DOOR NO.	TYPE	ROOM NAME	HC	SC	DOOR MTL.	WIDTH	HEIGHT	THICK	FRAME DETAIL	FRAME MTL.	LABEL	THREEH	REMARKS
1	B	FOYER		●	MASONITE	3'-0"	7'-0"	1-3/4"	D	METAL	C (20 min.)	ALUM	SCH
2	A	MASTER SUITE,SECOND SUITE		●	WOOD	2'-10"	7'-0"	1-3/8"	H	WOOD			
3	A	MASTER BATH, BATH 2, BATH 3		●	MASONITE	2'-10"	7'-0"	1-3/8"	H	WOOD			
4	A	LAUNDRY		●	MASONITE	2'-10"	7'-0"	1-3/8"	H	WOOD			SCH
5	A	CLOSET,WARDROBE	●		MASONITE	2'-10"	7'-0"	1-3/8"	H	WOOD			
6	A	CLOSET	●		MASONITE	2'-10"	7'-0"	1-3/8"	H	WOOD			
7	A	A/C CLOSET		●	MASONITE	2'-10"	7'-0"	1-3/8"	H	WOOD			
SL-1	F	SECOND SUITE	---	---	ALUM. GLASS	9'-8"	8'-8"	---	---	---	---	ALUMINUM	---
SL-2	F	LIVING ROOM	---	---	ALUM. GLASS	9'-8"	8'-8"	---	---	---	---	ALUMINUM	---
SL-3	F	MASTER SUITE	---	---	ALUM. GLASS	12'-0"	8'-8"	---	---	---	---	ALUMINUM	---

UNIT GENERAL NOTES

1. FOR WINDOWS & SLIDING GLASS DOORS REFER TO SHEETS A8.08 & A8.10.
2. FOR PARTITION TYPES REFER TO SHEETS A8.01 & A8.02.
3. AT ALL BALCONIES OVER ENCLOSED SPACES PROVIDE WATERPROOFING.

COLOR: STONE GRAY
SEE WALL SECTIONS

4. ALL PENETRATIONS through FIRE RATED WALLS SHALL BE SEALED AS PER DETAILS ON SHEET A9.01, A9.02 & A9.03.

UNIT DOOR NOTES

1. REFER TO NOTES ON SHEET A8.03 & A8.04 FOR ADDITIONAL DOOR AND SECURITY NOTES.
2. ALL UNIT ENTRY DOORS TO HAVE FIRE TREATED EDGES SUCH THAT NO ASSEMBLY IS REQUIRED FOR 20 MIN. FIRERATING.
3. ENTRY DOORS AND LAUNDRY ROOM DOORS TO HAVE 3/4" UNDERCUT. BOTTOM STILE TO BE "OVERSIZED" TO ALLOW FOR UP TO 1-3/4" UNDERCUT.
4. ALL INTERIOR APARTMENT DOORS AND TRIM TO BE PRIMED.
5. ALL SHOWER/TUB DOORS & ENCLOSURES SHALL BE 3/8" TEMPERED GLASS.

UNIT FINISH NOTES

1. REFER TO GENERAL FINISH NOTES SHEET A8.09.
2. ALL DROPPED CEILING AREAS SHALL BE ADJUSTED IN THE FIELD TO BE AS HIGH AS POSSIBLE ONCE ALL PIPING, CONDUIT, A/C DUCTS, ETC. HAVE BEEN INSTALLED IN NO CASE SHALL ANY CEILING BE LESS THAN 7'-5" ABV. FINISHED SLAB. ALL DROPPED SOFFITS ABV. KITCHEN CAB'S. SHALL BE 8'-0" ABV. FIN. SLAB.
3. SEE GENERAL FINISH NOTES FOR INTERIOR FLAME SPREAD REQUIREMENTS.
4. FOR REINFORCEMENT @ BATHROOM WALLS SEE A8.05.
5. MIRRORS SHALL BE PROVIDED AT ALL BATHROOM VANITIES & SHALL RUN FROM TOP OF BACKSPLASH TO CEILING. ALL MIRRORS SHALL BE SAFETY GLASS FILM COATED.
6. ALL BATHROOM FLOORS TO BE MARBLE w/ MARBLE BASE. FLOORING TO BE INSTALLED OVER SOUND INSULATION. ONLY MASTER BATH OVER UNIT THAT DO NOT HAVE DROP CEILINGS.



1/4"

AS-BUILT - December 14, 2006

unit "b"

floor plan - unit "b"

a/c enclosed = 2065 sq. ft.
balcony = 586 sq. ft.

UMA - 2327
Final Record As Built
DEC 22 2006

BUILDING PERMIT 06.15.2004
A02166

The Sieger Suarez Architectural Partnership
5996 Southwest 70th Street, South Miami, Florida. 33143. 305/274-2702.

A3.20

TRG - Hallandale Beach Limited
1830 S. Ocean Drive
Hallandale Beach, Florida
(954) 455-5759

The Beach Club - Phase II
1830 South Ocean Drive
Hallandale Beach, FL.



level 08 - mechanical 1/4"

AS-BUILT - December 14, 2006

level 08 - mechanical 1/4"

JMA - 2397
APPROVED BY
DEC 27 2006

BUILDING PERMIT 06.15.2004
A02156

The Sieger Suarez Architectural Partnership
5975 Southwest 70th Street, South Miami, Florida, 33143, 305/274-2702.

A3.19

TRG - Hallandale Beach Limited
1830 S. Ocean Drive
Hallandale Beach, Florida
(954) 455-5758

The Beach Club - Phase II
1830 South Ocean Drive
Hallandale Beach, FL



level 07 - pool bar 1/4"

AS-BUILT - December 14, 2006

level 07 - pool bar

1/4"

JMA - 2397

BUILDING PERMIT 06.15.2004

A0216a

The Sieger Suarez Architectural Partnership
7496 Southwest 70th Street South Miami, Florida 33143 305/274-2702

A3.18a

TRG - Hallandale Beach Limited
1830 S. Ocean Drive
Hallandale Beach, Florida
(954) 455-5758

The Beach Club - Phase II
1830 South Ocean Drive
Hallandale Beach, FL



level 07 1/4"

AS-BUILT - December 14, 2006

1/4"

Level 07

BUILDING PERMIT 06.15.2006

A0216a

The Sieger Suarez Architectural Partnership
5996 Southwest 70th Street, South Miami, Florida. 33143. 305/274-2702.

A3.18

TRG - Hallandale Beach Limited
1830 S. Ocean Drive
Hallandale Beach, Florida
(954) 455-5753

The Beach Club - Phase II
1830 South Ocean Drive
Hallandale Beach, FL.



level 06 - common area 1/4"

AS-BUILT - December 14, 2006

level 06 - common area 1/4"

BUILDING PERMIT 06.15.2004

A02156

The Sieger Suarez Architectural Partnership
5996 Southwest 70th Street, South Miami, Florida, 33143, 305/274-2702

A3.17

TRG - Hallandale Beach Limited
1830 S. Ocean Drive
Hallandale Beach, Florida
(954) 455-5758

The Beach Club - Phase II
1830 South Ocean Drive
Hallandale Beach, FL



level 06 - common area / fitness loft

1/4"

AS-BUILT - December 14, 2006

level 06 - common area / fitness loft

1/4"

BMA - 2307
APPROVED BY
DEC 27 2006

BUILDING PERMIT 06.15.2004

A0216a

The Sieger Suarez Architectural Partnership
5996 Southwest 70th Street, South Miami, Florida, 33143 305/274-2702

A3.17a

TRG - Hallandale Beach Limited
1830 S. Ocean Drive
Hallandale Beach, Florida
(954) 455-5759

The Beach Club - Phase II
1830 South Ocean Drive
Hallandale Beach, FL.



level 04 - spa (partial floor plan) 1/4"

AS-BUILT - December 14, 2006

level 04 - spa (partial floor plan) 1/4"

JMA - 2307
Final Record As Built
DEC 21 2006

BUILDING PERMIT 06.15.2004
A02156

The Sieger Suarez Architectural Partnership
5985 Southwest 70th Street, South Miami, Florida 33143 305/274-2702

A3.15

TRG - Hallandale Beach Limited
1830 S. Ocean Drive
Hallandale Beach, Florida
(954) 455-5759

The Beach Club - Phase II
1830 South Ocean Drive
Hallandale Beach, FL.



level 04 - spa (partial floor plan) 1/4"

AS-BUILT - December 14, 2006

level 04 - spa (partial floor plan) 1/4"

JMA - 7397
Approved As Built
DEC 07 2006

BUILDING PERMIT 06.15.2004
A05116a

The Sieger Suarez Architectural Partnership
5996 Southwest 70th Street South Miami, Florida. 33143. 305/274-2702.

A3.14

TRG - Hallandale Beach Limited
1830 S. Ocean Drive
Hallandale Beach, Florida
(954) 455-5758

The Beach Club - Phase II
1830 South Ocean Drive
Hallandale Beach, FL.



level 04 - spa (partial floor plan) 1/4"

AS-BUILT - December 14, 2006
level 04 - spa (partial floor plan) 1/4"

BUILDING PERMIT 06.15.2004
A0216a

The Sieger Suarez Architectural Partnership
5996 Southwest 70th Street, South Miami, Florida 33143 305/274-7702

A3.13

TRG - Hallandale Beach Limited
1830 S. Ocean Drive
Hallandale Beach, Florida
(954) 455-5799

The Beach Club - Phase II
1830 South Ocean Drive
Hallandale Beach, FL.



1/4"

CABANA "A" REVERSE FINISH SCHEDULE.

ROOM NO.	ROOM NAME	FLOOR	BASE	WALLS FINISH 1	2	3	4	WALLS ASSEMBLY 1	2	3	4	CEILING FINISH	HEIGHT	REMARKS
CA-100	LIVING	CONCRETE	---	GWB	GWB	GWB	GWB	6	7	20	7	WOOD/GWB	8'-8"/7'-6"	
CA-101	NOT USED	-----	---	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	
CA-102	BATH	MARBLE	MARBLE	GWB	GWB	GWB	GWB	3,3C	10	6	6	GWB	7'-6"	MARBLE @ SHOWER WALL TO CEILING
CA-103	CLOSET	CONCRETE	---	GWB	GWB	GWB	GWB	3	6	6	7	GWB	7'-6"	
CA-104	A/C CLOSET	CONCRETE	---	---	GWB	GWB	GWB	---	7	7	20	CONC.	8'-8"	

CABANA "A" FINISH SCHEDULE.

ROOM NO.	ROOM NAME	FLOOR	BASE	WALLS FINISH 1	2	3	4	WALLS ASSEMBLY 1	2	3	4	CEILING FINISH	HEIGHT	REMARKS
CA-100	LIVING	CONCRETE	---	GWB	GWB	GWB	GWB	6	7	20	7	WOOD/GWB	8'-8"/7'-6"	
CA-101	NOT USED	-----	---	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	
CA-102	BATH	MARBLE	MARBLE	GWB	GWB	GWB	GWB	3,3C	6	6	7,10	GWB	7'-6"	MARBLE @ SHOWER WALL TO CEILING
CA-103	CLOSET	CONCRETE	---	GWB	GWB	GWB	GWB	3	7	6	6	GWB	7'-6"	
CA-104	A/C CLOSET	CONCRETE	---	---	GWB	GWB	GWB	---	20	7	7	WOOD	8'-8"	

CABANAS & SNACK BAR DOOR SCHEDULE

DOOR NO.	TYPE	ROOM NAME	HC	SC	DOOR MTL.	WIDTH	HEIGHT	THICK	FRAME DETAIL	FRAME MTL.	LABEL	THRESH	REMARKS
1	A	BATH		•	MASONITE	2'-10"	7'-0"	1-3/8"	H	WOOD		MARBLE	
2	C	CLOSET			WOOD	2'-10"	7'-0"		L	WOOD			B-FOLD
3	A	A/C CLOSET		•	METAL	3'-0"	7'-0"	1-3/4"	B	METAL	B (1-1/2 HR)	ALUMINUM	LBD
4	1	LIVING ROOM	----	----	RUBBER SWEEP	5'-0"	7'-0"	1-3/4"	----	----	----	ALUMINUM	SINGLE FRENCH DOOR
SN-01	A	T&T, SNACK & SNAP KITCHEN	•		METAL	3'-0"	7'-0"	1-3/4"	----	----	----	ALUMINUM	

UNIT GENERAL NOTES

1. FOR WINDOWS & SLIDING GLASS DOORS REFER TO SHEETS A8.05 & A8.06.
2. FOR PARTITION TYPES REFER TO SHEETS A8.01 & A8.02.
3. AT ALL BALCONIES OVER ENCLOSED SPACES PROVIDE WATERPROOFING.

COLOR: STONE GRAY
SEE WALL SECTIONS

4. ALL PENETRATIONS through FIRE RATED WALLS SHALL BE SEALED AS PER DETAILS ON SHEET A9.01, A9.02 & A9.03.

UNIT DOOR NOTES

1. REFER TO NOTES ON SHEET A8.03 & A8.04 FOR ADDITIONAL DOOR AND SECURITY NOTES.
2. ALL UNIT ENTRY DOORS TO HAVE FIRE TREATED EDGES SUCH THAT NO ASTRAGAL IS REQUIRED FOR 20 MIN. FIRERATING.
3. ENTRY DOORS AND LAUNDRY ROOM DOORS TO HAVE 3/4" UNDERCUT. BOTTOM STILE TO BE "OVERSIZED" TO ALLOW FOR UP TO 1-3/4" UNDERCUT.
4. ALL INTERIOR APARTMENT DOORS AND TRIM TO BE PRIMED.
5. ALL SHOWER/TUB DOORS & ENCLOSURES SHALL BE 3/16" TEMPERED SAFETY GLASS MANUFACTURED BY AMERICAN SHOWER DOOR.

UNIT FINISH NOTES

1. REFER TO GENERAL FINISH NOTES SHEET A8.09.
2. ALL DROPPED CEILING AREAS SHALL BE ADJUSTED IN THE FIELD TO BE AS HIGH AS POSSIBLE ONCE ALL PIPING, CONDUIT, A/C DUCTS, ETC. HAVE BEEN INSTALLED. IN NO CASE SHALL ANY CEILING BE LESS THAN 7'-6" ABV. FINISHED SLAB. ALL DROPPED SOFFITS ABV. KITCHEN CABTS. SHALL BE 8'-0" ABV. FIN. SLAB.
3. SEE GENERAL FINISH NOTES FOR INTERIOR FLAME SPREAD REQUIREMENTS.
4. FOR REINFORCEMENT @ BATHROOM WALLS SEE A8.05.
5. MIRRORS SHALL BE PROVIDED AT ALL BATHROOM VANITIES & SHALL RUN 130CM TOP OF BACKSPLASH TO CEILING. ALL MIRRORS SHALL BE SAFETY GLASS.
6. ALL BATHROOM FLOORS TO BE MARBLE w/ MARBLE BASE. FLOORING TO BE INSTALLED OVER SOUND INSULATION.

AS-BUILT - December 14, 2006

JMA - 2307
Approved by
Hani Barari As Built
DEC 27 2006

BUILDING PERMIT 05.15.2004

level 02 - cabanas

1/4"

The Sieger Suarez Architectural Partnership
5996 Southwest 70th Street, South Miami, Florida, 33143, 305/274-3702
Charles H. Sieger, FAIA, Lic. # AR5742
Juan J. Suarez, AIA, Lic. # AR13052

A3.09

TRG - Hallandale Beach Limited
1830 S. Ocean Drive
Hallandale Beach, Florida
(954) 455-5758

The Beach Club - Phase II
1830 South Ocean Drive
Hallandale Beach, FL.



CABANA "A" REVERSE FINISH SCHEDULE.

ROOM NO.	ROOM NAME	FLOOR	BASE	WALLS								CEILING		REMARKS
				FINISH				ASSEMBLY				FINISH	HEIGHT	
				1	2	3	4	1	2	3	4			
CA-100	LIVING	CONCRETE	---	CWD	CWD	CWD	CWD	1	7	28	7	WOOD/GWB	8'-6"/7'-6"	
CA-101	NOT USED													
CA-102	BATH	MARBLE	MARBLE	CWD	CWD	CWD	CWD	3,10	10	6	6	CWD	7'-6"	MARBLE @ SHOWER WALL TO CEILING
CA-103	CLOSET	CONCRETE	---	CWD	CWD	CWD	CWD	3	9	6	7	CWD	7'-6"	
CA-104	A/C CLOSET	CONCRETE	---	---	CWD	CWD	CWD	---	7	7	28	CONC	8'-6"	

CABANA "A" FINISH SCHEDULE.

ROOM NO.	ROOM NAME	FLOOR	BASE	WALLS								CEILING		REMARKS
				FINISH				ASSEMBLY				FINISH	HEIGHT	
				1	2	3	4	1	2	3	4			
CA-100	LIVING	CONCRETE	--	CWD	CWD	CWD	CWD	1	7	28	7	WOOD/GWB	8'-6"/7'-6"	
CA-101	NOT USED	---	---	---	---	---	---	---	---	---	---	---	---	
CA-102	BATH	MARBLE	MARBLE	CWD	CWD	CWD	CWD	3,10	10	6	7,10	CWD	7'-6"	MARBLE @ SHOWER WALL TO CEILING
CA-103	CLOSET	CONCRETE	---	CWD	CWD	CWD	CWD	3	9	6	6	CWD	7'-6"	
CA-104	A/C CLOSET	CONCRETE	---	---	CWD	CWD	CWD	---	28	7	7	CONC	8'-6"	

CABANAS & PUBLIC BATH DOOR SCHEDULE

DOOR NO.	TYPE	ROOM NAME	HC	SC	DOOR MTL.	WIDTH	HEIGHT	THICK	FRAME DETAIL	FRAME MTL.	LABEL	THRESH	REMARKS
CA-01	A	BATH	---	•	WOOD/GL	2'-10"	7'-0"	1-3/8"	H	WOOD		MARBLE	
CA-02	C	CLOSET	---	---	WOOD	2'-10"	7'-0"		L	WOOD			BI-FOLD
CA-03	A	A/C CLOSET	---	•	METAL	2'-0"	7'-0"	1-3/4"	B	METAL	B (1-1/2 HR)	ALUMINUM	louv
CA-04	T	LIVING ROOM	---	---	ALUMINUM GLASS	5'-0"	7'-0"	1-3/4"	---	---	---	ALUMINUM	SINGLE FRENCH DOOR
CA-05	A	JANITOR CLO.	•	---	MASONITE	2'-6"	7'-0"	1-3/4"	---	---	---	ALUMINUM	
CA-06		PUBLIC BATH	---	•	WOOD	2'-6"	7'-0"	1-3/4"	H	WOOD		MARBLE	

PUBLIC BATH FINISH SCHEDULE.

ROOM NO.	ROOM NAME	FLOOR	BASE	WALLS								CEILING		REMARKS
				FINISH				ASSEMBLY				FINISH	HEIGHT	
				1	2	3	4	1	2	3	4			
PB-100	VEST.	CERAMIC TILE	CERAMIC TILE	CWD	CWD	CWD	CWD	-	-	-	-	WOOD/GWB	8'-6"	
PB-101	JANITOR CLO.	CERAMIC TILE	CERAMIC TILE	TILE/CWD	TILE/CWD	TILE/CWD	TILE/CWD	---	---	---	---	CWD	8'-6"	
PB-102	WOMEN BATH	CERAMIC TILE	CERAMIC TILE	TILE/CWD	TILE/CWD	TILE/CWD	TILE/CWD	---	---	---	---	CWD	7'-10"	
PB-103	MEN BATH	CERAMIC TILE	CERAMIC TILE	TILE/CWD	TILE/CWD	TILE/CWD	TILE/CWD	---	---	---	---	CWD	7'-10"	

level 02 - cabanas 1/4"

UNIT GENERAL NOTES

1. FOR WINDOWS & SLIDING GLASS DOORS REFER TO SHEETS A8.05 & A8.06.
2. FOR PARTITION TYPES REFER TO SHEETS A8.01 & A8.02
3. AT ALL BALCONIES OVER ENCLOSED SPACES PROVIDE WATERPROOFING.

COLOR: STONE GRAY
SEE WALL SECTIONS

4. ALL PENETRATIONS through FIRE RATED WALLS SHALL BE SEALED AS PER DETAILS ON SHEET A9.01, A9.02 & A9.03.

UNIT DOOR NOTES

1. REFER TO NOTES ON SHEET A8.03 & A8.04 FOR ADDITIONAL DOOR AND SECURITY NOTES.
2. ALL UNIT ENTRY DOORS TO HAVE FIRE TREATED EDGES SUCH THAT NO ASTRAGAL IS REQUIRED FOR 20 MIN. FIRERATING.
3. ENTRY DOORS AND LAUNDRY ROOM DOORS TO HAVE 3/4" UNDERCUT. BOTTOM STILE TO BE "OVERSIZED" TO ALLOW FOR 1/2 TO 1-3/4" UNDERCUT.
4. ALL INTERIOR APARTMENT DOORS AND TRIM TO BE PRIMED.
5. ALL SHOWER/TUB DOORS & ENCLOSURES SHALL BE 3/16" TEMPERED SAFETY GLASS MANUFACTURED BY AMERICAN SHOWER DOOR.

UNIT FINISH NOTES

1. REFER TO GENERAL FINISH NOTES SHEET A8.09.
2. ALL DROPPED CEILING AREAS SHALL BE ADJUSTED IN THE FIELD TO BE AS HIGH AS POSSIBLE ONCE ALL PIPING, CONDUIT, A/C DUCTS, ETC. HAVE BEEN INSTALLED. IN NO CASE SHALL ANY CEILING BE LESS THAN 7'-6" ABV. FINISHED SLAB. ALL DROPPED SOFFITS ABV. KITCHEN CAB'S. SHALL BE 8'-0" ABV FIN. SLAB.
3. SEE GENERAL FINISH NOTES FOR INTERIOR FLAME SPREAD REQUIREMENTS.
4. FOR REINFORCEMENT @ BATHROOM WALLS SEE A8.05.
5. MIRRORS SHALL BE PROVIDED AT ALL BATHROOM VANITIES & SHALL RUN FROM TOP OF BACKSPLASH TO CEILING. ALL MIRRORS SHALL BE SAFETY GLASS.
6. ALL BATHROOM FLOORS TO BE MARBLE w/ MARBLE BASE. FLOORING TO BE INSTALLED OVER SOUND INSULATION

AS-BUILT - December 14, 2006

level 02 - cabanas

1/4"

BUILDING PERMIT 06.16.2004

A3.08

The Sieger Suarez Architectural Partnership
5899 Southwest 70th Street South Miami, Florida 33143 305/274-2792.

TRG - Hallandale Beach Limited
1830 S. Ocean Drive
Hallandale Beach, Florida
(954) 456-5759

The Beach Club - Phase II
1830 South Ocean Drive
Hallandale Beach, FL.





garage level 02 -mechanical 1/4"

IMA - 2367
Final Record As Built
DEC 27 2006

BUILDING PERMIT 06.15.2004
A0216a

AS-BUILT - December 14, 2006
garage level 02 - mechanical 1/4"

The Sieger Suarez Architectural Partnership
5996 Southwest 70th Street, South Miami, Florida. 33143 305/274-2707

A3.07

TRG - Hallandale Beach Limited
1830 S. Ocean Drive
Hallandale Beach, Florida
(954) 455-5789

The Beach Club - Phase II
1830 South Ocean Drive
Hallandale Beach, FL.



level 02 - common area/terrace

1/4"

AS-BUILT - December 14, 2006

level 02 - common area/terrace

1/4"

BUILDING PERMIT 06.15.2004

The Sieger Suarez Architectural Partnership
5996 Southwest 70th Street South Miami, Florida, 33143 305/374-2702

A3.06

TRG - Hallandale Beach Limited
1830 S. Ocean Drive
Hallandale Beach, Florida
(954) 455 5758

The Beach Club - Phase II
1830 South Ocean Drive
Hallandale Beach, FL.



level 02 - common area/terrace 1/4"

AS-BUILT - December 14, 2006
level 02 - common area/terrace 1/4"

BUILDING PERMIT 06.15.2004

The Sieger Suarez Architectural Partnership
5996 Southwest 70th Street, South Miami, Florida. 33143 305/274 2702

A3.05

TRG - Hallandale Beach Limited
1600 S. Ocean Drive
Hallandale Beach, Florida
(954) 455-5759

The Beach Club - Phase II
1630 South Ocean Drive
Hallandale Beach, FL.



service level - storage and trash room 1/4"

AS-BUILT - December 14, 2006

service level - storage and trash room 1/4"

BUILDING PERMIT 06.15.2004

The Sieger Suarez Architectural Partnership
5996 Southwest 70th Street South Miami, Florida 33143. 305/274-2702.

A3.01

TRG - Hallandale Beach Limited
1830 S. Ocean Drive
Hallandale Beach, Florida
(954) 455-5758

The Beach Club - Phase II
1830 South Ocean Drive
Hallandale Beach, FL.



level 53 - roof floor plan 1/8"

NORTH

AS-BUILT - December 14, 2006

level 53 - roof floor plan 1/8"

JMA - 2307

BUILDING PERMIT 08.15.2006

A2.17

The Sieger Suarez Architectural Partnership
5996 Southwest 70th Street, South Miami, Florida, 33143, 305/274-2702.

TRG - Hallandale Beach Limited
1530 S. Ocean Drive
Hallandale Beach, Florida
(954) 457-5758

The Beach Club - Phase II
1830 South Ocean Drive
Hallandale Beach, FL



level 52 - machine room floor plan 1/8"

NORTH

AS-BUILT - December 14, 2006
level 52 - machine room floor plan
1/8"

JMA - 2357
DEC 07 2006
BUILDING PERMIT 06.15.2004
A02166

The Sieger Suarez Architectural Partnership
5966 Southwest 70th Street South Miami, Florida 33143. 305/274-2702.

A2.16

TRG - Hallandale Beach Limited
1830 S. Ocean Drive
Hallandale Beach, Florida
(954) 455-5739

The Beach Club - Phase II
1830 South Ocean Drive
Hallandale Beach, FL.



level 51 - mechanical floor plan 1/8"

AS-BUILT - December 14, 2006

level 51 - mechanical floor plan 1/8"

BUILDING PERMIT 05.15.2004

A02168

A2.15

The Sieger Suarez Architectural Partnership
5996 Southwest 70th Street South Miami, Florida 33143 305/274 2702.

TRG - Hallandale Beach Limited
1830 S. Ocean Drive
Hallandale Beach, Florida
(954) 455-5758

The Beach Club - Phase II
1830 South Ocean Drive
Hallandale Beach, FL



level 50 - floor plan

1/8"

NORTH

AS-BUILT - December 14, 2006

level 50 - floor plan

1/8"

BUILDING PERMIT 06.15.2004

A02168

Sheet number

A2.14

The Sieger Suarez Architectural Partnership
5598 Southwest 70th Street, South Miami, Florida, 33143, 305/274-2702

TRG - Hallandale Beach Limited
1830 S. Ocean Drive
Hallandale Beach, Florida
(954) 455-6759

The Beach Club - Phase II
1830 South Ocean Drive
Hallandale Beach, FL.



levels 14-49 - floor plans 1/8"

AS-BUILT - December 14, 2006

levels 14-49 - floor plans 1/8"

BUILDING PERMIT 06.15.2004

The Sieger Suarez Architectural Partnership
5966 Southwest 70th Street South Miami, Florida 33143 305/774-2782

A2.13

TRG - Hallandale Beach Limited
1830 S. Ocean Drive
Hallandale Beach, Florida
(954) 455-5769

The Beach Club - Phase II
1830 South Ocean Drive
Hallandale Beach, FL.



level 13 - floor plan 1/8"

NORTH

AS-BUILT - December 14, 2006

level 13 - floor plan 1/8"

BUILDING PERMIT 08.15.2004

The Sieger Suarez Architectural Partnership
5998 Southwest 70th Street South Miami, Florida, 33143 305/274-2702

A2.12

TRG - Hallandale Beach Limited
1630 S. Ocean Drive
Hallandale Beach, Florida
(954) 458-3755

The Beach Club - Phase II
1630 South Ocean Drive
Hallandale Beach, FL.



level 12 - floor plan 1/8"

NORTH

AS-BUILT - December 14, 2006

level 12 - floor plan 1/8"

BUILDING PERMIT 06.15.2004

The Sieger Suarez Architectural Partnership
5996 Southwest 70th Street South Miami, Florida 33143 305/274-2702

A2.11

TRG - Hallandale Beach Limited
1830 S. Ocean Drive
Hallandale Beach, Florida
(954) 458-5759

The Beach Club - Phase II
1830 South Ocean Drive
Hallandale Beach, FL.



level -11 floor plan 1/8"

NORTH

AS-BUILT - December 14, 2006

level11 - floor plan 1/8"

BUILDING PERMIT 06.15.2004

The Sieger Suarez Architectural Partnership
5999 Southwest 70th Street South Miami, Florida 33143 305/274-2702

A2.10a

TRG - Hallandale Beach Limited
1830 S. Ocean Drive
Hallandale Beach, Florida
(954) 455-5739

The Beach Club - Phase II
1830 South Ocean Drive
Hallandale Beach, FL.



levels 10 floor plan 1/8"

NORTH

BUILDING PERMIT 06.15.2004

AS-BUILT - December 14, 2006

level 10 - floor plan

1/8"

The Sieger Suarez Architectural Partnership
5896 Southwest 70th Street South Miami, Florida. 33143. 305/274-7709

A2.10

TRG - Hallandale Beach Limited
1830 S. Ocean Drive
Hallandale Beach, Florida
(954) 458-5759

The Beach Club - Phase II
1830 South Ocean Drive
Hallandale Beach, FL.



level 09 - floor plan 1/8"

NORTH

AS-BUILT - December 14, 2006

level 09 - floor plan 1/8"

BUILDING PERMIT 06.15.2004

The Sieger Suarez Architectural Partnership
5996 Southwest 70th Street, South Miami, Florida, 33143, 305/274-1702.

A2.09

TRG - Hallandale Beach Limited
1830 S. Ocean Drive
Hallandale Beach, Florida
(954) 456-5730

The Beach Club - Phase II
1830 South Ocean Drive
Hallandale Beach, FL



level 08 - floor plan

1/8"

NORTH

AS-BUILT - December 14, 2006

level 08 - floor plan

1/8"

HAA - 2397
DEC 27 2006

BUILDING PERMIT 06.15.2004
Job Number
A2015a

The Sieger Suarez Architectural Partnership
5996 Southwest 70th Street, South Miami, Florida, 33143, 305/274-2702.

A2.08

TRG - Hallandale Beach Limited
1830 S. Ocean Drive
Hallandale Beach, Florida
(954) 455 5759

The Beach Club - Phase II
1830 South Ocean Drive
Hallandale Beach, FL.



level 07 - pool deck floor plan 3/32"

NORTH

AS-BUILT - December 14, 2006

level 07 - pool deck floor plan 3/32"

BUILDING PERMIT 06.15.200

A0216a

The Sieger Suarez Architectural Partnership
5996 Southwest 70th Street, South Miami, Florida. 33143. 305/274-2702.

A2.07

TRG - Hallandale Beach Limited
1830 S. Ocean Drive
Hallandale Beach, Florida
(954) 455-5759

The Beach Club - Phase II
1830 South Ocean Drive
Hallandale Beach, FL.



level 06 - floor plan — 3/32"

AS-BUILT - December 14, 2006

level 06 - floor plan — 3/32"

JAN - 2007

DEC 27 2006

BUILDING PERMIT 06.15.2004

A0216a

The Sieger Suarez Architectural Partnership
5996 Southwest 70th Street, South Miami, Florida, 33143. 305/274-2702.

A2.06

TRG - Hallandale Beach Limited
1830 S. Ocean Drive
Hallandale Beach, Florida
(954) 455-5739

The Beach Club - Phase II
1830 South Ocean Drive
Hallandale Beach, FL.



level 05 - floor plan

3/32"

AS-BUILT - December 14, 2006

level 05 - floor plan

3/32"

JMA - 2397

BUILDING PERMIT 06.15.2004

The Sieger Suarez Architectural Partnership
3996 Southwest 70th Street, South Miami, Florida, 33143 305/274-2769

A2.05

TRG - Hallandale Beach Limited
1830 S. Ocean Drive
Hallandale Beach, Florida
(954) 455-5758

The Beach Club - Phase II
1830 South Ocean Drive
Hallandale Beach, FL.



level 04 - floor plan 3/32"

NORTH

AS-BUILT - December 14, 2006

level 04 - floor plan 3/32"

BUILDING PERMIT 06.15.2004

The Sieger Suarez Architectural Partnership
5996 Southwest 70th Street, South Miami, Florida. 33143. 305/274-2707.

A2.04

TRG - Hallandale Beach Limited
1830 S. Ocean Drive
Hallandale Beach, Florida
(954) 455-5755

The Beach Club - Phase II
1830 South Ocean Drive
Hallandale Beach, FL.



floor plan - pool deck - level 7 1/16"

AS-BUILT - December 14, 2006

floor plan - pool deck - level 7 1/16"

NORTH

BUILDING PERMIT 06.15.2004

The Sieger Suarez Architectural Partnership
5996 Southwest 70th Street, South Miami, Florida 33143 305/274-2700

A1.08

TRG - Hallandale Beach Limited
1830 S. Ocean Drive
Hallandale Beach, Florida
(954) 455-5709

The Beach Club - Phase II
1830 South Ocean Drive
Hallandale Beach, FL.



floor plan - level 6th

1/16"

NORTH

AS-BUILT - December 14, 2006

1/16"

floor plan - level 6th

MIA - 2302
Document is Original Record As Built
DEC 27 2006

BUILDING PERMIT 06.15.2004

A0210a

The Sieger Suarez Architectural Partnership
5996 Southwest 70th Street South Miami, Florida 33143. 305/774-2702

A1.07

TRG - Hallandale Beach Limited
1830 S. Ocean Drive
Hallandale Beach, Florida
(954) 456-5755

The Beach Club - Phase II
1830 South Ocean Drive
Hallandale Beach, FL



AS-BUILT - December 14, 2006

floor plan - level 5th

1/16"

floor plan - level 5th

1/16"

BUILDING PERMIT 06.15.2004

The Sieger Suarez Architectural Partnership
5996 Southwest 70th Street, South Miami, Florida, 33143 305/274-2702

A1.06

TRG - Hallandale Beach Limited
1530 S. Ocean Drive
Hallandale Beach, Florida
(954) 455-5750

The Beach Club - Phase II
1830 South Ocean Drive
Hallandale Beach, FL.



floor plan - level 4th

1/16"

NORTH

AS-BUILT - December 14, 2006

floor plan - level 4th

1/16"

BUILDING PERMIT 06.15.2004

A0218a

A1.05

The Sieger Suarez Architectural Partnership
5996 Southwest 70th Street South Miami, Florida. 33143. 305/274-2702.

TRG - Hallandale Beach Limited
1830 S. Ocean Drive
Hallandale Beach, Florida
(954) 455-5758

The Beach Club - Phase II
1830 South Ocean Drive
Hallandale Beach, FL.

AS-BUILT - December 14, 2006

project data

SYMBOLS LEGEND





LEGAL DESCRIPTION

Parent Tract

The North 550 feet of Tract 2 of SECOND AMENDED PLAT OF SEMINOLE BEACH, according to the Plat thereof recorded in Plat Book 15, at page 19 of the Public Records of Broward County, Florida; and that portion of Lots 1, 2, and the North 1/2 of Lot 3 lying East of the East right of way line of State Road A1A, Block 3 of AMENDED PLAT OF SEMINOLE BEACH, according to the Plat thereof as recorded in Plat Book 4, at page 15 of the Public Records of Broward County, Florida.

LESS AND EXCEPT THEREFROM:
Those lands conveyed by Deeds recorded in O.R. Book 1011, page 307, O.R. Book 1023, page 126, O.R. Book 4533, Page 380, O.R. Book 4533 page 383, O.R. Book 4533, page 386, O.R. Book 4551, page 157, and the Order of Taking recorded in O.R. Book 27726, page 790, of the Public Records of Broward County, Florida. Total area for property = 8.910 acres more or less.

Phase 2

The South 210 feet of the North 230 feet of Tract 2 of SECOND AMENDED PLAT OF SEMINOLE BEACH, according to the Plat thereof recorded in Plat Book 15, at page 19 of the Public Records of Broward County, Florida, lying East of the East right of way line of State Road A1A.

LESS AND EXCEPT THEREFROM:
Those lands conveyed by Deeds recorded in O.R. Book 1011, page 307, O.R. Book 1023, page 126, O.R. Book 4533, Page 380, O.R. Book 4533 page 383, O.R. Book 4533, page 386, O.R. Book 4551, page 157, and the Order of Taking recorded in O.R. Book 27726, page 790, of the Public Records of Broward County, Florida. Phase 2 contains 99,989 square feet or 2.295 acres more or less.

CODE USED

Construction of this building shall comply with:

The Florida Building Code
The Life Safety Code - Florida Fire Prevention Code
The Fair Housing Act 1968, as amended
The Florida Accessibility Code
Americans With Disabilities Act (ADA) & ANSI 117.1

Should conflicts arise between codes the General Contractor shall comply with the most stringent requirement or shall receive written authorization from the Building Official for compliance.

SITE PLAN INFORMATION

TOTAL SITE AREA:	8.91 ACRES – 388,119 SQ. FT.
PHASE 2	2.295 ACRES – 99,989 SQ. FT.
TYPE OF OCCUPANCY	RESIDENTIAL R-2

TYPE OF CONSTRUCTION:

TYPE I SPRINKLERED

Project Data
Zoning: RU-4 | Residential Multi-Family High Density

Site Data	Proposed Residential Compliance			
	Phase I	Phase II	Phase III	Total
Lot Size	3.503 Acres 152,583 Sq. Ft.	2.295 Acres 99,989 Sq. Ft.	2.913 Acres 126,891 Sq. Ft.	8.911 Acres 388,119 Sq. Ft.
Density	286 units 107 units/acre	150 units 200 units/acre	309 units 129 units/acre	1,255 units 141 units/acre
Lot Coverage	70,610 Sq. Ft. 46.4%	40,625 Sq. Ft. 40.6%	60,264 Sq. Ft. 47.5%	201,799 Sq. Ft. 52.0%
Open Space	115,001 Sq. Ft. 36.4%	min. Sq. Ft. min.	34,356 Sq. Ft. 26.2%	330,002 Sq. Ft. 43.0%
Paved Area	24,377 Sq. Ft. 11.2%	min. Sq. Ft. min.	54,706 Sq. Ft. 19.2%	48,754 Sq. Ft. 8.1%
Setbacks:	Tower I	Tower II	Tower III	
Front Tower Garage Porte Cochere	116'-5 1/8" to Tower 208'-4 3/4" to Basement Garage 74'-3/4" to Porte Cochere	107'-3 1/4" to Tower 212'-8 1/2" to Basement Garage 126'-8 1/2" to Porte Cochere	102'-5 1/4" to Tower 208'-4 3/4" to Basement Garage 74'-3/4" to Porte Cochere	
Rear Tower Garage	216'-8 1/4" to Tower 36'-1 1/2" to Garage	84'-3 3/8" to Tower 46'-6 1/8" to Garage	218'-9 1/4" to Tower 38'-3 1/2" to Garage	
Side (South) Tower Garage	52'-0" to Tower 50'-0" to Garage	0" to Tower 0" to Garage	30'-0" to Tower 50'-0" to Garage	
Side (North) Tower Garage	82'-8 1/8" to Tower 75'-7 1/8" to Garage	330'-0" to Tower 25' to Garage	82'-8 1/8" to Tower 75'-7 1/8" to Garage	
Visual Corridor				
Building Height Tower Garage	412'-4" (MAIN ROOF 410'-4" NGVD, 428'-4" T.O. PARAPET 446'-4" NGVD.) 61'-4" NGVD	402'-0" (MAIN ROOF 400'-0" NGVD, 418'-0" T.O. PARAPET 436'-0" NGVD.) 61'-0" (57'-4" NGVD)	422'-4" (MAIN ROOF 410'-4" NGVD, 438'-4" T.O. PARAPET 446'-4" NGVD.) 61'-0" NGVD	
Trees (DBH/size etc.)	See Landscaping Plans	See Landscaping Plans	See Landscaping Plans	
Parking calculation	Phase I 531 Regular Parking Spaces 16 Handicap Parking Spaces 547 Total Parking Spaces	Phase II 329 Regular Parking Spaces 11 Handicap Parking Spaces 337 Total Parking Spaces 95 City Parking Spaces 4 City Handicapped Parking Spaces 436 Total Parking Spaces	Phase III 193 Regular Parking Spaces 5 Handicap Parking Spaces 198 Total Parking Spaces	Total 1047 Regular Parking Spaces 32 Handicap Parking Spaces (@ 2%) 1079 Total Parking Spaces 99 City Parking Spaces 4 City Handicapped Parking Spaces 1183 Total Parking Spaces

Note: Service Level = 0'-0" or 5'-0" NGVD

Levels	Common Area	Garage
Level 5	5,982	
Level 7	6,247	
Level 6	17,143	36,137
Level 5		47,575
Level 4	16,877	47,575
West Level 3	3,291	47,575
Lobby	25,040	41,671
Service		86,033
Totals	81,266	315,566

Level	List	B	B rev	B mod	B mod rev	C	D	E	E rev	F	G	G mod	G mod rev	H	J	PH B	PH B mod	PH C	PH C mod	PH D	PH D mod
51	(pent. lev.)															1118 1071	1045 1071	515 515	1681 1681	1405 1405	754 1405
50	(roof lev.)															2085 686	2084 686	1878 287	1744 287	1729 295	1812 295
49		2085 588	2084 686					1458 588	1458 588	871 -	811 121	944 121	944 121	944 121	944 121	1121 2010	532 2010	532			
48		2085 588	2084 686					1458 588	1458 588	871 -	811 121	944 121	944 121	944 121	944 121	1121 2010	532 2010	532			
47		2085 588	2084 686					1458 588	1458 588	871 -	811 121	944 121	944 121	944 121	944 121	1121 2010	532 2010	532			
46		2085 588	2084 686					1458 588	1458 588	871 -	811 121	944 121	944 121	944 121	944 121	1121 2010	532 2010	532			
45		2085 588	2084 686					1458 588	1458 588	871 -	811 121	944 121	944 121	944 121	944 121	1121 2010	532 2010	532			
44		2085 588	2084 686					1458 588	1458 588	871 -	811 121	944 121	944 121	944 121	944 121	1121 2010	532 2010	532			
43		2085 588	2084 686					1458 588	1458 588	871 -	811 121	944 121	944 121	944 121	944 121	1121 2010	532 2010	532			
42		2085 588	2084 686					1458 588	1458 588	871 -	811 121	944 121	944 121	944 121	944 121	1121 2010	532 2010	532			
41		2085 588	2084 686					1458 588	1458 588	871 -	811 121	944 121	944 121	944 121	944 121	1121 2010	532 2010	532			
40		2085 588	2084 686					1458 588	1458 588	871 -	811 121	944 121	944 121	944 121	944 121	1121 2010	532 2010	532			
39		2085 588	2084 686					1458 588	1458 588	871 -	811 121	944 121	944 121	944 121	944 121	1121 2010	532 2010	532			
38		2085 588	2084 686					1458 588	1458 588	871 -	811 121	944 121	944 121	944 121	944 121	1121 2010	532 2010	532			
37		2085 588	2084 686					1458 588	1458 588	871 -	811 121	944 121	944 121	944 121	944 121	1121 2010	532 2010	532			
36		2085 588	2084 686					1458 588	1458 588	871 -	811 121	944 121	944 121	944 121	944 121	1121 2010	532 2010	532			
35		2085 588	2084 686					1458 588	1458 588	871 -	811 121	944 121	944 121	944 121	944 121	1121 2010	532 2010	532			
34		2085 588	2084 686					1458 588	1458 588	871 -	811 121	944 121	944 121	944 121	944 121	1121 2010	532 2010	532			
33		2085 588	2084 686					1458 588	1458 588	871 -	811 121	944 121	944 121	944 121	944 121	1121 2010	532 2010	532			
32		2085 588	2084 686					1458 588	1458 588	871 -	811 121	944 121	944 121	944 121	944 121	1121 2010	532 2010	532			
31		2085 588	2084 686					1458 588	1458 588	871 -	811 121	944 121	944 121	944 121	944 121	1121 2010	532 2010	532			
30		2085 588	2084 686					1458 588	1458 588	871 -	811 121	944 121	944 121	944 121	944 121	1121 2010	532 2010	532			
29		2085 588	2084 686					1458 588	1458 588	871 -	811 121	944 121	944 121	944 121	944 121	1121 2010	532 2010	532			
28		2085 588	2084 686					1458 588	1458 588	871 -	811 121	944 121	944 121	944 121	944 121	1121 2010	532 2010	532			
27		2085 588	2084 686					1458 588	1458 588	871 -	811 121	944 121	944 121	944 121	944 121	1121 2010	532 2010	532			
26		2085 588	2084 686					1458 588	1458 588	871 -	811 121	944 121	944 121	944 121	944 121	1121 2010	532 2010	532			
25		2085 588	2084 686					1458 588	1458 588	871 -	811 121	944 121	944 121	944 121	944 121	1121 2010	532 2010	532			
24		2085 588	2084 686					1458 588	1458 588	871 -	811 121	944 121	944 121	944 121	944 121	1121 2010	532 2010	532			
23		2085 588	2084 686					1458 588	1458 588	871 -	811 121	944 121	944 121	944 121	944 121	1121 2010	532 2010	532			
22		2085 588	2084 686					1458 588	1458 588	871 -	811 121	944 121	944 121	944 121	944 121	1121 2010	532 2010	532			
21		2085 588	2084 686					1458 588	1458 588	871 -	811 121	944 121	944 121	944 121	944 121	1121 2010	532 2010	532			
20		2085 588	2084 686					1458 588	1458 588	871 -	811 121	944 121	944 121	944 121	944 121	1121 2010	532 2010	532			
19		2085 588	2084 686					1458 588	1458 588	871 -	811 121	944 121	944 121	944 121	944 121	1121 2010	532 2010	532			
18		2085 588	2084 686					1458 588	1458 588	871 -	811 121	944 121	944 121	944 121	944 121	1121 2010	532 2010	532			
17		2085 588	2084 686					1458 588	1458 588	871 -	811 121	944 121	944 121	944 121	944 121	1121 2010	532 2010	532			
16		2085 588	2084 686					1458 588	1458 588	871 -	811 121	944 121	944 121	944 121	944 121	1121 2010	532 2010	532			
15		2085 588	2084 686					1458 588	1458 588	871 -	811 121	944 121	944 121	944 121	944 121	1121 2010	532 2010	532			
14		2085 588	2084 686					1458 588	1458 588	871 -	811 121	944 121	944 121	944 121	944 121	1121 2010	532 2010	532			
13		2085 588				2015 586	2015 586	1458 588	1458 588	871 -	811 121	944 121	944 121	944 121	944 121	1121 2010	532 2010	532			
12						1817 586	2015 586	1675 784	1733 986	1458 588	1458 588	871 -	811 121	944 121	944 121	1121 2010	532 2010	532			
11						1817 586	2015 586			1458 588	1458 588	871 -									
10						1817 586	2015 586			1458 588	1458 588	871 -									
9										1458 588	1458 588	871 -									
8																					
7	Pool Deck																				
6	Corridor																				
5	Parking																				
4	Parking																				
3	Mezzanine																				
2	Lobby																				
1	Service																				
	Subtotals																				

Unit B	27																				
Unit B rev		26																			
Unit B mod			3																		
Unit B mod rev				4																	
Unit C					26																
Unit D						26															
Unit E							42														
Unit E rev								42													
Unit F									42												
Unit G										39											
Unit G mod											26										
Unit G mod rev												26									
Unit H													26								
Unit J														26							
Unit PH B															1	1					
Unit PH B mod																1					
Unit PH C																	1				
Unit PH C mod																		1			
Unit PH D																			1		
Unit PH D mod																				1	
Subtotal # of units	27	26	3	4	26	26	42	42	42	39	26	26	26	26	1	1	1	1	1	1	480 Total # of units

JMA - 2397
Revised to Evol record as-built
DEC 19 2006

BUILDING PERMIT 08.15.2004

A0216e

The Sieger Suarez Architectural Partnership
5996 Southwest 70th Street, South Miami, Florida. 33143. 305/274-2702.
Charles H. Sieger, FAIA
Jose J. Suarez, AIA

A1.00

TRG - Hallandale Beach Limited
1830 S. Ocean Drive
Hallandale Beach, Florida
(954) 455-5759

The Beach Club - Phase II

1830 South Ocean Drive
Hallandale Beach, FL.



LIFE SAFETY LEGEND

—1—	1 HOUR FIRE RATED SEPARATION
—2—	2 HOUR FIRE RATED SEPARATION
—3—	3 HOUR FIRE RATED SEPARATION
F.E.	FIRE EXTINGUISHER
F.H.C.	FIRE ALARM CONNECTION
EXIT	EXIT
EXIT DISCHARGE	EXIT DISCHARGE

life safety plan - level 52 1/8"

AS-BUILT - December 14, 2006

life safety plan - level 52 1/8"

JWA - 2307
Approved as
First Record As Built
DEC 27 2006
Approved

BUILDING PERMIT 06.15.2004
Job Number A0216a
Sheet number A10.16

The Sieger Suarez Architectural Partnership
5996 Southwest 70th Street South Miami, Florida. 33143. 305/274-2702
Charles M. Sieger, F.A.I.A. Lic. # AR0010
Jose J. Suarez, A.I.A. Lic. # AR1005

TRG - Hallandale Beach Limited
1830 S. Ocean Drive
Hallandale Beach, Florida
(954) 455-5753

The Beach Club - Phase II
1830 South Ocean Drive
Hallandale Beach, FL



life safety plan - level 51 1/8"

AS-BUILT - December 14, 2006

life safety plan - level 51 1/8"

BUILDING PERMIT 06-15-2004

The Sieger Suarez Architectural Partnership
5996 Southwest 70th Street So.th Miami, Florida. 33143. 305/274-2702.

A10.15

TRG - Hallandale Beach Limited
1600 S. Ocean Drive
Hallandale Beach, Florida
(954) 455-5759

The Beach Club - Phase II
1830 South Ocean Drive
Hallandale Beach, FL.



life safety plan - level 50 1/8"

AS-BUILT - December 14, 2006

life safety plan - levels 50 1/8"

JMA - 2377
DEC 07 2006

BUILDING PERMIT 06.15.2004

The Sieger Suarez Architectural Partnership
5961 Southwest 70th Street, South Miami, Florida. 33143. 305/274-2702.

A10.14

TRG - Hallandale Beach Limited
1830 S. Ocean Drive
Hallandale Beach, Florida
(954) 455-5756

The Beach Club - Phase II
1830 South Ocean Drive
Hallandale Beach, FL.



life safety plan - levels 14-49 1/8"

AS-BUILT - December 14, 2006

life safety plan - levels 14-49 1/8"

JMA - 2302
Revised Per Rev #1
DEC 07 2006

BUILDING PERMIT 06.15.2004
A02158

The Sieger Suarez Architectural Partnership
5996 Southwest 70th Street South Miami, Florida 33143. 305/274-2702

A10.13

TRG - Hallandale Beach Limited
1830 S. Ocean Drive
Hallandale Beach, Florida
(954) 455-5709

The Beach Club - Phase II
1830 South Ocean Drive
Hallandale Beach, FL.



LIFE SAFETY LEGEND

F.E.
F.H.C.
EXIT
EXIT DISCHARGE

life safety plan - level 13 1/8"

AS-BUILT - December 14, 2006
life safety plan - level 13 1/8"

BUILDING PERMIT 06.15.2004

The Sieger Suarez Architectural Partnership
5996 Southwest 70th Street, South Miami, Florida 33143 305/274-2702.

A10.12

TRG - Hallandale Beach Limited
1830 S. Ocean Drive
Hallandale Beach, Florida
(954) 455-5759

The Beach Club - Phase II
1830 South Ocean Drive
Hallandale Beach, FL



LIFE SAFETY LEGEND

life safety plan - level 12 1/8"

AS-BUILT - December 14, 2006

life safety plan - level 12 1/8"

BUILDING PERMIT 06.15.2004

The Sieger Suarez Architectural Partnership
5996 Southwest 70th Street, South Miami, Florida, 33143, 305/274-2702

A10.11

TRG - Hallandale Beach Limited
1830 S. Ocean Drive
Hallandale Beach, Florida
(954) 458-5799

The Beach Club - Phase II
1830 South Ocean Drive
Hallandale Beach, FL.



LIFE SAFETY LEGEND

	1 HOUR FIRE RATING REQUIRED
	2 HOUR FIRE RATING REQUIRED
FE / FHC	FIRE EXTINGUISHER
	FIRE HOSE CONNECTION
	TRAVEL DISTANCE
EXIT	EXIT
EXIT DISCHARGE	EXIT DISCHARGE

life safety plan - levels 10-11 1/8"

AS-BUILT - December 14, 2006

life safety plan - levels 10-11 1/8"

JMA - 8397
Revised As Built
DEC. 27 2006

BUILDING PERMIT 06.15.2004
A0216a

The Sieger Suarez Architectural Partnership
5996 Southwest 70th Street, South Miami, Florida 33143, 305/274-2702.

A10.10

TRG - Hallandale Beach Limited
1830 S. Ocean Drive
Hallandale Beach, Florida
(954) 455-5756

The Beach Club - Phase II
1830 South Ocean Drive
Hallandale Beach, FL.



life safety plan - level 09 1/8"

AS-BUILT - December 14, 2006
life safety plan - level 09 1/8"

JMA - 2397
DEC 27 2005
BUILDING PERMIT 06.15.2004
A0216a

The Sieger Suarez Architectural Partnership
5999 Southwest 70th Street, South Miami, Florida. 33143. 305/274-2702.

A10.09

TRG - Hallandale Beach Limited
1830 S. Ocean Drive
Hallandale Beach, Florida
(954) 455-5750

The Beach Club - Phase II
1830 South Ocean Drive
Hallandale Beach, FL.



AS-BUILT - December 14, 2006

life safety plan - level 08

1/8"

JAA - 2597
Signed Record As Built
DEC 27 2006

BUILDING PERMIT 06.15.2004

A10.08

life safety plan - level 08 1/8"

The Sieger Suarez Architectural Partnership
3793 Southwest 70th Street, South Miami, Florida 33143 305/274-2702.

TRG - Hallandale Beach Limited
1830 S. Ocean Drive
Hallandale Beach, Florida
(954) 455-5733

The Beach Club - Phase II
1830 South Ocean Drive
Hallandale Beach, FL



AS-BUILT - December 14, 2006

life safety plan - pool deck - level 7

1/16"

life safety plan - pool deck - level 7 1/16"

BUILDING PERMIT 06.15.2006

A0216a

A10.0

The Sieger Suarez Architectural Partnership
5296 Southwest 70th Street, South Miami, Florida, 33143, 305/274-2702