

Florida Building Code 6th Edition (2017)
High-Velocity Hurricane Zone Uniform Permit Application Form

INSTRUCTION PAGE

**COMPLETE THE NECESSARY SECTIONS OF
THE UNIFORM ROOFING PERMIT
APPLICATION FORM AND ATTACH THE
REQUIRED DOCUMENTS AS NOTED BELOW:**

Roof System	Required Sections of the Permit Application Form	Attachments Required See List Below
Low Slope Application	A,B,C	1,2,3,4,5,6,7
Prescriptive BUR-RAS 150	A,B,C	4,5,6,7
Asphaltic Shingles	A,B,D	1,2,4,5,6,7
Concrete or Clay Tile	A,B,D,E	1.2.3.4.5,6,7
Metal Roofs	A,B,D	1,2,3,4,5,6,7
Wood Shingles and Shakes	A,B,D	1,2,4,5,6,7
Other	As Applicable	1,2,3,4,5,6,7

ATTACHMENTS REQUIRED:

1.	Fire Directory Listing Page
2.	From Notice of Acceptance: Front Page Specific System Description Specific System Limitations General Limitations Applicable Detail Drawings
3.	Design Calculations per Chapter 16, or If Applicable, RAS 127 or RAS 128
4.	Other Component Notice of Acceptances
5.	Municipal Permit Application
6.	Owners Notification for Roofing Considerations (Re-Roofing Only)
7.	Any Required Roof Testing/Calculation Documentation

Florida Building Code 6th Edition (2017)
High-Velocity Hurricane Zone Uniform Permit Application Form

Section A (General Information)

Master Permit No. _____ Process No. _____

Contractor's Name _____

Job Address _____

ROOF CATEGORY

- Low Slope
 Asphaltic Shingles
- Mechanically Fastened Tile
 Metal Panel/Shingles
- Mortar/Adhesive Set Tile
 Wood Shingles/Shakes

Prescriptive BUR-RAS 150

Are there
Gas Vent Stacks?
Yes No

ROOF TYPE

Type: Natural LPGX


- New Roof Re-Roofing Recovering Repair Maintenance

ROOF SYSTEM INFORMATION

Low Slope Roof Area (SF) Steep Sloped Roof Area (SF) Total (SF)

Section B (Roof Plan)

Sketch Roof Plan: Illustrate all levels and sections, roof drains, scuppers, overflow scuppers and overflow drains. Include dimensions of sections and levels, clearly identify dimensions of elevated pressure zones and location of parapets.



Florida Building Code 6th Edition (2017)
High-Velocity Hurricane Zone Uniform Permit Application Form

Section C (Low Sloped Roof System)

Fill in Specific Roof Assembly Components and Identify Manufacturer

(If a component is not used, identify as "NA")

System Manufacturer: _____

NOA No.: _____

Design Wind Pressures, From RAS 128 or Calculations:

Pmax1: _____ Pmax2: _____ Pmax3: _____

Max. Design Pressure, From the Specific NOA System: _____

Deck Type: _____

Gauge/Thickness: _____

Slope: _____

Anchor/Base Sheet & No. of Ply(s): _____

Anchor/Base Sheet Fastener/Bonding Material: _____

Insulation Base Layer: _____

Base Insulation Size and Thickness: _____

Base Insulation Fastener/Bonding Material: _____

Top Insulation Layer: _____

Top Insulation Size and Thickness: _____

Top Insulation Fastener/Bonding Material: _____

Base Sheet(s) & No. of Ply(s): _____

Base Sheet Fastener/Bonding Material: _____

Ply Sheet(s) & No. of Ply(s): _____

Ply Sheet Fastener/Bonding Material: _____

Top Ply: _____

Top Ply Fastener/ Bonding Material: _____

Surfacing: _____

Fastener Spacing for Anchor/Base Sheet Attachment

Field: _____" oc @ Lap, # Rows _____ @ _____" oc

Perimeter: _____" oc @ Lap, # Rows _____ @ _____" oc

Corner: _____" oc @ Lap, # Rows _____ @ _____" oc


Number of Fasteners Per Insulation Board

Field _____ Perimeter _____ Corner _____

Illustrate Components Noted and Details as Applicable:

Woodblocking, Gutter, Edge Termination, Stripping, Flashing, Continuous Cleat, Cant Strip, Base Flashing, Counter- Flashing, Coping, Etc.

Indicate: Mean Roof Height, Parapet Height, Height of Base Flashing, Component Material, Material Thickness, Fastener Type, Fastener Spacing or Submit Manufacturers Details that Comply with RAS 111 and Chapter 16.



Florida Building Code 6th Edition (2017)
High-Velocity Hurricane Zone Uniform Permit Application Form

Section D (Steep Sloped Roof System)

Roof System Manufacturer: _____
Notice of Acceptance Number: _____
Minimum Design Wind Pressures, if Applicable (From RAS 127 or Calculations): P1: _____ P2: _____ P3: _____
Maximum Design Pressure (From the NOA Specific System): _____
Method of tile attachment: _____

Steep Sloped Roof System Description

Roof Slope: _____: 12	Deck Type: _____
	Type Underlayment: _____
	Insulation: _____
	Fire Barrier: _____
Ridge Ventilation? _____	Fastener Type & Spacing: _____
	Adhesive Type: _____
	Type Cap Sheet: _____
Mean Roof Height: _____	Roof Covering: _____
	Type & Size Drip Edge: _____

Florida Building Code 6th Edition (2017)
High-Velocity Hurricane Zone Uniform Permit Application Form

Section E (Tile Calculations)

For Moment based tile systems, choose either Method 1 or 2. Compared the values for M_r with the values from M_r . If the M_r values are greater than or equal to the M_r values, for each area of the roof, then the tile attachment method is acceptable.

Method 1 "Moment Based Tile Calculations Per RAS 127"

(P_1 : _____ x λ _____ = _____) - Mg: _____ = M_{r1} _____ NOA M_r _____
 (P_2 : _____ x λ _____ = _____) - Mg: _____ = M_{r2} _____ NOA M_r _____
 (P_3 : _____ x λ _____ = _____) - Mg: _____ = M_{r3} _____ NOA M_r _____

Method 2 "Simplified Tile Calculation Per Table Below"

Required Moment of Resistance (M_r) From Table Below _____ NOA M_r _____

M_r Required Moment Resistance*						
Mean Roof Height Roof Slope	_____	15'	20'	25'	30'	40'
2:12		34.4	36.5	38.2	39.7	42.2
3:12		32.2	34.4	36.0	37.4	39.8
4:12		30.4	32.2	33.8	35.1	37.3
5:12		28.4	30.1	31.6	32.8	34.9
6:12		26.4	28.0	29.4	30.5	32.4
7:12		24.4	25.9	27.1	28.2	30.0

*Must be used in conjunction with a list of moment based tile systems endorsed by the Broward County Board of Rules and Appeals.

For Uplift based tile systems use Method 3. Compared the values for F' with the values for F_r . If the F' values are greater than or equal to the F_r values, for each area of the roof, then the tile attachment method is acceptable.

Method 3 "Uplift Based Tile Calculations Per RAS 127"

(P_1 : _____ x l: _____ = _____ x w: _____) - W: _____ x $\cos \theta$: _____ = F_{r1} : _____ NOA F' _____
 (P_2 : _____ x l: _____ = _____ x w: _____) - W: _____ x $\cos \theta$: _____ = F_{r2} : _____ NOA F' _____
 (P_3 : _____ x l: _____ = _____ x w: _____) - W: _____ x $\cos \theta$: _____ = F_{r3} : _____ NOA F' _____

Where to Obtain Information

Description	Symbol	Where to find
Design Pressure	P_1 or P_2 or P_3	RAS 127 Table 1 or by an engineering analysis prepared by PE based on ASCE 7
Mean Roof Height	H	Job Site
Roof Slope	θ	Job Site
Aerodynamic Multiplier	λ	NOA
Restoring Moment due to Gravity	M_r	NOA
Attachment Resistance	M_r	NOA
Required Moment Resistance	M_r	Calculated
Minimum Attachment Resistance	F'	NOA
Required Uplift Resistance	F_r	Calculated
Average Tile Weight	W	NOA
Tile Dimensions	l = length w = width	NOA

All calculations must be submitted to the Building Official at the time of permit application.